# Sparta Township Environmental Asbestos Study

# Final Report of the Results of Air and House Dust Sampling

Final Report

Prepared by:

Paul Lioy, Ph.D. - EOHSI Junfeng Zhang, Ph.D. . - EOHSI Natalie Freeman, Ph.D. . - EOHSI Lih-Ming Yiin, Ph.D. . - EOHSI Robert Hague, Ph.D., C.I.H. . - EOHSI

Laboratory Analyses conducted by R.J. Lee Group Investigator: Robert J. Lee, Ph.D.

Additional analyses conducted by EMS Laboratories

Statistical Analysis conducted by Wayne Berman, Ph.D. - Areolas Inc.

Project Manager:

Alan H. Stern, Dr.P.H. NJ Department of Environmental Protection

October 4, 2002

EXECUTIVE SUMMARY	3
INTRODUCTION	8
APPROACHES TO ASBESTOS RISK ASSESSMENT	12
METHOD AND MATERIALS	13
RECRUITMENT, DATA COLLECTION AND MEASUREMENT	13 13 14 17 17 17 17 19 19 20 20 20 20 20 20 20 21 21 21 21 22
INTER AND INTRA LABORATORY QUALITY ASSURANCE (QC)	
RESULTS	24
AIR SAMPLES Air Sample QC Results Quarry Activity in Relation to Air Sampling Statistical Analysis and Risk Characterization of Air Sampling Data DUST SAMPLES Statistical Analysis of Dust Sampling Data Dust Sample QC Results	24 25 26 26 36 37 39
SUMMARY OF AIR AND DUST SAMPLING RESULTS AND FINDINGS	40
REFERENCES	41
APPENDIX	43
APPENDIX 1. REPORT OF AND RESPONSE TO NJDEP AUDIT APPENDIX 2. INDOOR AND OUTDOOR AIR SAMPLE DATA APPENDIX 3. METEOROLOGICAL DATA (WINDROSES, WIND SPEEDS AND DIRECTIONS) APPENDIX 4. DUST SAMPLE DATA APPENDIX 5. AIR AND DUST OC DATA	

# Table of Contents

# **Executive Summary**

This study was conducted in response to concerns raised by residents of Sparta, New Jersey (Sussex County) that the nearby Southdown Quarry (later purchased by another company and renamed Cemex Quarry) was emitting asbestos structures into the air, and that these structures were reaching residential areas where they could result in an increased cancer risk. To address these concerns, the New Jersey Department of Environmental Protection (NJDEP) in conjunction with Region 2 of the U.S. EPA convened a panel of experts from the NJDEP, the New Jersey Department of Health and Senior Services (NJDHSS), academia and the scientific community, to aid in the design and oversight of a project to estimate the health risk from asbestos and to investigate whether emissions from the quarry were associated with any health risk detected. The work was carried out under contract with the Environmental and Occupational Health Sciences Institute (Rutgers University/University of Medicine and Dentistry of NJ), and under a separate contract from the U.S. EPA-Region 2 to Areolas Inc.

This general questions formulated in the design of this study are summarized by the three following questions:

*Question 1* Are levels of biologically relevant asbestos structures in air present at a level which can case a significant cancer risk with long-term exposure?

*Question 2* If elevated levels of biologically relevant structures are detected in air downwind of the quarry, is there evidence that the quarry is the source of those structures?

*Question 3* If residents are being exposed to levels of biologically relevant asbestos structures emitted from the quarry which pose a significant health risk, what actions may be necessary to adequately control such exposure?

The Southdown/Cemex study was designed to address these questions, using the principles of exposure assessment and risk assessment in a three pronged approach (NJDEP, 2000; EOHSI, 2001)

1. Indoor and outdoor air sampling for biologically relevant asbestos structures at residential locations located in the closest downwind area to the quarry to provide an estimate of long-term average airborne concentrations.

2. Household dust sampling for biologically relevant asbestos structures at residential locations at varying downwind distances from the quarry (at upwind and remote control locations) to investigate whether long-term patterns of asbestos structure deposition are consistent with the hypothesis that the quarry is the source of those structures.

3. Sampling and analysis of rock cores from the quarry, and source/dispersion modeling of quarry emissions to estimate future exposure and risk.

This report presents results and conclusions from the first two parts of the overall study design. Results and conclusions from the third part of this design will be presented in a subsequent report.

There is currently ongoing debate in the scientific community as to the appropriate health-based definition of asbestos. To address the resulting scientific and regulatory uncertainty, this study utilized two different approaches to asbestos risk assessment the current U.S. EPA approach,(asbestos defined by NIOSH method 7402, and cancer risk calculated as set forth in EPA's IRIS file for asbestos (http://www.epa.gov/iris/subst/0371.htm)), and the "Protocol Structure" approach. These approaches differ in the size of asbestos structures considered and the cancer potency assigned to different sizes. Risks are reported using both methods.

For household dust sampling a total of 28 homes were recruited in three zones of distance from the quarry (0.5-1.0 miles; 1.0-1.25 miles; and >1.5 miles). Dust samples were collected from undisturbed locations within each house.

For air sampling, samples were collected both indoors and outdoors at four houses downwind and 0.5-1.0 miles from the quarry. Air sampling was carried out during a four week period encompassing two separate periods at each house, with each air sampling period lasting 7 consecutive days. Air sampling was also carried out over the entire four week period at two remote locations unlikely to be impacted by quarry emissions. Meteorologic data was collected concurrently with the air samples.

The laboratories were NVLAP accredited for TEM analysis Air samples were analyzed using ISO counting rules (Method 10312), and dust samples were analyzed using ASTM Methods D-5755 and D-5756.

Quality control (QC) procedures were specified in a separate Quality Assurance Project Plan (EOHSI, 2001), and included quality control procedures for study design, survey operations, field activities, sample handling, laboratory analysis, data handling, and data analysis. In addition, a separate field audit was conducted by the NJDEP Office of Quality Assurance. Intraand inter-laboratory quality assurance was addressed by re-analysis of 15% of air samples and 14% of dust samples, as well as field-blank samples. QC samples were selected randomly, prior to analysis.

A total of 168 air samples were collected from the four residential, and two background sites. Asbestos-related structures were found in a total of four air samples from the residential sites. All were found in outdoor samples. No indoor samples were positive for asbestos-related structures. The positive residential samples were from three of the four residential locations. In three of the four positive samples, a total of one structure was found. In the remaining positive sample, two structures were found. In each case the structure was identified as tremolite. Two of these structures were identified as Protocol Structures only, two of these structures were identified as 7402 structures only, and one structure was identified as both a protocol and 7402 structure. In addition, two (outdoor) samples from the NJ Department of Transportation remote background locations were positive for asbestos-related structures. In one of these samples, two chrysotile structures were detected, and in the other a single tremolite structure was detected. No positive samples were obtained from the other remote background location (Kittatinny Valley State Park).

For the randomly selected QC air samples intra- and inter-laboratory analyses were in agreement in identifying each as negative. In addition, one sample identified as positive in primary analysis was non-randomly selected for blind QC re-analysis. Both laboratories identified this sample as positive for tremolite, and calculated nearly identical airborne concentrations of asbestos based on that sample.

Quarry activity during the air sampling period was assessed by NJDEP based on analysis of production records. Quarry production during the air sampling periods appears typical of quarry production during the five month period including and extending beyond the sampling period

Statistical analysis was carried out based on the air sampling results, the recorded wind directions and wind velocities to investigate whether the results were consistent with the hypothesis that the quarry was the source of the air samples which were positive for asbestos. Although the analyses were limited by the small number of positive samples, several statistical approaches were investigated. The statistical analysis did not provide an indication that the quarry was the source of the positive samples.

Using the current U.S.EPA approach to asbestos risk assessment, the lifetime cancer risk from exposure to the concentrations of asbestos detected in the outdoor air is calculated to be  $2 \times 10^{-6}$ . That is, two excess cancers per one million people exposed for 70 years. Using the Protocol Structure approach, the corresponding risk is  $3 \times 10^{-5}$ . That is, three excess cancers per one-hundred-thousand people exposed for 70 years. Both of these risk estimates fall within the range generally considered by the NJDEP to be consistent with permitting of air emissions sources with possible consideration of source modification.

A total of 54 dust samples were collected from undisturbed locations in 28 houses located to the southeast of the Quarry. Only two samples were found to contain asbestos structures. One structure was found in each of two samples from separate houses. Each structure met the definition of both Protocol Structures and 7402 structures. Neither of the samples was from a house in the zone located closest to the quarry. The two houses with positive samples were both more than 40 years old. This raises the possibility that these samples represent historical deposition of asbestos.

In the QC analysis of the dust samples, one sample identified as positive in the primary analysis was identified as negative in intra-laboratory re-analysis, and one sample identified as negative in the primary analysis was identified as positive in intra-laboratory re-analysis (The sample identified as positive in the re-analysis was utilized in the overall analysis of the dust sampling results). No positive samples were identified in the inter-laboratory analyses. Given that a total of only two asbestos structures were detected among all the analyses of dust samples, and given the variability inherent in analysis of structures distributed across the face of a filter, the difference between the detection of zero structures and one structure in these analyses is not statistical significant.

The usefulness of statistical analysis based on the detection of a total of only two structures on two samples is very limited. Within these constraints, however, given that no structures were detected in the dust in the zone closest to the quarry the dust sampling data provide no indication that the quarry is the source of the asbestos detected in the positive samples.

#### Summary of Air and Dust Sampling Results

• At the two closest air sampling sites, Site 1 and Site 2, a small concentration of asbestos structures were detected in ambient air samples on three dates.

- No asbestos structures were detected in indoor samples.
- In general, quarry production during the air sampling periods appears to have been typical of quarry production both before and after the air sampling.

• Statistical analysis of the wind directions on days when asbestos structures were detected in air samples provides no direct support for the hypothesis that quarry was the source of the structures.

• Depending on the risk assessment approach employed, the lifetime cancer risk associated with the measured concentration of asbestos structures is in the range of  $2 \times 10^{-6}$  to  $3 \times 10^{-5}$  (two-in-a-million to three in a hundred thousand). These risk estimates are based on the assumption of continuous 70 year exposures.

• A total of two asbestos structures were detected in settled dust in two of 28 houses sampled. These houses were located between one and two miles from the quarry. No asbestos structures were detected in the house dust in the zone closest to the quarry.

• The results of the house dust sampling provide no evidence that the quarry is the source of the asbestos structures detected.

# Based on the results, we can provide the following answers to the three questions posed in the introduction to this report:

*Question 1* Are levels of biologically relevant asbestos structures in air present at a level which can case a significant cancer risk with long-term exposure?

The estimated lifetime cancer risk associated with the measured concentration of asbestos structures in outdoor air in this study is  $2 \times 10^{-6}$  to  $3 \times 10^{-5}$  (two-in-a-million to three in a hundred thousand) depending on the specific risk assessment approach which is employed. While these values represent a non-zero lifetime risk, they are in a range which is generally considered low in environmental risk management.

No asbestos structures were detected in any of the indoor air samples. This suggests that there is no significant additional risk resulting from long-term accumulation of asbestos structures indoors which are available to be re-suspended in air with normal household activities. Given the fact that people generally spend considerably more time indoors than outdoors, these results have important and positive public health implications.

*Question 2* If elevated levels of biologically relevant structures are detected in air downwind of the quarry, is there evidence that the quarry is the source of those structures?

Neither the air samples nor the settled house dust samples provide clear support for the hypothesis that the quarry is the source of the asbestos structures which were detected. The overall estimate of risk would not likely change substantially if additional air and test sampling were done. This does not necessarily imply that the quarry does not emit, or has not emitted asbestos structures. The second phase of this project involving the analysis of core samples from the quarry, modeling of quarry emissions, and their dispersion in the local environment will

provide an estimate of the future potential for risk from quarry emissions. This analysis, which will also supplement the current report, is being completed. Results from that portion of the study should provide information about the extent to which any asbestos emission from the quarry may contribute to the overall level of asbestos in the local environment.

*Question 3* If residents are being exposed to levels of biologically relevant asbestos structures emitted from the quarry which pose a significant health risk, what actions may be necessary to adequately control such exposure?

Given both the relatively low cancer risk which can be estimated from this study, and the lack of evidence linking the quarry to the measured asbestos structures in the local environment, this study provides no basis for identifying additional actions at this time which would be necessary or useful for the control of exposures. However, it should be emphasized that the New Jersey Department of Environmental Protection has required increased controls on the emission of overall dust and particulates from the quarry. Measures which have been required to reduce general dust emissions will necessarily also reduce asbestos emissions.

# Introduction

In the summer of 1999 local citizens raised concerns that asbestos was being emitted from Southdown (currently Cemex) Quarry in Sparta, NJ (Figure 1). Southdown subsequently conducted stack tests, under the supervision of the New Jersey Department of Environmental Protection (DEP), which detected some tremolite and actinolite amphibole structures (some of which may be asbestos). DEP then used the stack test and other data to predict ground level tremolite concentrations at various locations. The modeling predicted an increased cancer risk of 3 to 7 in a million at nearby residences. While this estimate was considered uncertain for a variety of reasons, the indication of a potential for elevated long-term health risk was deemed sufficient to warrant a more accurate and in-depth assessment of asbestos exposure and risk. DEP, conjunction with Region 2 of the U.S. Environmental Protection Agency (EPA) convened a team of experts from DEP, EPA, the New Jersey Department of Health and Senior Services (NJDHSS), academia (i.e. the Environmental and Occupational Health Sciences Institute (EOHSI)), and the scientific community to develop a more refined risk assessment. This group is referred to as the Southdown Study Expert Group.

In addition to the results of the DEP mandated stack test, operations at the Southdown Quarry attracted attention due to (1) the observed presence of tremolite mineral in the marble that is mined at the quarry, (2) a private report that tremolite asbestos structures were detected on an air conditioner filter at a residence that is located downwind of the quarry, and (3) the accepted premise that inhalation of tremolite fibers can lead to cancer in humans. These concerns raise a general question as to whether protocol structures and other biologically relevant structures are released from the quarry in sufficient quantities to pose a threat to the health of neighboring residents who might inhale them.

This general questions formulated in the design of this study are summarized by the three following questions:

*Question 1* Are levels of biologically relevant asbestos structures in air present at a level which can case a significant cancer risk with long-term exposure?

*Question 2* If elevated levels of biologically relevant structures are detected in air downwind of the quarry, is there evidence that the quarry is the source of those structures?

*Question 3* If residents are being exposed to levels of biologically relevant asbestos structures emitted from the quarry which pose a significant health risk, what actions may be necessary to adequately control such exposure?

The Southdown/Cemex study was designed to address these questions, using the principles of exposure assessment and risk assessment in a three pronged approach (NJDEP, 2000; EOHSI, 2001)

1. Indoor and outdoor air sampling for biologically relevant asbestos structures at residential locations located in the closest downwind area to the quarry to provide an estimate of long-term average airborne concentrations.

2. Household dust sampling for biologically relevant asbestos structures at residential locations at varying downwind distances from the quarry (at upwind and remote control locations) to investigate whether long-term patterns of asbestos structure deposition are consistent with the hypothesis that the quarry is the source of those structures.

3. Sampling and analysis of rock cores from the quarry, and source/dispersion modeling of quarry emissions to estimate future exposure and risk.

This report presents results and conclusions from the first two parts of the overall study design. Results and conclusions from the third part of this design will be presented in a subsequent report.

The first step of a risk assessment is to identify the potential hazard and exposures. In this case, tremolite mineral is present in the marble mined at the quarry. Tremolite is a mineral which can occur in either a fibrous or (most commonly) a non-fibrous form, referred to as the massive form. Thus, the presence of tremolite mineral does not necessarily indicate the presence of asbestos. From the standpoint of hazard identification, "asbestos" is an ambiguous term. It does not describe a specific chemical or mineral, but rather the commercially useful form of a variety of naturally occurring mineral structures with a fibrous aspect. It is therefore, more useful and accurate to consider exposure and risk in the context of those "asbestos" structures which pose a risk of adverse health effects. Therefore, this report refers to "biologically relevant asbestos structures," which, by at least one of two somewhat different definitions (NIOSH 7402 structures, or "protocol structures") is considered to have the potential to pose an adverse health risk. These definitions are clarified below. In this case, the adverse health risk considered relevant is cancer. Non-cancer health effects associated with asbestos exposure (i.e., asbestosis) have been observed only in very heavily exposed occupational groups, and are not considered relevant at levels of exposure likely to be encountered in the environment.

# Figure 1.

# New Jersey Department of Environmental Protection Air Compliance and Enforcement, Northern Bureau





Figure 2. Map of the Study Area

# **Approaches to Asbestos Risk Assessment**

The toxicity of an asbestos-like dust is a strong function of the mineralogy and geometry of structures within the dust. An appropriate "index of exposure" must be defined for reporting structure measurements so that such measurements can be used to support the assessment of risk. The index of exposure proposed for this study is the concentration of structures that fall within a specific range of dimensions. Two indices of exposure were used in parallel in this study. One index of exposure was the "protocol structure" approach as set forth in the "Framework" (NJDEP, 2000). Structures meeting this definition are referred to as the "protocol structures." In this study, "protocol structures" are defined as all structures of an asbestos producing mineral which are narrower than 0.5 µm in width, and greater than 5 µm in length, with structures longer than 10 µm in length weighted proportionally greater in terms of cancer potency (Berman and Crump, 1999a,b). This approach is based on the identification of structures using the transmission electron microscope (TEM). The other index of exposure was the index as set forth in the NIOSH Method 7402 http://www.cdc.gov/niosh/nmam/pdfs/7402.pdf), and employed in the U.S.EPA's IRIS database file for asbestos (http://www.epa.gov/iris/subst/0371.htm), and in the U.S.EPA's 1986 Airborne Asbestos Health Assessment Update. In this approach, only those asbestos structures wider than 0.25 µm, and longer than 5 µm in length, having an aspect ratio (i.e., length/width) greater than 3:1 are considered to contribute to cancer risk. This approach is based on the identification of structures using the phase contrast light microscope (PCM). The differences between these two approaches are illustrated in Figure 3.



These two approaches may differ significantly in the estimates of risk derived from the same sample. These differences stem largely from the fact that the NIOSH 7402 method is an older approach, created before the use of electron microscopes to assess asbestos exposure and to investigate the links between exposure and health effects. It is thus based on assessing only those structures visible in the light microscope. To simplify the analytical procedures involved in applying these two separate approaches, and to allow for comparison of the results from each approach, the NIOSH 7402 method was carried out using PCM-equivalent TEM, counting of structures. This method uses TEM rather than PCM to identify and count structures, but limits the counting to those structures which would otherwise have been identified using PCM. Based on discussions with EPA's Office of Research and Development (ORD), National Center for Environmental Assessment (NCEA), EPA interprets the cancer potency estimates for asbestos provided in it IRIS database as referring only to true asbestos fibers rather than to all asbestos structures meeting the size definitions under the NIOSH 7402 method. This definition specifically excludes asbestos cleavage fragments (i.e., those structures consisting of asbestos parent minerals having the dimensions of fibers, but consisting of minerals created by breaking or weathering of non-fibrous material). Thus, PCM-equivalent-TEM was employed so as to exclude non-asbestos fibers, and non-fibrous asbestos from the fiber count. All measurements completed on samples collected in this study were reported separately as appropriate for each of these respective approaches.

## **Method and Materials**

### Recruitment, Data Collection and Measurement

#### **Dust Collection**

After a public meeting in Sparta held on April 27, 2000,most residents in the area were familiar with the nature of the project. EOHSI mailed out more than 200 letters to residents in selected areas of the township soliciting participation and received responses from approximately 40 families indicating a willingness to participate in the study. The EOHSI team started household dust sampling in February 2001. One or two household dust composite samples were collected from undisturbed locations in each sampled house, and analyzed for protocol structures and other biologically relevant structures. One composite included dust from all accessible window troughs, and the other included dust from other undisturbed location (e.g. tops of refrigerator and bookshelves). Details of dust sampling are described in the next section. The initial goal as set forth in the Quality Assurance Project Plan (QAPP) (EOHSI, 2001) was to have a total of 27 homes for dust sampling with nine in each of the three concentric zones extending outward from the quarry. However, because of non-uniform housing density in each of these areas, and differences in recruitment efficiency; 10 homes were available for the near zone, 15 homes for the intermediate zone, and 3 homes for the distant zone. See Figure 4.



Figure 4. Locations of Dust Sampling Regions

While dust sampling was being conducted in a home, an interviewer from the field team administered a questionnaire to the participant and obtained data of daily activities, household characteristics, and other relevant information. The interviewer then asked about the willingness to participate in air sampling. Approximately eight families expressed a willingness to participate in the air sampling. EOHSI then selected four optimal households located in the near and intermediate dust sampling zones and two remote sites as background locations.

#### **Air Sampling**

One of the goals of outdoor air sampling was to obtain data on asbestos structures in air that would be linked to concurrent activities at the quarry. During the sampling periods, activity at the quarry was monitored and characterized by DEP field staff based on observation as well as review of the quarry's activity to determine the extent to which activities during air sampling periods was typical of long-term activity at the quarry. The purpose of indoor air sampling was to provide data on the indoor concentrations within the homes near the quarry during the time of

outdoor sampling. Since in general, people spend more time inside their homes than outside, indoor air concentration of asbestos structures could provide a more realistic estimate of risk than outdoor concentration. Indoor and outdoor sampling were conducted in tandem at each sampling location.

Air sampling was conducted during a four-week period in the area determined to be immediately downwind of the quarry based on prevailing wind direction . In each week, air sampling took place in two of the four selected homes, and the two background sites. See Figures 5 and 6.

### Figure 5. Residential Air Sampling Locations





Figure 6. Residential and Background Air Sampling Locations

The latter were located at a vehicle maintenance yard of the NJ Department of Transportation (DOT) in Lafayette (2.38 miles north northeast of the quarry) and in Kittatinny Valley State Park in Andover (3.75 miles southwest of the quarry). Each residential home was sampled indoors and outdoors for two separate periods, each consisting of seven consecutive days. The two background sites were only sampled outdoors but for the entire four weeks. A portable weather station was set up in the backyard of one of the two homes sampled each week to collect meteorological data over the sampling period. During each sampling week, the EOHSI field team changed air filters at all six sampling sites (indoor and outdoor sites at two selected homes and two background sites) and downloaded meteorological data from the weather station every 24 hours. The air sampling was conducted and completed from April 16 through June 14, 2001.

Surface soil samples were collected at the six air sampling sites (four homes and two background sites) in the last air sampling week to provide an indication of whether or not there were protocol

structures deposited from the air in the area between the quarry and the residences in each zone. These samples were originally intended to provide information on possible sources of asbestos structures which might be found in the house dust samples. Given the nature of the results presented below, in the house dust portion of the study, however, the soil samples were not analyzed (see below).

## Sampling Procedures

#### **Chain of Custody**

All types of samples were accompanied with chain of custody forms from sample preparation through laboratory analysis and storage. Each sample had its individual chain of custody form, and those who processed the sample at any step of preparation, sampling, transportation, post-sampling handling, shipping, or analysis had to sign and date on the form accordingly. The chain of custody form served as a track record of sample process, and helped resolve questions of sample status.

#### Air Sampling

#### **Outdoor Air Sampling**

The purpose of outdoor air sampling was to provide data for an assessment of outdoor air concentration of protocol structures and other biologically relevant structures. PCM-equivalent-TEM measurements of protocol structures and other biologically relevant structures resulting from current activities at the quarry. Outdoor air concentration could be subject to variability in meteorology and production activity at the quarry. The time frame selected for sampling would not capture the entire range of variability in concentration. Outdoor air sampling program was therefore specifically designed to provide an estimate of the typical air concentration due to quarry activity during the sampling periods.

During the sampling periods, activities at the quarry were monitored and characterized by DEP field inspectors. This was done to allow a determination of the extent to which activities leading to emissions of protocol structures and other biologically relevant structures during those periods is typical of long-term activity at the quarry.

Monitoring of activity at the quarry was made during unscheduled visits to the quarry approximately three times during each 24-hour period during the outdoor sampling. The types and levels of activity underway at the quarry were recorded, as well as information recorded by the quarry over the elapsed period in the quarry's operation logs and quarry production records.

At the residential sites, participants were requested not to lime their lawn during the air sampling period as the lime could have originated from the quarry and might therefore have directly introduced asbestos structures to the immediate environment. Residents were also encouraged to ask neighbors to likewise refrain from liming during those periods.

To ensure that air sampling filters did not become overloaded with overall particulates, two separate air samplers operated at each outdoor location. One sampler operated at 2 L/min and another at 1 L/min. The intent was to analyze only the sample collected at the higher flow rate unless overloading occurred. In all cases the higher flow rate sample was analyzed and results are reported based on analysis of that sample.

#### **Outdoor Sampling at Background Locations**

The DOT maintenance yard and State Park were selected as locations that were unlikely to be influenced by emissions from the quarry, because both sites were more than 2 miles away from the quarry. The State Park was to the Southwest of the quarry and the DOT site was to the northeast of the quarry. The prevailing downwind direction is from the northwest (toward the southeast). At each background location, the specific sampling sites were public or government buildings in secure areas where samplers could be located in elevated locations out of casual reach. As with the residential locations, two samples were collected at different flow rates. In each case results are reported based on the sample collected at the higher flow rate

#### **Indoor Air Sampling**

The purpose of indoor air sampling was to provide an estimate of typical indoor concentrations of asbestos structures within the homes near the quarry. However, indoor air concentrations could be subject to variability in household activities, which would result in re-entrainment of protocol structures and other biologically relevant structures from accumulated indoor dust (e.g., vacuuming, cleaning, ventilation and heating). Indoor air concentration would also be subject to the variability in outdoor air concentration. As with outdoor air sampling, the duration of indoor sampling study might not be sufficient to capture the full variability in indoor air dust concentration.

For the indoor sampling program, one sampler was set up at a central location in each of the four houses identified for inclusion in the sampling regimen. Samples were collected over continuous 24-hour periods to maximize the chance of capturing contributions from longer term variation in the routines of house residents. The samplers were operated at the same flow rates described above for the outdoor samples.

#### **Indoor/Outdoor Sample Acquisition**

Air samples were taken for approximately 24 hours using constant-flow personal sampling pumps calibrated versus a NIST-traceable primary flow standard before and after each sampling run. All air samples were obtained at breathing height (approximately 4 ft. above the ground or floor surface), and all sampling trains were tested for leaks prior to sampling and after each sampling episode. The pumps and leak checking train were kept in locked weather-proof enclosures at all times except when sampling personnel were on site. The enclosures were protected from overheating during warm weather by a detachable aluminized Mylar screen. The pumps were connected to the filter cassettes by plastic tubing and the sample cassettes were protected from tampering during sampling by locked wire enclosures. The sampling protocol used complied with ISO 10312 (ISO, 1995). Pre-loaded filter cartridges (25 mm in diameter, 0.45 µm pore size, mixed-cellulose ester membrane on a cellulose pad) with electrically

conductive 50 mm cowls (Zefon Inc.) were used. Sampling was done using an open-face air filter cassette with an electrically conductive extension cowl at the inlet of air stream. The extension cowl assisted in the uniform distribution of materials on the filter face. A log was maintained of pre- and post- sample flows for each individual pump. Results from each pump were examined by field supervisory personnel for systematic variations in flow over the sample period.

Indoor side-by-side samples were placed in a common living area inside the house. Filter cassettes were placed at least 1 foot away from any walls, at least 5 feet away from vents, windows and doors, and 4 feet above floors to avoid any possible interference. A tripod was used to lift the sampler 4 feet above the ground. Outdoor samplers were placed at least 10 ft from any permanent structure, including house, fence, outbuilding, and away from trees. For residential outdoor air sampling and remote background air sampling sites, upwind obstructions was minimized, e.g. avoiding placement of samplers near objects or features that would block wind flow from the direction of the quarry. The samplers were also located as far as possible from driveways and public roadways. In general, the criteria for selection of both indoor and outdoor sampling locations was to avoid sites where there was extraneous soil and dust around in order to limit the possibility of heavy loading on filters.

#### **Dust Sampling**

Dwellings were identified in three general and distinct zones of distance from the quarry; with the most distant located so as to approximate background concentrations of protocol structures and other biologically relevant structures in ambient air. Accumulated samples of household dust were collected using dry dust collection techniques. Samples were collected in locations likely to be relatively undisturbed. These included 1) eaves in the attic, 2) elevated locations in rooms with windows (e.g., bookcase tops), 3) undisturbed areas near windows, and 4) the window wells. Based on the goals as set forth in the study design to detect a difference as small as 10-fold between these locations with 95% confidence, conservative assumptions were applied, in the estimate a minimum of 15-20 samples in each zone were sufficient (NJDEP, 2000, EOHSI, 2001).

#### **Sample Acquisition**

A sweep sampling method was applied to collect undisturbed dust on the surfaces inside the home. To have the maximum amount of dust for laboratory analysis, two composite samples were collected from each household. One dust sample was collected from window wells in the home, and the other from other undisturbed locations, as described above.. Each dust sample was expected to be as much as 10 grams; however, the average of dust amount was approximately 1.5 grams, due to the generally small volume of available house dust.

#### Meteorological Data Collection

The acquisition of data from the weather station involves the use of an onsite computer. The software used was Weather Link<sup>®</sup> 4.0 for Windows. The weather station was the Wireless Weather Monitor II<sup>®</sup> (Davis Instruments, Hayward CA). This weather station monitored wind

speed and direction, barometric pressure, precipitation, indoors and outdoors temperatures, and relative humidities. Data were transmitted remotely to the data logging device and into computer memory a SensorLink<sup>TM</sup> transmitter and receiver.

The location on the property where we set-up the weather station was near to the sampling setup, and chosen based upon how unobstructed the open area was. The position on the property relative to the weather monitor of any structures, such as trees, tree lines or buildings, could influence the main environmental conditions, such as wind direction and speed, and was therefore taken into consideration when we chose the location of the weather station. The location was at least 10 feet away from any such structure.

#### Analytical Procedure

Each sample collected for this project was analyzed for protocol structures and 7402 structures (see the section of this report entitled, Approaches to Asbestos Risk Assessment for definition of these terms). Each structure was evaluated to determine whether it was a true fiber or a cleavage fragment. Cleavage fragments meeting the appropriate dimensional criteria were counted as protocol structures. Although such structures are, by definition, not fibers, they were counted included in the count of 7402 structures in order to conservatively address concerns about their correct identification and contribution to health risk.

The primary laboratory, the RJ Lee Group is accredited by NVLAP for TEM analysis. All samples of bulk dust, air sampling filters were analyzed by this laboratory. Quality assurance (QA) samples were analyzed by the secondary/QA laboratory, EMS Laboratory, which monitored the accuracy and precision of the samples analyzed by the RJ Lee Group.

#### **Air Samples**

Air samples evaluated for protocol structures were analyzed using ISO counting rules (Method 10312). Reported structures were limited to those structures that meet the definition of protocol structures. ISO-method TEM scans, which are limited to protocol structures, can be performed at a 10,000x magnification. Samples initially collected on air sampling filters were prepared by direct transfer methods. To increase the power of the analyses to detect an elevated risk, risk calculations were based on protocol structure counts statistically aggregated across contiguous sampling locations. In general, the target sensitivity for individual samples is 2 x  $10^{-4}$  structures/cm<sup>3</sup> of air corresponding to 5 x  $10^{-6}$  structures were expected to be longer than 10 µm, the analytical sensitivity corresponded to a minimum detectable group aggregate cancer risk of approximately 5 x  $10^{-6}$  (i.e., five excess cancer per million exposed individuals). All samples were also analyzed for 7402 structures. Further details of the analytical methodology can be found in the Quality Assurance Project Plan (QAPP) document (EOHSI, 2001).

#### **Dust Samples**

Dust samples were prepared as described in the QAPP using ASTM Methods D-5755 and D-5756, and were analyzed using the same procedures as the air samples to count protocol

structures and 7402 structures, and to determine their concentration in the bulk dust. Each sample incorporated an indirect preparation procedure to transfer the collected sample onto a filter suitable for preparation and analysis in a TEM. The primary difference in the sample preparation procedures between D-5755 and D-5756 was D-5756 utilizes a plasma asher to remove organic materials from the sample prior to analysis. Both methods use an ultrasonic bath to help break up and suspend the collected sample. The ultrasonic bath does not affect the mass of asbestos structures in a sample, but may affect the number distribution of asbestos fibers.

### **Quality Control Procedures**

Quality control procedures for study design, survey operations, field activities, sample handling, laboratory analysis, data handling, and data analysis were developed and specified in the Quality Assurance Project Plan (QAPP) (EOHSI, 2001). This document was thoroughly reviewed by the Expert Group prior to field work.

#### **Quality Control for Questionnaire Survey Operations**

There were two questionnaires used in this study: the first questionnaire dealt with household characteristics, and the second was a daily questionnaire administered after sample collection.

During the household screening process, the interviewer maintained regular contact with the supervisory faculty staff. For a percentage of those potential air sampling locations described by the field staff as ineligible (due to e.g., liming in the yard or neighborhood or any other activities potentially generating asbestos fibers, as well as those not willing to participate), the supervisory study staff then reviewed the decisions of ineligibility. The completed study documents were scanned for completeness, legibility and obvious problems. The field team upon arrival at the participants' home verified appointment schedule, correct address, etc. As questionnaires were returned to EOHSI each was subject to an additional scan edit. All data entry was verified by rekey or percentage re-key procedures. The data were entered on Excel spreadsheets. All data were printed on a hard copy and electronic file both in the hard drive and external electronic media compatible with the size of the stored the files.

#### **Quality Control for Field Activities**

Quality Control in the field consisted of two main activities, (1) quality control for maintaining the integrity of survey instruments and other field documents, and (2) quality control for maintaining the integrity of environmental samples. However, the field supervisor monitored the sampling routine established for the air and dust collection at least once during each week of sampling. The field supervisor, at a minimum, observed the action of removing and replacing filter samples, pump calibration checks, pump leak checks, and recorded keeping for the indoor and outdoor air measurements. For the dust sampling the field activities to be monitored were questionnaire completion and the approach to and location of the dust sample collection. The sample handling activities and the approaches to the prevention of contamination of the field samples during processing were part of this quality control review. Variance with normal activities or operator mistakes were noted and corrective action was taken on the spot.

During routine sampling all field personnel had available spare parts and filters, and sampling tools. This was to ensure that repairs or replacements for faulty equipment could be made immediately. All broken or poorly operating pumps were returned to the laboratory for repairs.

The issue of sample contamination by inadvertent events or tampering was a major concern during the design of this study. Clearly, the most vulnerable samples were the air samples. All pumps were taped to ensure that no one tampered with the flow rates. All samplers had a Polaroid picture taken before sampling commenced and before each filter change. This could be used to compare the location and orientation of the sampler before and after completion of each sampling period. It should be noted, however, that for outdoor sampling, the orientation could have changed because of wind. During the sample changing activities the field personnel looked for localized additions of extraneous soil or dust (e.g. lime) around the indoor or outdoor sampling site. Further, the field personnel visually inspected all filters for unusual loadings of material in conjunction with the observations for extraneous dust etc. Unusually loaded filters would be noted on the sampling record sheet prior to shipment for analysis. The loadings were compared between the 1-liter and 2 liter per minute samples. A contaminated set of filters, which had normally operated sampling times, did not conform to a sample loading ( $\mu g/m^3$ ) comparison of differences < 20%.

Field blank samples were taken during the course of dust or air sampling to provide the background level of asbestos fibers on sampling media. For air sampling, a blank filter sample was collected at each sampling site for a 7-day period. Blanks were taken following the same procedures as air sampling but without air flow passing through. For dust sampling, blanks were taken as sample bags were opened and sealed in the field, since dust was not collected on any media but swept into sample bags.

# Field Audit

Field work, including sample collection, sampling locations and sample setup and handling, was audited by the NJDEP Office of Quality Assurance (OQA) on May 14<sup>th</sup>, 2001. This was to ensure that all the fieldwork was performed as stated in the QAPP. There was one minor deviation from the QAPP reported by the NJDEP OQA, and it was corrected in a timely manner by the EOHSI staff (NJDEP OQA audit reports and EOHSI's response are in Appendix 1).

### Inter and Intra Laboratory Quality Assurance (QC)

The unique features of asbestos that need to be addressed when designing a quality control program for an asbestos investigation are:

 Inability to create true standards for asbestos. This is because there are no independent methods for verifying the asbestos content of a sample that can be correlated with other methods;

- The resulting need to rely on "consensus" standards or (for specific projects) within and between laboratory duplicate analyses to establish within and between laboratory precision;
- A need to allow multiple laboratories working on the project to "calibrate" their respective interpretations of the rules applied under the methods to be employed in the study.
- NVLAP certification of the participating laboratories ensuring their participation in regular round-robin exchanges and comparisons of analysis.

One of the goals of the proposed QC program was to employ a re-analysis procedure that simultaneously encompass as many of the important sources of analytical uncertainty as reasonably possible. It is also important to recognize that the largest sources of uncertainty are not necessarily associated with laboratory variation, but may also be associated with sampling variation and even, spatial or temporal variation within the matrices to be sampled.

Before analyzing the samples collected in the field, EMS and RJ Lee conducted a preliminary analysis for a positive filter, prepared by EMS, to reduce any possible laboratory discrepancy. Both laboratories compared Fiber counts, grid openings and cleavage fragment rules used after the preliminary analyses. Based on the results, both laboratories reached an agreement for the analysis method to obtain data as close as possible for field samples.

A summary of QC samples included in the program is presented in Table 1.

Table 1. Numbers of QC Analyses within and between RJ Lee and EMS

Туре	Within RJ Lee	Between RJ Lee & EMS	Within EMS	Total QC
Dust Samples	4	2	2	8
Air Samples	16	8	4	28

Each filter was split to three parts in RJ Lee. One was sent back to EOHSI for storage, the second one was used for analysis in RJ Lee, and the third one was used for QC analysis within and between RJ Lee and EMS. The samples which were re-analyzed for QC purposes were selected by EOHSI prior to receipt of any results using a random number selection process. In all cases, the QC analysis is a re-analysis of a sample which had already undergone primary analysis by RJ Lee. "Within RJ Lee" (first column) means that a filter, one third of which had already been analyzed by RJ Lee, was re-analyzed by RJ Lee using a separate third of the filter designated for QC analysis. "Between RJ Lee and EMS" (second column) means that a filter, one third of the filter, the remainder of which was then sent to EMS for a separate analysis. These samples, therefore, underwent three separate analyses. "Within EMS" (third column) means that a filter, one third of which had already been analyzed by RJ Lee, was re-analyzed by RJ Lee, was re-analyzed by RJ Lee, was re-analyzed by S for a separate analysis. These samples, therefore, underwent three separate analyses. "Within EMS" (third column) means that a filter, one third of which had already been analyzed by RJ Lee, was re-analyzed by RJ Lee, was re-analyzed by EMS using the QC third of the filter. The total number of QC analyses for air represents 15% of the total number of air samples collected. The total number of QC analyses for dust represents

14% of the total number of dust samples collected. Each third of each filter was assigned a separate and random laboratory sample number. The relationship among corresponding filter thirds was known to only one person in each laboratory (and to EOHSI). The laboratory personnel conducting the analyses in both laboratories were unaware of which laboratory samples originated from which filter, and, in the case of RJ Lee, which analyses were primary analyses of a sample, and which were QC re-analyses. In the case of EMS, all analyses were (by design) QC analyses. Filter segments sent to EMS from RJ Lee for QC re-analyses were assigned new sample numbers before transfer. EMS was unaware of the results of RJ Lee's analysis of filter segments they received from RJ Lee. EOHSI retained the master list of all corresponding filter segments and their sample codes.

#### Data Quality Assurance

Sample data sheets and chain of custody forms were reviewed by the sampling technician at the end of each sampling day. The review included sample ID number check, data fill-in, signatures, and the number of collected samples. Data were entered into a computer database with care by the field technicians. After the data entry, the EOHSI Project Manager validated the completeness and integrity of data, including number of samples, any unreasonable key-ins, and missing values, and randomly selected and compared the entered data with the original forms. When data were shipped from the laboratories to EOHSI, the laboratory databases were validated in a manner similar to the field data validation, especially verifying all ID numbers that were assigned to a sample for intra- and inter-laboratory analyses.

Before working in the field, a Quality Assurance Project Plan was developed which was approved by USEPA and the Expert Group (EOHSI, 2001). On May 14<sup>th</sup> 2001, the NJDEP Office of Quality Assurance audited air sampling in the field to ensure that the fieldwork was performed as stated in the QAPP. NJDEP OQA officers reviewed the QAPP and inspected every detail of the air sampling process, including sampler setup, sampling procedures, sample storage and documentation. One minor deviation was found and was corrected on-site (Appendix 1).

# Results

### Air Samples

A total of 168 air sample pairs were collected from the four residential sites (Figure 5) and the two background sites (Figure 6) during two separate seven consecutive-day sampling rounds at each site. In addition, 24 field blank samples were generated. One of the blanks was lost, and therefore only 23 blanks were available for analysis. No asbestos or related structures were detected on any of the field blank filters. Given the uniform lack of structures detected on the remaining filters, it is unlikely that useful information was lost with the loss of that filter.

Samples generated at the higher (2 L/min) flow rate were found to be useable for analysis and were used exclusively in each case. Asbestos-related structures were found in a total of four samples from the residential sites. All were found in outdoor samples. No indoor samples were positive for asbestos-related structures. The positive residential samples were from three of the four residential locations. In three of the four positive samples, a total of one structure was

found. In the remaining positive sample, two structures were found. In each case the structure was identified as tremolite. Two of the four structures were identified as protocol structures only, and two were identified as 7402 structures only. One structure qualified as both a protocol structure and a 7402 structure. Two of the structures qualifying as protocol structures were true fibers, and the remaining three were cleavage fragments. In addition, two (outdoor) samples from the NJ Department of Transportation remote background locations were positive for asbestos-related structures. In one of these samples, two chrysotile structures were detected, and in the other a single tremolite structure was detected. No positive samples were obtained from the other remote background location (Kittatinny Valley State Park). All the six positive samples were collected in outdoor environments. The sample concentrations, locations and respective information are shown in Table 2. Detailed sample-by-sample results are presented in Appendix 2.

On-site meteorological data were measured concurrently with air samples. The weather station device was installed either at Site 1 or Site 4 (Figure 5). Wind speeds and directions were considered the most important factors for use in investigating the potential contribution of the quarry to asbestos-related structures collected in the air samples. For each sampling day, the wind speed, and the percent of time that the wind blew from each direction, as well as the percent of time during which the wind was calm, are shown in Appendix 3. The predominant wind direction was south-southeast, consistent with the selection of houses in Sussex Mills and adjacent areas as residential sampling locations. The implications of the wind data for assessing the potential relationship between the quarry and positive air samples are discussed in the section of this report dealing with statistical analysis of the data.

Date	Location	Distance	Number	Concentratio	Туре	Fiber or	Protocol	Major	Comment
		from	of	n (s/cc)		Cleavage	or 7402	Wind	
		Quarry	Structure			Fragment	structure	Direction	
		(mi)	S						
			Detected						
4/21/01	Site 3	1.07	2	0.00029	Tremolite	1 fiber +	Protocol	S	Upwind
						1 cleavage			_
5/04/01	Site 1	0.52	1	0.00015	Tremolite	fiber	Protocol	NNW	Downwind
							and 7402		
5/04/01	NJDOT	2.38	2	0.00031	Chrysotile	2 fiber	Protocol	NNW	Crosswind
5/10/01	NJDOT	2.38	1	0.00037	Tremolite	cleavage	7402	Variable	
5/15/01	Site 1	0.52	1	0.00039	Tremolite	cleavage	7402	NW	Downwind
6/11/01	Site 2	0.66	1	0.00036	Tremolite	cleavage	7402	S	Upwind

There is no geological evidence to suggest that chrysotile is present in the quarry. It is therefore likely that the two chrysotile structures detected in the air sample from the remote NJDOT facility originated elsewhere. Since chrysotile has been used in vehicle brake linings, it is possible that the vehicles at that facility were the source of that material in the air samples.

#### Air Sample QC Results

All inter and intra laboratory air QC data are given in detail in Appendix 5. No asbestos structures was detected in any of the air samples randomly and *a priori* identified for QC analysis. These results are consistent with the observation that no asbestos structures were detected in the primary analysis of these samples. In order to investigate the precision of positive results, however, we non-randomly, and *a posteriori* selected one air sample identified

as positive by the primary laboratory (RJ Lee), and included it among the other samples originally selected for QC analysis by the secondary laboratory (EMS). EMS was blind to the nature of this sample. As was the case with the other QC samples, the sample received by EMS came from the same filter as that originally analyzed by RJ Lee, but from a different third of the filter. Both laboratories, identified the sample as positive for asbestos structures, both identified the structure as tremolite, and both calculated a very similar airborne concentration of asbestos structures based on the analysis (Table 3). They differed somewhat, however, in both the total number of structures detected and in the identification of the category (7402 vs. protocol structure). Given the small number of structures detected in any of these analyses, and the inherent variability associated with detecting a small number of structures distributed over the face of a filter, the reported differences between the two analyses are not surprising, and fall within the range of theoretically predicted variability.

Air QC								
	RJ Lee Prot	ocol Sample	EMS Pro	otocol QC	EMS 7402 QC Analysis			
	Ana	lysis	Analysis					
Sample ID	Tremolite	Tremolite	Tremolite	Tremolite	Tremolite	Tremolite		
	Count	Conc.	Count	Conc.	Count	Conc.		
		(S/cc)		(S/cc)		(S/cc)		
O 0421-21-2	2	0.00029	0	0	1	0.0003		

Table 3. Positive Air and Dust QC Samples.

#### **Quarry Activity in Relation to Air Sampling**

The lime-related source operations at the quarry were: primary crushing, re-crushing, drying, milling and palletizing. Operations related to granite were not considered for the purposes of this study. To determine whether quarry activity during the air sample periods was typical of usual quarry activity, records of lime-related quarry production during the days of air sampling were compared to records of lime-related quarry activity during the period of April through December 2001. To maintain the confidentiality of these data, analysis of these data were carried out by NJDEP only. Legal requirements of confidentiality prohibit the reporting of quarry production data in this report. However, close comparison of total lime-related production data during the sampling period, to production during the April-December period indicates that, in general, quarry operation on the days when air sampling was conducted was typical of operation both before and after the sampling period.

#### Statistical Analysis and Risk Characterization of Air Sampling Data

#### Air Measurements

A total of 192 air sampling filters were collected during the current study, including:

- 24 blanks;
- 28 air samples collected at each of four residences in the vicinity of the Quarry (for a total of 112 residential samples); and

• 28 air samples collected at each of two remote locations in the general area (for a total of 56 remote samples).

Only a very small number of putative asbestos structures were detected among the air samples analyzed. A total of only eight structures was observed, spread over six samples among the 168 field samples. Two of the putative asbestos structures that were detected (both from the same sample) are in fact chrysotile asbestos. These structures are not further addressed in this evaluation because:

- based on geologic analysis, chrysotile is not known to occur in the rocks of the Quarry;
- only two chrysotile structures were detected, both were observed in the same sample; and the sample was collected from a remote location (and therefore considered to be representative of local background rather than Quarry contributions); and
- chrysotile is ubiquitous (at low concentrations) in the environment in any case, so that occasional detection of chrysotile structures in a study of this type is not considered unusual.

All of the remaining six fibrous structures detected in air samples during this study were tremolite. The six tremolite structures detected were spread over five separate samples (one sample exhibited two structures). These structures are the focus of the following evaluation.

Given the very small number of tremolite structures detected, opportunities for formal analysis of these data are limited to the most robust statistical methods available. Thus, the data were pooled so that they could be reasonably interpreted. Sample results were pooled based on the wind direction during the time that each sample was collected. This is so that samples potentially affected by the Quarry could be grouped and distinguished from samples unlikely to have been affected by the Quarry.

Results of all of the asbestos measurements and the associated characterization of wind direction are summarized in Table 4. The first column of Table 4 indicates the date representing each 24-hour period during which samples were collected. The next three columns indicate the percentage of each 24-hour period during which the wind direction caused residential sampling locations to be crosswind (X), upwind (U), or downwind (D) from the Quarry, respectively. The next column indicates the percentage of time that winds were calm (C) and thus favored no specific direction of transport.

The sixth and seventh columns of Table 4 indicate the average character of the winds assigned for each 24-hour sampling period. Such character was assigned in each of the two following ways. For "Daily Average Wind Character" (Column 6), time during which winds were upwind or crosswind was grouped to represent time during which the Quarry was unlikely to affect residential sampling locations. Similarly, downwind and calm periods were grouped to represent the time during which the Quarry might potentially affect residential sampling locations. The average daily character (reported in Column 6) was then determined using the following algorithm. If either upwind/crosswind (UX) or downwind/calm (DC) periods represented at least 70% of a day, the entire day was characterized as belonging to that category. If neither group

represented at least 70% of the day (meaning that the second category represented at least 30% of the day), then the day was characterized as "ambiguous." Under this approach, asbestos structures detected during a given day would be attributed to the Quarry, if the wind on that day was characterized as either "downwind" or "calm."

#### TABLE 4: ASBESTOS AND WIND DIRECTION DATA CHARACTERIZED FOR RESIDENTIAL SAMPLING LOCATIONS (WITH A 70% CUTOFF FOR CATEGORIZING DAILY AVERAGES)

					Daily	<b>Daily Active</b>	Location	Туре
	Winc	d Direction (	percent tim	e)	Avg Wind	Avg Wind	Structure	Structure
Date	Crosswind	Upwind D	ownwind	Calm	Character	Character (excluding "calm")	Detected	Detected
	(=X)	(=U)	(=D)	(=C)				
4/16/01	11.29	14.52	38.71	35.48	CD	Ambiguous		
4/17/01	1.64	1.64	78.69	18.03	CD	D		
4/18/01	6.67	0.00	50.00	43.33	CD	D		
4/19/01	7.29	2.08	47.92	42.71	CD	D		
4/20/01	16.67	58.33	8.33	16.67	UX	UX		
4/21/01	17.71	52.08	4.17	26.04	Ambiguous	UX	Residence	2 tremolite
4/22/01	25.00	20.83	15.63	38.54	Ambiguous	UX		
5/4/01	9.38	5.90	50.69	34.03	CD	D	Residence	1 tremolite
							Remote	2 chrysotile
5/5/01	6.94	3.47	85.76	3.82	CD	D		
5/6/01	18.40	43.40	10.76	27.43	Ambiguous	UX		
5/7/01	6.25	57.64	9.38	26.74	Ambiguous	UX		
5/8/01	6.62	51.57	9.41	32.40	Ambiguous	UX		
5/9/01	4.86	30.90	40.28	23.96	Ambiguous	Ambiguous		
5/10/01	0.36	40.07	40.79	18.77	Ambiguous	Ambiguous	Remote	1 tremolite
5/14/01	6.05	2.82	52.82	38.31	CD	D		
5/15/01	21.22	3.96	38.13	36.69	CD	Ambiguous	Residence	1 tremolite
5/16/01	53.31	17.42	28.22	1.05	UX	UX		
5/17/01	81.94	17.01	0.69	0.35	UX	UX		
5/18/01	40.28	26.04	4.51	29.17	Ambiguous	UX		
5/19/01	28.82	5.90	45.14	20.14	Ambiguous	Ambiguous		
5/20/01	48.61	8.68	25.00	17.71	Ambiguous	Ambiguous		
6/8/01	4.53	21.95	47.04	26.48	CD	Ambiguous		
6/9/01	34.72	3.82	39.93	21.53	Ambiguous	Ambiguous		
6/10/01	11.11	31.94	10.07	46.88	Ambiguous	UX		
6/11/01	6.94	33.68	15.97	43.40	Ambiguous	UX	Residence	1 tremolite
6/12/01	4.86	44.44	23.61	27.08	Ambiguous	Ambiguous		
6/13/01	7.99	38.54	20.14	33.33	Ambiguous	Ambiguous		
6/14/01	3.82	56.60	5.21	<u>34.3</u> 8	Ambiguous	UX		
	17.62	24.83	30.25	27.30	Avg			
	18.95	19.90	22.42	12.37	Std Dev			

Note that increasing the required fraction of the day represented by a single group of wind conditions (e.g. 80%, instead of 70%) to characterize a day using the algorithm above would increase the confidence that such days are truly representative of the

conditions for which they are characterized. Given the daily variability of wind observed during this study, however, it also would substantially increase the number of days defined as "ambiguous" meaning that such days cannot be characterized as representing only a single group of wind conditions.

In contrast, decreasing the required fraction of the day represented by a single group of wind conditions in the above algorithm (e.g. to 50% from 70%) decreases the number of days ultimately characterized as ambiguous. However, this also increases the chance that any particular day might be mis-characterized. Using a cutoff of 50%, for example, results in zero days characterized as ambiguous, but some of the days characterized as one group of conditions (say, downwind) may be as much as 50% upwind. Table 4, illustrates the effect of changing the cutoff to 50%. The format for Table 5 is identical to that of Table 4.

#### TABLE 5:

#### ASBESTOS AND WIND DIRECTION DATA CHARACTERIZED FOR RESIDENTIAL SAMPLING LOCATIONS (WITH A 50% CUTOFF FOR CATEGORIZING DAILY AVERAGES)

Туре	Location	Daily Active	Daily					
Structure	Structure	Avg Wind	Avg Wind	e)	percent tim	Direction (p	Wind	
Detected	Detected	Character (excluding "calm")	Character	Calm	ownwind	Upwind D	Crosswind	Date
				(=C)	(=D)	(=U)	(=X)	
		D	CD	35.48	38.71	14.52	11.29	4/16/01
		D	CD	18.03	78.69	1.64	1.64	4/17/01
		D	CD	43.33	50.00	0.00	6.67	4/18/01
		D	CD	42.71	47.92	2.08	7.29	4/19/01
		UX	UX	16.67	8.33	58.33	16.67	4/20/01
2 tremolite	Residence	UX	UX	26.04	4.17	52.08	17.71	4/21/01
		UX	CD	38.54	15.63	20.83	25.00	4/22/01
1 tremolite	Residence	D	CD	34.03	50.69	5.90	9.38	5/4/01
2 chrysotile	Remote							
		D	CD	3.82	85.76	3.47	6.94	5/5/01
		UX	UX	27.43	10.76	43.40	18.40	5/6/01
		UX	UX	26.74	9.38	57.64	6.25	5/7/01
		UX	UX	32.40	9.41	51.57	6.62	5/8/01
		D	CD	23.96	40.28	30.90	4.86	5/9/01
1 tremolite	Remote	D	CD	18.77	40.79	40.07	0.36	5/10/01
		D	CD	38.31	52.82	2.82	6.05	5/14/01
1 tremolite	Residence	D	CD	36.69	38.13	3.96	21.22	5/15/01
		UX	UX	1.05	28.22	17.42	53.31	5/16/01
		UX	UX	0.35	0.69	17.01	81.94	5/17/01
		UX	UX	29.17	4.51	26.04	40.28	5/18/01
		D	CD	20.14	45.14	5.90	28.82	5/19/01
		UX	UX	17.71	25.00	8.68	48.61	5/20/01

6/8/01	4.53	21.95	47.04	26.48	CD	D		
6/9/01	34.72	3.82	39.93	21.53	CD	D		
6/10/01	11.11	31.94	10.07	46.88	CD	UX		
6/11/01	6.94	33.68	15.97	43.40	CD	UX	Residence	1 tremolite
6/12/01	4.86	44.44	23.61	27.08	CD	UX		
6/13/01	7.99	38.54	20.14	33.33	CD	UX		
6/14/01	3.82	56.60	5.21	34.38	UX	UX		
	17.62	24.83	30.25	27.30	Avg			
	18.95	19.90	22.42	12.37	Std Dev			

In either table, for "Daily Active Average Wind Character" (Column 7 of either table) crosswind and upwind time was grouped as previously described. For this case, however, calm conditions were considered neutral and ignored so that asbestos structures detected during a given day would only be attributed to the Quarry if the wind during that day was characterized as "downwind." Then, the daily *active* character was determined in a manner similar to that described above. Thus, if either UX or D (downwind) periods represented at least 70% of the part of a day that winds were actively blowing (i.e. with the calm period of the day excluded), then the entire day was characterized as belonging to that category. Otherwise, the day was defined as ambiguous.

It is important to remember that, during truly calm periods, the primary mechanism of transport is dispersion (random motion in all directions away from high concentration sources to areas of lower concentrations), while on windy days, the primary mechanism of transport is advection (being carried by the wind) and that the latter mechanism is substantially more rapid than the former. In reality, periods reported as "calm," may be include brief periods in which winds blow in varied directions at speeds that are too low and for periods that are too brief to allow categorization. Thus, particles may be transported by advection during these periods, but only at low wind speeds in various directions -not necessarily downwind. Thus, the progress of transport in any one direction during such periods will still be substantially slower than during periods that are categorized by winds blowing in specific directions. Therefore, pairing days when winds are calm with days when winds blow such that residential sampling locations are directly downwind of the Quarry should generally overestimate any potential impact of the Quarry. This should be kept in mind when interpreting results from this analysis.

The last two columns of Tables 4 and 5 indicate, respectively, the location where samples exhibiting putative asbestos structures were collected and the number of structures and type of structures detected on each sample. Note that rows representing days in which structures were detected near a residence are highlighted.

#### Analysis of Air Measurements

Two issues are addressed with these data:

• whether the data suggest that the Quarry may be a source of the fibrous tremolite structures observed in the air; and

• estimation of the lifetime cancer risk associated with the concentrations of airborne tremolite fibers that may be found in the area.

#### Testing whether the Quarry is a source of airborne tremolite

To consider whether the data implicate the Quarry as a source of the asbestos structures detected in the air samples, a series of hypotheses were evaluated to determine, first, whether wind conditions on the days during which asbestos structures were detected differ from wind conditions during days when no structures are detected and, second, (if they do) whether the wind directions associated with detection of asbestos are in an upwind or downwind direction relative to the Quarry. Statistical tests using a combination of chi square analyses (for example, Lowry 2002) and analyses using Fisher's exact test (for example, Lowry 2002) were employed to make these determinations.

Initially, a series of two-by-three matrices were set up so that chi square analyses could be performed to determine whether the pattern of winds representative of days during which structures were detected differ significantly from days in which no structures were detected. The following Table 6 is an illustration of such a matrix.

#### **TABLE 6:**

Structures	V	Row Total Number of Days		
	Calm- Downwind (CD)	Upwind- Cross-wind (UX)	ambiguous	·
Detected	2	0	2	4
Not-Detected	7	3	14	24
Column Total Number of Davs	9	3	16	28

#### NUMBER OF DAYS EXHIBITING INDICATED WIND CONDITIONS (For Days Characterized by Conditions Representing at Least 70% of the Day)

This matrix corresponds to the data from Column 6 of Table 4 and is based on counts of days. A similar matrix was also set up based on Column 7 of Table 4. Additionally, matrices were also tested based on numbers of samples, rather than days. Four residential samples were collected during each sampling day. Thus, for example, while structures were detected on two days characterized as CD (as indicated in the above table), they were also detected on each of two samples under these conditions. At the same time, there were 34 samples representing similar conditions (6 from the same days that structures were detected and 28 on the other 7 days when no structures were detected on any samples) on which no structures were detected. Chi square analysis is a test of whether observed differences in the patterns of two discrete frequencies (such as those presented in the 2 x 3 matrix in Table 6) are due to chance alone. In the case of Table 6,

the chi-square analysis tests whether the frequencies of daily wind directions differ for days when structures were detected than for days when structures were not detected. For these tests, when the critical value for the chi-square test is exceeded (at a defined level of confidence, which in this case is chosen to be five percent) it means that there is less than a 5% chance that the difference in the frequencies in daily wind direction observed for days in which structures are either detected or not detected, respectively, is due to random fluctuations Chi square statistics calculated for each of the two-by-three matrices tested are summarized in Table 7.

#### **TABLE 7:**

#### CHI-SQUARE STATISTICS CALCULATED TO TEST WHETHER WIND PATTERNS FAVORING DETECTION OF TREMOLITE STRUCTURES DIFFER FROM THOSE DURING WHICH NO STRUCTURES WERE DETECTED

**Condition Tested** 

	-
Data from Column 6, Table 4 (by day)	1.0046
Data from Column 6, Table 4 (by sample)	0.8930
Data from Column 7, Table 4 (by day)	0.1296
Data from Column 7, Table 4 (by sample)	0.1152

**Chi Square Statistic** 

The critical value for the chi square statistic at the 0.05 level of significance (for two degrees of freedom, which is appropriate for these two-by-three matrices) is 5.99. Since all of the values in the second column of Table 7 are substantially smaller than this critical value, there is no evidence from this analysis that wind conditions favoring detection of tremolite structures in any way differ from wind conditions in which they were not detected. Thus, conditions in which sampling locations are upwind or crosswind of the Quarry are just as likely to have produced detection of a structure than conditions in which sampling locations were downwind (or downwind/calm) from the Quarry. In further support of this conclusion, one of the six tremolite structures observed in this study was in fact collected in a remote location. Therefore, based on this analysis, and within the limitations of this study, these data provide no evidence that the Quarry is contributing tremolite structures to local air.

Given the central importance of determining whether the Quarry is contributing tremolite structures to the local air, the available air data from the current study was subjected to further analyses using Fisher's Exact Test. When applied to test for trends in a two-by-two matrix, this test is more powerful (i.e. better able to detect small differences) than a chi square analysis. Therefore, the air data were re-grouped to allow comparison of several two-by-two matrices.

Remembering that four residential samples were collected each day, the data in Column 6 of Table 4 indicate that:

- 2 of 36 residential samples characterized as downwind(+calm) of the Quarry exhibited tremolite structures (1 on each sample);
- 2 of 64 residential samples characterized as ambiguous for wind exhibited tremolite structures (also 1 each);
- 0 (none) of 12 residential samples characterized as upwind of the Quarry exhibited tremolite structures; and
- 1 of 56 remote samples exhibited tremolite structures (1 structure).

Similar ratios were also constructed from the data in Column 7 of Table 4 and the data from Columns 6 and 7 of Table 5.

Comparing any two of the ratios constructed as described above, allows one to test for a significant difference between the two ratios using Fisher's Exact Test. None of the ratios tested were significantly different, and none were even close. To illustrate, for the most extreme ratio difference: 2/36 tremolite structures collected during downwind + calm conditions versus 0/12 tremolite structures collected during upwind conditions (from Column 6 of Table 4): there is a 57% chance that two structures collected during downwind + calm conditions could result from the same random atmospheric distribution of structures that also resulted in the collection of no structures in the upwind direction (based on a one-tailed, i.e. directional, difference). In other words, there is a better than even chance that such a pattern of structure detection could have arisen by chance alone. Thus, once again, the data imply that airborne tremolite concentrations are the same no matter what wind conditions prevail. Therefore, within the limitations of the current study, there is no indication that the quarry is contributing to the airborne tremolite structures that have been observed.

#### Risk Characterization for Airborne Tremolite

Because there is no evidence from these data that the quarry is contributing to the airborne tremolite that has been observed in the study's measurements and because wind direction does not appear to affect the observed levels, the most likely interpretation of the results is that there is a general background concentration of airborne tremolite structures in the study region. Therefore, the entire data set can be pooled to estimate tremolite structure concentrations in the local environment and the corresponding lifetime cancer risk.

Because Poisson frequency distributions characterize the probability of detecting a discrete event (such as encountering a tremolite structure) among a group of independent observations (such as independent air samples) of a common process or environment, we can fit the observed structure frequencies to a Poisson distribution to estimate the equivalent airborne concentration. Among residential samples, the observed frequencies of encountering structures are:

1 sample with two structures;

3 samples with one structure; and

108 samples with no structures.

Fitting these data (for example, Ritter 1998) indicate that they are indeed adequately described by a Poisson distribution and that the best fit distribution exhibits a mean of 0.045 structures. Thus, the average number of structures that would be expected on any single sample taken at any comparable outdoor location in the area is 0.045. Multiplying this expectation value by the analytical sensitivity for the sample measurements in the study (0.0003 s/cm<sup>3</sup>), results in an estimated airborne concentration of 1.35 x  $10^{-5}$  s/cm<sup>3</sup> for tremolite structures.

Note that analytical sensitivity is defined as the airborne concentration that would result in detection of a single structure in a sample. Therefore multiplying the analytical sensitivity by the number of structures expected on a sample provides an estimate of the average area-wide airborne concentration represented by that measurement.

As a check, the above calculation can be repeated with the inclusion of the remote samples. Thus, the distribution with the remote samples included is:

1 sample with two structures;

4 samples with one structure; and

163 samples with no structures.

These data are also adequately fit by a Poisson with a mean of 0.035 structures. Moreover, a chi square test for differences between this distribution and the distribution indicated above suggests that they are not statistically distinguishable.

The elevated area-wide average concentration of tremolite structures estimated in the above analysis can be translated into an estimate of lifetime cancer risk. The corresponding risk estimates are derived using each of two approaches.

Four of the six tremolite structures that were detected exhibit dimensions corresponding to NIOSH 7402 fibers (NIOSH 1989). The current U.S. Environmental Protection Agency (EPA) standard for including structures for cancer risk assessment is that they satisfy the NIOSH 7402 dimensional criteria and that they be true asbestos fibers. However, there is no EPA accepted procedure for distinguishing true fibers from other elongated structures (e.g., cleavage fragments) of similar mineral composition that is applicable to isolated structures found in the air. Therefore, to be conservative, all four of these structures are included in the following analysis, even though three of the four structures have been identified by the laboratory as cleavage fragments, and therefore may not be true fibers (see Appendix 3 for the laboratory characterization of individual structures as fibers or cleavage fragments). Using the current EPA approach, lifetime cancer risk is estimated as the product of the estimated exposure concentration and the appropriate cancer potency slope factor. The slope factor for asbestos is  $2.3 \times 10^{-1}$  (fiber/ml)<sup>-1</sup> air (IRIS 1988).

Because only four of six (two thirds) of the tremolite structures detected in the air in this study qualify for this analysis (see above), the estimated ambient airborne concentration to which local residents may be exposed is two thirds of the above-estimated ambient concentration  $(1.35 \times 10^{-5} \text{ s/cm}^3)$ , which was derived based on observation of all six structures. Thus, the estimated ambient air concentration of 7402 structures is 9.0 x  $10^{-6}$  s/cm<sup>3</sup>. Multiplying this concentration by the slope factor results in an estimated lifetime cancer risk of two in a million (2 x  $10^{-6}$ ).

Risks are also estimated using a new protocol currently being scheduled for USEPA peer review (Berman and Crump 1999a and b). This approach involves evaluation of structures meeting the definition of "protocol structures" (see section "Approaches to Asbestos Risk Assessment" above). Three (i.e., one half) of the six tremolite structures detected in this study qualify as protocol structures. Thus, given an estimated concentration of  $6.75 \times 10^{-6}$  s/cm<sup>3</sup> (one half of the total ambient air concentration estimated above for all six structures), the observation that one of the three protocol structures was longer than 10 µm (33%), and again assuming lifetime-continuous exposure, then the combined risk for lung cancer and mesothelioma estimated using this approach is approximately three in 100,000 (i.e.,  $3 \times 10^{-5}$ ).

No matter which approach is employed, it appears that the risk attributable to breathing ambient concentrations of tremolite structures found in the environment in the vicinity of the Southdown Quarry are within the range of one-in-a-million (i.e.,  $1 \times 10^{-6}$ ) to one-inten thousand (i.e.,  $1 \times 10^{-4}$ ) lifetime cancer risk, which is generally considered by the New Jersey Department of Environmental Protection (NJDEP) to be consistent with permitting of air emissions sources with possible consideration of source modification

### **Dust Samples**

A total of 54 dust samples were collected from window troughs and other undisturbed locations of 28 houses, which were distributed in the southeast of the Quarry (Figure 4). The houses were categorized to three zones by distance: Near, Middle and Far (Table 8). Only two samples were found to contain asbestos structures. One structure was found in each of two samples from separate houses. Each structure met the definition of both protocol and 7402 structures. Neither of the samples was from a house in the zone located closest to the quarry (the near zone) (Table 8). The two sites with positive samples, D12 and D36, were both more than 40 years old. To at least some extent, the dust collected from the relatively undisturbed locations in the sampled housed represents historical accumulation of dust and any asbestos structures contained in that dust. The observation that the positive dust samples arose from houses which were among the oldest houses sampled raises the possibility that these samples represent historical deposition of asbestos.
Table 8. Dust Sampling Zones

Zone	Number of Houses	Distance from Quarry	Average Age of Houses
Near	10	0.5 - 1.0 miles	11 years
Middle	15	1.0 – 1.25 miles	28 years
Far	3	> 1.5 miles	49 years

Table 9. Data for positive Dust Samples

Sampling Date	Location	Distance	Number of Structures Detected	Туре	Protocol / 7402 structur es	Concentration in house dust (million s/g)	Age of House
3/17/2001	Middle Zone (D36)*	1.1 miles	1	tremolite	Both	0.81	40 years
2/12/2001	Far Zone (D12)	1.9 miles	1	tremolite	Both	0.95	55 years

\*: detected positive in QC analysis, containing tremolite cleavage structures.

#### **Statistical Analysis of Dust Sampling Data**

The settled dust sampling campaign was designed primarily to test for the presence of gross trends in the deposition of asbestos structures inside residences with distance from the Quarry. This design was adopted based on the hypothesis that, if the Quarry were the source of asbestos structures, then the concentration of structures in accumulated house dust would be highest in houses closest to and downwind of the Quarry and lower in areas further from the Quarry. To accomplish this, the residential area that lies adjacent to the Quarry in a downwind direction (under prevailing conditions) was divided into near, middle, and far zones. If sufficient asbestos were found, then by collecting multiple samples from each zone and evaluating average concentrations from pooled results within each zone, differences in the observed content of asbestos in the dust could suggest a general direction from the source of the asbestos.

Fifty-four settled dust samples were collected from the residential area near the Quarry. Among the 54 dust samples, a total of only two putative asbestos structures (both tremolite) were detected (one on each of two samples). Note that, as with the air samples, the structures are defined as "putative" because, while they satisfy the dimensional criteria for asbestos structures and they are both composed of asbestosrelated minerals (tremolite), there is laboratory evidence that they may not be true fibers (see Appendix 4). No asbestos structures were detected in any of the other dust samples.

The distribution by zone of the samples collected is provided in Table 10.

#### TABLE 10: RESULTS OF SETTLED DUST SAMPLING IN THE RESIDENTIAL AREA ADJACENT TO SOUTHDOWN QUARRY

Zone		Number of Houses Sampled	Number of Samples Collected	Number of Samples Exhibiting Tremolite Structures
Near		10	21	
Middle		15	27	1
Far		3	6	1
	Totals	28	54	2

#### **Statistical Analysis of Dust Samples**

That the two tremolite structures detected in settled dust samples (Table 10) were observed in the middle and far zones (as opposed to the near zone) does not provide evidence of a trend in direction that implicates the Quarry as a source of those structures. However, the power of any formal analysis of these data is severely limited by the small number of structures detected. For example, based on Fisher's Exact Test, the frequencies of detection of tremolite in neither the far zone (one of six samples) nor the middle zone (1 of 27 samples) can be distinguished from observations in the near zone (0 of 21 samples).

Moreover, results from this analysis are confounded by effects of time. Because airborne structures would be expected to accumulate over time, the probability of detecting such structures should increase with the age of the houses sampled (assuming that settled dust accumulated over the entire lifetime of the house). Therefore, that the tremolite structures detected were collected from two of the oldest houses in the residential community (EOHSI 2002b), may simply be consistent with low but steady accumulation of tremolite due to background ambient conditions.

#### **Dust Sample QC Results**

In the dust sample QC analysis, one sample was detected positive for asbestos structures in the primary analysis (RJ Lee), but was negative for asbestos structures in the blind reanalysis by RJ Lee. Another QC dust sample was negative for asbestos structures in the primary analysis , but was positive in the blind re-analysis by RJ Lee All of the QC samples re-analyzed by EMS, including the two discussed above, were negative for asbestos structures (Table 11). Given that a total of only two asbestos structures were detected among all the analyses of dust samples, and given the variability inherent in analysis of structures distributed across the face of a filter, the difference between the detection of zero structures and one structure in these analyses is not statistical significant. The results reported by EMS are therefore not inconsistent with the results reported by RJ Lee.

	RJ Lee Pr	otocol & 7402	RJ Lee Prote	ocol & 7402 QC	EMS Proto	col & 7402 QC
	Samp	le Analysis	Ar	nalysis	Aı	nalysis
Sample ID	Tremolite	Tremolite	Tremolite	Tremolite	Tremolite	Tremolite
	Count	Conc. in dust	Count	Conc. in dust	Count	Conc. in dust
		(million S/g)		(million S/g)		(million S/g)
D12	1	0.95	NA	NA	0	0
D36	0	0	1	0.81	0	0

#### Table 11. Dust Sample QC Results

## Summary of Air and Dust Sampling Results and Findings

• At the two closest air sampling sites, Site 1 and Site 2, a small concentration of asbestos structures were detected in ambient air samples on three dates.

• No asbestos structures were detected in indoor samples.

• In general, overall quarry production during the air sampling periods appears to have been typical of quarry production both before and after the air sampling.

• Statistical analysis of the wind directions on days when asbestos structures were detected in air samples provides no direct support for the hypothesis that quarry was the source of the structures.

• Depending on the risk assessment approach employed, the lifetime cancer risk associated with the measured concentration of asbestos structures is in the range of  $2 \times 10^{-6}$  to  $3 \times 10^{-5}$  (two-in-a-million to three in a hundred thousand). These risk estimates are based on the assumption of continuous 70 year exposures.

• A total of two asbestos structures were detected in settled dust in two of 28 houses sampled. These houses were located between one and two miles from the quarry. No asbestos structures were detected in the house dust in the zone closest to the quarry.

• The results of the house dust sampling do not provide evidence that the quarry is the source of the asbestos structures detected.

Based on the results, we can provide the following answers to the three questions posed in the introduction to this report:

*Question 1* Are levels of biologically relevant asbestos structures in air present at a level which can case a significant cancer risk with long-term exposure?

The estimated lifetime cancer risk associated with the measured concentration of asbestos structures in outdoor air in this study is  $2 \times 10^{-6}$  to  $3 \times 10^{-5}$  (two-in-a-million to three in a hundred thousand) depending on the specific risk assessment approach which is employed. While these values represent a non-zero lifetime risk, they are in a range which is generally considered low in environmental risk management.

No asbestos structures were detected in any of the indoor air samples. This suggests that there is no significant additional risk resulting from long-term accumulation of asbestos structures indoors which are available to be re-suspended in air with normal household activities. Given the fact that people generally spend considerably more time indoors than outdoors, these results have important and positive public health implications.

*Question 2* If elevated levels of biologically relevant structures are detected in air downwind of the quarry, is there evidence that the quarry is the source of those structures?

Neither the air samples nor the settled house dust samples provide clear support for the hypothesis that the quarry is the source of the asbestos structures which were detected.

The overall estimate of risk would not likely change substantially if additional air and test sampling were done. This does not necessarily imply that the quarry does not emit, or has not emitted asbestos structures. The second phase of this project involving the analysis of core samples from the quarry, modeling of quarry emissions, and their dispersion in the local environment will provide an estimate of the future potential for risk from quarry emissions. This analysis, which will also supplement the current report, is being completed. Results from that portion of the study should provide information about the extent to which any asbestos emission from the quarry may contribute to the overall level of asbestos in the local environment

*Question 3* If residents are being exposed to levels of biologically relevant asbestos structures emitted from the quarry which pose a significant health risk, what actions may be necessary to adequately control such exposure?

Given both the relatively low cancer risk which can be estimated from this study, and the lack of evidence linking the quarry to the measured asbestos structures in the local environment, this study provides no basis for identifying additional actions at this time which would be necessary or useful for the control of exposures. However, it should be emphasized that the New Jersey Department of Environmental Protection has required increased controls on the emission of overall dust and particulates from the quarry. Measures which have been required to reduce general dust emissions will necessarily also reduce asbestos emissions.

## References

Ambient air -- Determination of asbestos fibers -- Direct transfer transmission electron microscopy method, ISO 10312:1995, International Organization for Standardization.

Berman D.W., Crump K.S., Chatfield E.J., Davis J.M., Jones A.D. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. Risk Anal Aug;15:541.

Berman, D.W. and Crump, K.S. (1999a). Methodology for Conducting Risk Assessments at Asbestos Superfund Sites. Part 1: Protocol. Prepared for: Kent Kitchingman, U.S. Environmental Protection Agency, Region 9, 75 Hawthorne, San Francisco, California 94105. Under EPA Review.

Berman, D.W. and Crump, K.S. (1999b). *Methodology for Conducting Risk Assessments at Asbestos Superfund Sites. Part 2: Technical Background Document.* Prepared for: Kent Kitchingman, U.S. Environmental Protection Agency, Region 9, 75 Hawthorne, San Francisco, California 94105. Under EPA Review.

EOHSI. (2001). Quality Assurance Project Plan (QAPP): Assessment of Population Exposure and Risks to Emissions of Protocol structures and Other Biologically Relevant Structures from the Southdown Quarry. EOHSI, August 2001.

Integrated Risk Information System-IRIS (1988). *Toxicological Review of Asbestos*. U.S. Environmental Protection Agency. http://www.epa.gov/iris/subst/0371.htm.

Lowry, R (2002) Chapter 8 in Concepts and Applications of Inferential Statistics, on Web Page of Vasser College. <u>http://faculty.vassar.edu/lowry/webtext.html</u>

NIOSH B National Institute for Occupational Safety and Health (1989). Method for the determination of asbestos in air using transmission electron microscopy. NIOSH Method 7402. NIOSH, Cincinnati, Ohio, U.S.A.

NJDEP (2000). Framework for Assessing Possible Risks Posed by the Presence of Asbestos and Related Structures from Emissions from Southdown Quarry. NJDEP, August, 2000.

Ritter, J. (1998), Binomial and Poisson Statistics Functions in Java Script, http://www.ciphersbyritter.com/JAVASCRP/BINOMPOI.HTM Appendices

### Appendix 1. Report of and Response to NJDEP Audit

## EOHSI

#### ENVIRONMENTAL AND OCCUPATIONAL HEALTH SCIENCES INSTITUTE 170 Frelinghuysen Road Piscataway, N.J. 08854 (732) 445-0150 Fax: (732) 445-0116 EXPOSURE MEASUREMENT AND ASSESSMENT DIVISION

#### MEMORANDUM

- TO: Joseph Aiello, Chief Office of Quality Assurance
- FROM: Lih-Ming Yiin, Ph.D. EOHSI Project Manager

DATE: June 27, 2001

SUBJECT: Response to Audit of Sample Collection for Southdown Study

In the audit report prepared by NJDEP Office of Quality Assurance, it is recommended that all samples should be delivered back to EOHSI at the end of the seven day sampling episode and stored in a secure location prior to delivery to the analytical laboratories. We failed to bring back the samples collected during the second sampling episode, since the third sampling episode started just a weekend away. After receiving the recommendation from the OQA officers on May 14, 2001, we brought back the samples collected from the second sampling episode on the same day, and stored them in a lockable tackle box in a secure location at EOHSI.

To avoid any possibility of sample confusion, contamination or loss, during the remaining sampling episodes, we transferred all the samples collected on the same day from the sampling case, which was carried and used during the sampling, to another aluminum case for storage at the end of the day. All the chain of custody forms and sample data sheets were also transferred with those samples. When finishing sample collection for the third and fourth sampling episodes, we brought all the samples back to EOHSI and properly stored them at the end of each sampling episode. We wrapped each sample cartridge with aluminum foil and paired the two cartridges with different flow rates collected at the same site in a plastic bag. Sample labels were double checked and attached to the exterior surfaces of aluminum foil that wrapped around samples. All prepared samples were again stored in a secure location prior to shipment to the analytical laboratory.

If you have any questions or concerns with this response, please contact me at (732) 445-6942 or <u>yiinlrn@umdnj.edu</u>.

Alan Stern, Dr.P.H., NJDEP Bureau of Risk Analysis
Paul Buckley, Ph.D., NJDEP OQA
Marc M. Ferko. NJDEP
OQA
Paul Lioy, Ph.D., EOHSI
Junfeng Zhang. Ph.D.,
EOHSI
Robert Hague., Ph.D.
EOHSI

EOHS jointly sponsored by the University of Medicine and Dentistry of New Jersey -Robert Wood Johnson Medical School and Rutgers, the State University of New Jersey



State of New Jersey Department of Environmental Protection

DONALD T. DIFRANCESCO Acting Governor Robert C. Shinn, Jr. Commissioner

Office of Quality Assurance 9 Ewing Street, P.O. Box 424 Trenton, New Jersey 08625-0424 Tel: (609) 292-3950 Fax: (609) 777-1774

#### **MEMORANDUM**

TO:

Alan Stern, Dr.P.H., Chief Bureau of Risk Analysis Joseph Aiello, Chief

FROM: Joseph Aiello, Chief Office of Quality Assurance

SUBJECT: Technical System Audit of Sample Collection Techniques

DATE: June 11, 2001

Attached is a report of findings from a Technical Systems Audit (TSA) of the sampling procedures employed for the "Assessment of Population Exposure and Risks to Emissions of Protocol Structures and Other Biologically Relevant Structures from the Southdown Quarry." This project is managed by the Bureau of Risk Analysis, and the field sampling work is contracted to the Rutgers University Environmental and Occupational Health Sciences Institute (EOHSI). In the approved Quality Assurance Program Plan (QAPP), Section 14, it is required that the NJDEP provide an on-site audit of the field procedures.

Paul Buckley, Ph.D. and Marc Ferko of the Office of Quality Assurance (OQA) spent one day in the field (May 14, 2001) with Rutgers EOHSI personnel observing the collection of samples from one control site upwind from the quarry and from two air sampling sites at private homes. Although dust samples were also collected, OQA was not notified of the sampling episodes until after their completion.

I wish to thank the staff of EOSHI for their cooperation during the audits. As part of the Department's audit process, a response is due back to OQA within 30 days. The response should address the recommendations outlined in the report and it should also include a strategy of planned actions with implementation dates.

Please contact Marc Ferko or me if you have any questions at (609) 292-3950.

cc: Paul Lioy, Ph.D., EOHSI Junfeng Zhang, Ph.D., EOHSI Robert Hague, Ph.D., EOHSI

> New Jersey is an Equal Opportunity Employer Recycled Paper

#### DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF QUALITY ASSURANCE

TITLE:	DATE:
	June 6, 2001
TECHNICAL SYSTEMS AUDIT; BUREAU	PREPARED BY:
"ASSESSMENT OF POPULATION EXPOSURE	Marc M. Ferkom with the feele
AND RISKS TO EMMISSIONS OF PROTOCOL STRUCTURES AND OTHER	Paul Buckley, Ph.D. Jaul Buckley
BIOLOGICALLY RELEVANT STRUCTURES FROM THE SOUTHDOWN QUARRY"	Research Scientists
LOCATION:	CLEARED FOR ISSUE BY
Master Sets: DEP/OQA Files	Joseph F. Aiello, DEP OQA Officer

#### L SUMMARY OF FINDINGS AND RECOMMENDATIONS

The air sampling performed by the Rutgers University, Environmental and Occupational Health Sciences Institute (EOHSI) maintains acceptable quality assurance practices as outlined in the approved Quality Assurance Project Plan. However, the sample storage procedure observed could increase the risk of sample confusion or loss of samples.

<u>Recommendations</u>: The sampling staff should return all samples collected from the field back to EOHSI at the completion of the sampling event. The samples should be separated as per sampling event and stored in a secure location prior to delivery to the laboratory for analysis.

#### **II. INTRODUCTION**

The local community surrounding the Southdown Quarry located in Sparta, NJ has raised concerns about the possibility of the emissions of tremolite asbestos fibers to the atmosphere and any potential long-term health effects on the community which may result from these emissions. As part of a plan to gather data with which to address these concerns, NJDEP has contracted a field air sampling campaign to Rutgers EOHSI. This campaign involves indoor and outdoor air sampling at private residences downwind from the quarry, and at control sites located upwind from the quarry. In addition, dust samples were collected at the private residences. The NJDEP Office of Quality Assurance was responsible for a QA audit of the sampler setup, sample collection, and sample handling procedures occurring in the field. The OQA was also responsible for an audit of the dust sampling procedures. However, the dust sampling campaign was completed prior to OQA being notified that any dust sampling was taking place.

#### III. AUDIT FINDINGS

The first location where sampling procedures were observed was a control site upwind from the quarry, located on the roof of the Lafayette, NJ Department of Transportation maintenance yard. Two samples were taken at different flow rates over a 24-hour period. One sample was taken at

a flow rate of 2 liters per minute, the other at 1 liter per minute. The sampling pumps and related equipment were situated in a weatherproof tackle box, which was shielded from the sun by an automobile windshield sunscreen. The sampling filter cartridges were positioned approximately four feet above the roof on a tripod. The filter cartridges were positioned with the inlet pointing downward. The cartridges were secured in a small locked cage to prevent tampering. The sampling lines were then leak checked according to the procedures outlined in the QAPP. If the leak check failed, the line fittings were adjusted or tightened and the procedure was repeated until the leak check was passed. The pumps were then started for the 24-hour sampling period. All pertinent data was recorded on the "Air Sample Data Sheet Version 4.0", and the sampling set up was recorded photographically. Although not observed, the crew indicated that after the 24-hour period, the sampling lines are again leak checked. A power check is also performed, using a timer to check if power interruption had occurred. The filter cartridges are then inspected for tampering or signs of unusual loading. The filter cartridges are replaced, and the procedure is begun again. The identical procedure was observed at two private residences. where sample collection devices were set up indoors and outdoors. One blank sample per house is collected during the weeklong sampling event. No duplicate samples are collected other than a high flow and a low flow sample. However, filters will be divided up at the lab, which will then be used as a duplicate for analysis. The outdoor residence sample sites included the use of a portable weather station, which monitors temperature, wind speed and direction, and relative humidity. Normal operations at the quarry are expected, and NJ-DEP enforcement inspectors monitor the activity. It is our conclusion that sampler setup, sample collection, and sample handling procedures were performed in a highly satisfactory manner. Sampler leak check procedures were observed to be satisfactory and faithful to the QAPP. Sample chain of custody requirements were also satisfactory. All EOHSI personnel were observed to conduct the sampling in a competent and professional manner.

Our only concern arose when Rutgers EOHSI personnel were observed storing collected air samples from different sampling episodes in the same container. Samples collected at the end of the second sampling episode were not returned to EOHSI, and remained in the truck over the weekend. They were then brought back to the field, where samples obtained on the first day of the third sampling episode were mixed with them. This practice increases the possibility of cross-contamination of the samples from different sampling episodes and tampering with samples stored in unsecured locations such as a vehicle.

#### IV. RECOMMENDATIONS

In order to minimize the risk of sample contamination by mixing samples from different episodes, and to minimize the risk of confusion and loss of samples, all samples should be stored in a secure location for storage prior to delivery to the laboratory and delivered to EOHSI at the end of the seven day sampling episode. This recommendation is based on Appendix A1, p. V, and line 19 of the QAPP. This concern was conveyed to the field supervisors at the closing discussion of the audit. The field supervisors agreed that this practice should not occur, and indicated that corrective action would be taken.

In addition, if additional dust sampling were required for any reason, OQA would appreciate being notified so that we may conduct an audit of the dust sampling procedures.

#### V. AIR SAMPLING AUDIT CHECKLIST

The air sampling audit checklist completed in the field by NJDEP OQA officials is attached.

#### AIR SAMPLING AUDIT REPORT

PROJECT NAME: ASSESS MENT OF POPULATION EXPOSURE AND RISKS TO EMMISSIONS OF PROTOCOL STRUCTURES AND OTHER BIOLOGICALLY RELEVANT STRUCTURES FROM THE SOUTHDOWN QUARRY

3

HAS A QUALITY ASSURANCE PROJECT PLAN BEEN DEVELOPED AND APPROVED BY APPROPRIATE AUTHORITIES PRIOR TO SAMPLING? VES - OQA APPROVAL ON 2-7-01

SOUTHDOWN QUARRY AREA PROJECT ADDRESS: SPARTA, N.J.

DATE OF FIELD AUDIT:

MAY 14, 2001

AUDITOR'S NAME:

MARC FERKO RESEARCH SCIENTIST OFFICE OF QUALITY ASSURANCE NJDEP

PAUL BUCKLEY, PLD RESEARCH SCIENTIST OFFICE OF QUALITY ASSURANCE NIDEP SAMPLING AGENCY: STAFF FROM UMDMJ-EOHST ROBERT HAGUE, PhD. - EOHSI JIM ZHANG, PhD. - EOHSI ROBERT HARRENG TON - EOHSI

PERSONNEL ON-SITE: EOAST STRFF FROM ABOVE AND NJDED AUDITON'S AS LITTED

WEATHER CONDITIONS: JUNNY, LIGHT WIND, 66°F

OTHER OBSERVATIONS: THIS WAS THE 3"WEEK OF ASR SAMPLING OF A YWEEK SAMPLING EVENT. EACH SAMPLING EVENT LASTS FOR 7 DAYS. ASR SAMPLING FILTERS ARE CHANGED EVERY DAY FOR 7 DAYS AT EACH SITE BY A EOHSI STAFF MEMBER. HIGH FLOW AND LOW FLOW SAMPLES ARE COLLECR AT EACH SITE. DUST SAMPLES WERE COMPLETED PRIM TO ORA BEING NOTIFIED

	2	<u>'ES</u>	<u>NO</u>	<u>N/A</u>
I. <u>I</u>	Preparation			
1	Does the sampler have a parameter list? List parameters: PROTOCOL STRUCTURES OTHER BIOLOGICALLY STRUCTURES CASDEST	AND RELEU TOS FIL	ent Easj	
2	. Does the sampler have the proper containers required to transport samples to the laboratory (See parameter list)? FILTERS IN FIL.	TER CAS	 SETTES	
3	b. Does the sampler have available all the required preservatives for the above listed parameter? Clearly labeled? – AIR SAMPLES ON FILTER PADS – NON Method of preservative storage: –	 VE REC	 Qu <del>ste</del> EO 	
	List of preservatives:	$\mathcal{N}/\mathcal{A}$		
	Age of preservatives:			
4	. If environmental measurement are to be made in field, are the necessary instruments present, operative, and in good condition?	<u> </u>		
	List parameters WEATHER CONDERS CONTENLOUS LY MO COLLECTION SITES WIND VELOCITY, List Instruments: DAVIS WEATHE	NETO REL TEM RELATS	rE DATO P., WING WE HUM. TION	urboa Sinector Lost Y
5	Documented over FIELD	L L z samp	  LE DATA	
r.	VERSION 4.0 L1/24/01) YELLOU ALSO A PHOTOGRAPH IS TARE SET-UP FOR DOCUMENTATION 1	U <i>SHEET</i> En <b>OF</b> V .	EACH .	sanplouls

		YES	<u>NO</u>	<u>N/A</u>
	List devices and data of most recent check/calibrations:		3	
	ATE SAMPESTIG FOR M			
6.	Does the sampler have an adequate supply of the following forms?	~		
	a) Analysis Request Forms	~		
	b) Chain of Custody Record	<u> </u>		
	c) Sample Tags			
	d) Other (list):		<u> </u>	
7.	Does the sampler have a list of sample sites?			
	AIR SITES OBSERVED	DURSNG	FIELD	AUDIT WERE
ALL	List sites: STTES / 1. LAFAYETTE DEPT. TO	CANSPORTA	ATTON M	AINTENANCE
SA. Foo	APLED YARD - UPWIND SI.	V WIND (I	NG STATS NDOOL A	NO OUTDOOR
/ 0.1	3. SECONCO HOUSE - DOWNO	VIND (MD	an 2 × 00T 10	an (Ampline)
8.	Sample collection devices present, operative, and in good condition?			
	List sampling devices: Arra and	1	ANO 2	L/mon
	, 2010			
9.	Were the devices properly cleaned for the			
	parameters instea in question 1?			
* 10.	Are sample devices, containers, and preservatives transported in a manner that will minimize the possibility of contamination? <i>Samples From</i>	FILTER UPRIGHT LOMPARTM	CASSETT IN FO ENTOTIE	ES IFORED AM LINED D BOXES NT SAMPLA
IT A	EVENTS WERE STORED TOGET in Sempline CROSS-CONTRMENATION	HER IN	CAR,	CAN CAUSE
ш. <u>А</u>	TOGETHER.	sanpesne	Event	OF SAMPLE. 5 STORED
1.	Is the air sampler adequately protected from precipitation wind extreme temperature			
	fluctuations, or other environmental factors that may			
	affect pump performance?	f00 TO	KEEP 4	FEET Freny
	FLOOR , LOCKED CAGE A	For FICT.	Fres.	r.
	OUTDOOR SAMPLERS 2 USE BUFFER TEMP. CHANGES.	A T/	HERMO-	SCREEN TO

		YES	<u>NO</u>	<u>N/A</u>
2.	What is the power source for the pump? $A \cdot C$ , $Po \in EC$	<u> </u>		
3.	If DC, is the pump battery charge such that the pump will operate for the duration of the sampling period?			
4.	Is the pump flow calibrated traceable to a national standard?	<u> </u>		
5.	Does the pump have a digital counter which indicates the total volume of air sampled, or can be calibrated to indicate the total volume sampled?	<u> </u>		
6.	Are adequate sampling line leak check procedures a part of the sampling protocol?			
7.	Is the sampling line leak checked prior to and following the sampling period?			
8.	Econoldo on DAM SHEET Is a logbook maintained to record pre- and post- sample flows, as well as sampling start and stop times? RECONDED on DAM SHE	 e7		
9.	Is the sampling apparatus inspected after the sampling period for signs of tampering or unusual sample loading?			
10. 11.	Are adequate precautions taken to prevent contamination of the sample during handling? CLOVES ALE WAR DURENCE EUCOTS SAMPLES FORCE TO Is each sample cartridge given a unique ID number?	GETHER	, BUT >	SAAPLong
III. <u>D</u>	ocumentation			
1.	Are all pertinent field data and environmental measurements recorded in a bound log book?			
2.	$\begin{array}{c} R \in Con O \in O \\ On the analysis required forms? \end{array}$	- <u>-</u> -		
IV. Sa	ample Check-In at the Laboratory			
1	Are the samples checked in at the laboratory?		$\sim$	
I.	SAAPLES HAVE BEEN ODD	LECTED		
2.	TO LAGORATORY $\rightarrow$ DETNG STO Are the analysis request forms and chain-of custody recorded forms checked for completeness?	AREA .	- EOHS.	 

	YES	<u>NO</u>	<u>N/A</u>
3. Are the samples checked for proper labeling? EACH SANPLE HAS LNTOUE	SAMPLE	;	
4. Are the samples checked for proper preservation?			
5. Are the samples checked for proper containers?			
6. Are the samples checked for adequate volumes?			
<ul> <li>7. If applicable, is the chain-of-custody record signed over to the laboratory representative <u>after</u> Item 1-6 have been satisfactorily completed?</li> <li>C-O-C USED For PROFECT</li> </ul>	(Form L		4.0 1/24/01]
<ul> <li>8. If sample(s) are to be rejected, is the pertinent sample number and reason for rejection documented?</li> <li>ON C-O-C and A</li> <li>Where?</li> </ul>	PROSECT PROVICIP	MANAGLA AL INVE	- / PRINCIPA STICATOL

~

9. If the Sampler Office of Quality Assurance notified of sample rejection(s)

4

From:Marc Ferkc'To:Stern, AlanDate:Thu, Feb 21, 2002 2:39 PMSubject:Southdown Quarry Air Sampling Project

The air sampling performed for the" Assessment of Population Exposure and Risks to Emission of Protocol Structures from the Southdown Quarry" was found to meet all the required quality assurance practices. The Quality Assurance Project Plan was approved, a field audit of the air sampling techniques was performed and the collected data was reviewed. No irregularities exist which would preclude the use of the data for regulatory decision making purposes.

CC: Aiello, Joseph; Buckley, Paul

From:Marc FerkoTo:Stern, AlanDate:4/9/02 4:00PMSubjec:Southdown Quarry Dust Sampling Project

The dust sampling performed for the "Assessment of Population Exposure and Risks to Emission of Protocol Structures from the Southdown Quarry" was found to meet all the required quality assurance practices. The Quality Assurance Project Plan was approved and the collected data was reviewed. No irregularities exist which preclude the use of the data for regulatory decision making purposes.

F.M.G.         Chronic Strate         Chro	:						Ŭ	Counts 5-10			Counts > 10		Concentration, s/c	0
Olizzostarti I (Mrici 1-2         28665         0.8770         0.00016         0         0         0         0           0122203H1*1         0.0416-1/2         28605         0.8770         0.00017         0	HJLG #	EOHSI #	Vol, L	Area Analyzed,	mm2 Detection I	_imit, s/cc	Amp	Chrys	Total	Amp	Chrys	Total	Amphibole Chyso	ile
Ditzzebelri         Ontife:132         200.4         08770         000015         0         0         0           0122305HF1         00416-172         2665.5         08770         000015         0         0         0         0           0122305HF1         00416-172         2665.5         08770         000015         0	0122874HT-1	1 0416-13-2	2826.5		0.8770	0.00016	0	0	0	0	0	0	0	0
Olizzes/Bell+1         Odites/22         SE2.1         Opino         Opino <td>0122876HT-1</td> <td>O 0416-13-2</td> <td>2900.4</td> <td></td> <td>0.8770</td> <td>0.00015</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	0122876HT-1	O 0416-13-2	2900.4		0.8770	0.00015	0	0	0	0	0	0	0	0
Oltzebeltri         Odtrikestra         20055         Off77         Octobili         O	0122878HT-1	1 0416-21-2	2622.1		0.8770	0.00017	0	0	0	0	0	0	0	0
D12288HFT:         0.0416-SF2         2666.2         0.8770         0.00016         0	0122880HT-1	O 0416-21-2	2805.5		0.8770	0.00016	0	0	0	0	0	0	0	0
Olt2288HFT:         O(147:512: (12286HFT:         0.0417:152: (147:242: 286.4)         0.0770 (147:242: 286.4)         0.00015 (147:142: 286.4)         0.00015 (147:141:122: 286.4)         0.00015 (147:141:122: 286.4)         0.00015 (147:141:122: 286.4)         0.00015 (147:161:122: 286.4)         0.00015 (147:161:122: 286.4)	0122882HT-1	O 0416-SP-2	2686.2		0.8770	0.00016	0	0	0	0	0	0	0	0
0122888HT-1         0417-132*         382.3         0.8770         0.00015         0	0122884HT-1	O 0416-DT-2	2645.9		0.8770	0.00017	0	0	0	0	0	0	0	0
Olt2388HT-1         Odt17-13-2         385.6         0.8770         0.00015         0	0122886HT-1	I 0417-13-2*	2852.3		0.8770	0.00015	0	0	0	0	0	0		, c
01228081F1         1041721-2         30403         08770         000014         0 <t< td=""><td>0122888HT-1</td><td>O 0417-13-2*</td><td>2854.6</td><td></td><td>0.8770</td><td>0.00015</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td></td><td>0 0</td></t<>	0122888HT-1	O 0417-13-2*	2854.6		0.8770	0.00015	0	0	0	0	0	0		0 0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0122890HT-1	l 0417-21-2*	3040.9		0.8770	0.00014	0	00	0	0 0	0 0	00	) C	0 0
OIT23B9HT:1         Out75P2*         2364         0.8770         0.00015         0           1012901111         0419-152         2894         08770         000015         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 <td< td=""><td>0122892HT-1</td><td>O 0417-21-2*</td><td>3081.4</td><td></td><td>0.8770</td><td>0.00014</td><td>0</td><td>0</td><td>0</td><td>0 0</td><td>00</td><td>00</td><td>• c</td><td>0</td></td<>	0122892HT-1	O 0417-21-2*	3081.4		0.8770	0.00014	0	0	0	0 0	00	00	• c	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122894HT-1	O 0417-SP-2	* 2956.4		0.8770	0.00015	0	0	0	0	0	00	0 0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122896HT-1	O 0417-DT-2	* 3019.2	Ū	0.8770	0.00015	0	0	0	0	0	0	0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122898HT-1	I 0418-13-2	2716.1		0.8770	0.00016	0	0	0	0	0	0	0	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0122900HT-1	O 0418-13-2	2727.8	Ū	0.8770	0.00016	0	0	0	0	0	0	0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122902HT-1	I 0418-21-2	2887.1	•	0.8770	0.00015	0	0	0	0	0	0	0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122904HT-1	O 0418-21-2	2683.2		0.8770	0.00016	0	0	0	0	0	0	0	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0122906HT-1	O 0418-SP-2	2705.6		0.8770	0.00016	0	0	0	0	0	0	0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122908HT-1	O 0418-DT-2	2843.5		0.8770	0.00015	0	0	0	0	0	0	0	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0122910HT-1	I 0419-13-2	2838.4		0.8770	0.00015	0	0	0	0	0	0	0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122912HT-1	O 0419-13-2	2909.9		0.8770	0.00015	0	0	0	0	0	0	0	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0122914HT-1	I 0419-21-2	2830.4		0.8770	0.00016	0	0	0	0	0	0	0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122916HT-1	O 0419-21-2	2817.2		0.8770	0.00016	0	0	0	0	0	0	0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122918HT-1	O 0419-SP-2	2834.6	U	0.8770	0.00015	0	0	0	0	0	0	0	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0122920HT-1	O 0419-DT-2	3066.5	U	0.8770	0.00014	0	0	0	0	0	0	0	0
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	0122922HT-1	I 0420-13-2	2891.2	U	0.8770 Draw R.	0.00015	0	0	0	0	0	0	0	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0122924HT-1	O 0420-13-2	2836.8	0	0.8770 Van Orden:	0.00015	0	0	0	0	0	0	0	0
0122928HT-1 0 0420-21-2 2316.6 0.8770 [asbestition 0.00015 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122926HT-1	1 0420-21-2	3022.7		0.8770 Fiber -	0.00015	0	0	0	0	0	0	0	0
0122930HT-1 0 0420-SP-2 2321.2 0.8770 [Size 9 um 0.00015 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122928HT-1	O 0420-21-2	2916.6	Ū	0.8770 asbestiform	0.00015	0	0	0	0	0	0	0	0
0122932HT-1 0 0420-DT-2 3069.5 0.8770 [org x 0.2] 0.00014 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122930HT-1	O 0420-SP-2	2921.2	0	0.8770 Size 9 um	0.00015	0	0	0	0	0	0	0	0
0122934HT-1 10421-13-2 3040 0.8770 mark- 0122936HT-1 00421-13-2 3143.3 0.8770 Mark- 0122936HT-1 10421-21-2 2919.9 0.8770 (seavage 0122940HT-1 00421-21-2 2999.8 0.8770 (seavage 0122942HT-1 00421-21-2 2986.9 0.8770 (seavage 0122948HT-1 00421-DT-2 2986.4 0.8770 (seavage 0122948HT-1 00422-13-2 2886.4 0.8770 (seavage 0122948HT-1 00422-13-2 2886.4 0.8770 (seavage 0.00015 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122932HT-1	O 0420-DT-2	3069.5	0	0.8770 long x 0.2	0.00014	0	0	0	0	0	0	0	0
0122936HT-1 0 0421-13-2 3143.3 0.8770 (Matrix 0.00014 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122934HT-1	10421-13-2	3040	0	0.8770 uiii wiue	0.00014	9	0	0	0	0	0	0	0
012293BHT-1 10421-21-2 2919.9 0.8770 [cleavage 0.00015 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122936HT-1	O 0421-13-2	3143.3	0	0.8770 Matrix -	0.00014	6	0	0	0	0	0	0	0
0122940HT-1 0 0421-21-2 2999.8 0.8770 [Size 7.5 um] 0.00015 2 0 2 0 0 0 0 0 0.00029 0122944HT-1 0 0421-SP-2 2884.9 0.8770 [long x 0.25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122938HT-1	1 0421-21-2	2919.9	0	0.8770 cleavage	0.00015	0	0	0	0	0	0	0	0
0122942HT-1 0 0421-SP-2 2884.9 0.8770 [ong x 0.25 0.00015 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122940HT-1	O 0421-21-2	2999.8		0.8770 Size 7.5 um	0.00015	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0	2	0	0	0	0.00029	õ
0122944HT-1 0 0421-DT-2 2996.2 0.8770 Um wide 0.00015 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122942HT-1	O 0421-SP-2	2884.9	0	0.8770 long x 0.25	0.00015	0	0	0	0	0	0	0	0
0122946HT-1 10422-13-2 2858.4 0.8770 0.00015 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0122944HT-1	O 0421-DT-2	2996.2	0	0.8770 um wide	0.00015	0	0	0	0	0	0	0	0
0122948HT-1 O 0422-13-2 2858.6 0.8770 0.00015 0 0 0 0 0 0 0	0122946HT-1	1 0422-13-2	2858.4	0	0.8770	0.00015	0	0	0	0	0	0	0	0
	0122948HT-1	O 0422-13-2	2858.6	)	0.8770	0.00015	0	0	0	0	0	0	0	0
						Protocol Co	ncentratio	SL					Page 1	

## Appendix 2. Indoor and Outdoor Air Sample Data

57

		0	0	0	0							0	0	0	ö	0	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ō	0	0
on, s/cc	Chysotile							rden:	E	by 0.3							0.0003																						
htrati	ole	0	0	0	0			0 ug	stifor	long		0	015	0	0 <b>F</b>	0	0	0	0	0	0	0	0	0 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Concer	I Amphib							Drew R. Va	Fiber - asbe	Size 11 um	um wide		0.00		Drow B Van	Orden:	#1 - Matrix	7.5 um long	by 0.15 um 	wide	#2 - Matrix	6 um long x	0.15 um wide																
	Tota	0	0	0	0	0		9	0	0	0	0	-	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Counts > 10	Chrys	0	0	0	0	0		0	0	0	م	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Amp	0	0	0	0	0		0	0	0	0	0	-	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	Total	0	0	0	0	0		0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Counts 5-1	Chrys	0	0	0	0	0		0	0	0	0	0	0	0	0	0	N	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Amp	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Detection Limit, s/cc	0.00016	0.00015	0.00015	0.00015							0.00015	0.00015	0.00015	0.00016	0.00015	0.00015	0.00020	0.00015	0.00013	0.00014	0.00015	0.00015	0.00012	0.00015	0.00017	0.00015	0.00015	0.00012	0.00015	0.00015	0.00016	0.00016	0.00015	0.00018	0.00015	0.00015	0.00015	0.00015
	Area Analyzed, mm2 [	0.8770	0.8770	0.8770	0.8770	RJ Lee Group 0.8770	reports no filter	in the cassette. 0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.9043	0.9043	0.9043	0.9043	0.9043	0.9043	0.9043	0.9043	0.9043	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770
	Vol, L	2831.4	2838.2	2851.6	2917.6	0	0	0	0	0	0	2930	2901.5	2841	2805.9	2975.6	2876.6	2215.1	2904	3279.7	2969.9	2913.3	2864.3	3591.7	2906.5	2578.4	2928.9	2873.5	3406.1	2872.7	2909.7	2801.6	2808.6	2955.1	2500.5	2904.9	2957.9	2875.6	2874.5
	EOHSI #	I 0422-21-2	O 0422-21-2	O 0422-SP-2	O 0422-DT-2	-+0417-21-B*	O 0417-21-B	O 0417-SP-B*	O 0417-DT-B*	I 0418-13-B	O 0418-13-B	1 0504-12-2	O 0504-12-2	1 0504-38-2	O 0504-38-2	O 0504-SP-2	O 0504-DT-2	l 0505-12-2	O 0505-12-2	I 0505-38-2	O 0505-38-2	O 0505-SP-2	O 0505-DT-2	1 0506-12-2	O 0506-12-2	I 0506-38-2	O 0506-38-2	O 0506-SP-2	O 0506-DT-2	l 0507-12-2	O 0507-12-2	I 0507-38-2	O 0507-38-2	O 0507-SP-2	O 0507-DT-2	I 0508-12-2	O 0508-12-2	I 0508-38-2	O 0508-38-2
	RJLG #	0122950HT-1	0122952HT-1	0122954HT-1	0122956HT-1	012295ZHT-1	0122958HT-1	0122959HT-1	0122960HT-1	0122961HT-1	0122962HT-1	0122969HT-1	0122971HT-1	0122973HT-1	0122975HT-1	0122977HT-1	0122979HT-1	0122981HT-1	0122983HT-1	0122985HT-1	0122987HT-1	0122989HT-1	0122991HT-1	0122993HT-1	0122995HT-1	0122997HT-1	0122999HT-1	0123001HT-1	0123003HT-1	0123005HT-1	0123007HT-1	0123009HT-1	0123011HT-1	0123013HT-1	0123015HT-1	0123017HT-1	0123019HT-1	0123021HT-1	0123023H1-1

Page 2

Protocol Concentrations

	m	0	0	0	0	0	0	0	0	0	0	0	0	0	0							0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	이
Concentration, s/cc	Amphibole Chysotile	0	0	0	0	0	0	0	0	0	0	0	0	0	0							0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Counts > 10	Chrys	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Amp	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Counts 5-10	Chrys	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Amp	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	tection Limit, s/cc	0.00015	0.00015	0.00014	0.00014	0.00015	0.00015	0.00015	0.00015	0.00016	0.00015	0.00015	0.00015	0.00015	0.00015							0.00015	0.00015	0.00016	0.00016	0.00016	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015
	ea Analyzed, mm2 Der	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.9043	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770
	Vol, L Ar	2849.1	2930.1	3055.1	3199.4	2868.7	2879.4	2915.2	2938.9	2746.6	2910.9	2910.6	2863.5	2853.1	2952.3	0	0	0	0	0	0	2912.5	2835.5	2786.6	2771.1	2819.2	2844.8	2834.1	2842	3000.2	2968.6	2843.6	2979.6	2923.5	2925.3	2915.3	2938.1	3003.5	2952.1
	EOHSI #	O 0508-SP-2	O 0508-DT-2	l 0509-12-2	O 0509-12-2	I 0509-38-2	O 0509-38-2	O 0509-SP-2	O 0509-DT-2	1 0510-12-2	O 0510-12-2	1 0510-38-2	O 0510-38-2	O 0510-SP-2	O 0510-DT-2	I 0505-12-B	O 0505-12-B	I 0505-38-B	O 0505-38-B	O 0505-SP-B	O 0505-DT-B	l 0514-12-2	O 0514-12-2	l 0514-21-2	O 0514-21-2	O 0514-SP-2	O 0514-DT-2	1 0515-12-2	O 0515-12-2	1 0515-21-2	O 0515-21-2	O 0515-SP-2	O 0515-DT-2	1 0516-12-2	O 0516-12-2	1 0516-21-2	O 0516-21-2	O 0516-SP-2	O 0516-DT-2
	RJLG #	0123025HT-1	0123027HT-1	0123029HT-1	0123031HT-1	0123033HT-1	0123035HT-1	0123037HT-1	0123039HT-1	0123041HT-1	0123043HT-1	0123045HT-1	0123047HT-1	0123049HT-1	0123051HT-1	0123052HT-1	0123053HT-1	0123054HT-1	0123055HT-1	0123056HT-1	0123057HT-1	0123090HT-1	0123092HT-1	0123094HT-1	0123096HT-1	0123098HT-1	0123100HT-1	0123102HT-1	0123104HT-1	0123106HT-1	0123108HT-1	0123110HT-1	0123112HT-1	0123114HT-1	0123116HT-1	0123118HT-1	0123120HT-1	0123122HT-1	0123124HT-1

Page 3

Protocol Concentrations

Concentrations	
Protocol	

Γ	m	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0							0	0	0	0	0	0	0	0
Concentration, s/cc	Amphibole Chysotil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0							0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Counts > 10	Chrys	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Amp	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Counts 5-10	Chrys	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Amp	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	l Limit, s/cc	0.00016	0.00015	0.00016	0.00016	0.00016	0.00015	0.00019	0.00015	0.00014	0.00013	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00015	0.00013	0.00016	0.00016	0.00015	0.00015	0.00016							0.00016	0.00016	0.00015	0.00015	0.00015	0.00015	0.00014	0.00015
	alyzed, mm2 Detection	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770
	Vol, L Area Ar	2829.6	2857.5	2791	2751.6	2772	2863.6	2340.2	2907.7	3132.7	3289.7	2950.4	2966.8	2898.3	2920.7	2872.6	2856	2861.1	2868.4	3396.8	2806.7	2815.1	2834.9	2907.2	2783	0	0	0	0	0	0	2758.7	2796.9	2860.5	2850.5	2986.3	2917.4	3248	3025.5
	EOHSI #	1 0517-12-2	O 0517-12-2	l 0517-21-2	O 0517-21-2	O 0517-SP-2	O 0517-DT-2	I 0518-12-2	O 0518-12-2	1 0518-21-2	O 0518-21-2	O 0518-SP-2	O 0518-DT-2	1 0519-12-2	O 0519-12-2	10519-21-2	O 0519-21-2	O 0519-SP-2	O 0519-DT-2	l 0520-12-2	O 0520-12-2	1 0520-21-2	O 0520-21-2	O 0520-SP-2	O 0520-DT-2	I 0516-12-B	O 0516-12-B	l 0516-21-B	O 0516-21-B	O 0516-SP-B	O 0516-DT-B	1 0608-20-2	O 0608-20-2	l 0608-38-2	O 0608-38-2	O 0608-SP-2	O 0608-DT-2	1 0609-20-2	O 0609-20-2
	RJLG #	0123126HT-1	0123128HT-1	0123130HT-1	0123132HT-1	0123134HT-1	0123136HT-1	0123138HT-1	0123140HT-1	0123142HT-1	0123144HT-1	0123146HT-1	0123148HT-1	0123150HT-1	0123152HT-1	0123154HT-1	0123156HT-1	0123158HT-1	0123160HT-1	0123162HT-1	0123164HT-1	0123166HT-1	0123168HT-1	0123170HT-1	0123172HT-1	0123173HT-1	0123174HT-1	0123175HT-1	0123176HT-1	0123177HT-1	0123178HT-1	0123203HT-1	0123205HT-1	0123207HT-1	0123209HT-1	0123211HT-1	0123213HT-1	0123215HT-1	0123217HT-1

Protocol Concentrations

60

	•	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Concentration, s/cc	Amphibole Chysotile	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Counts > 10	Chrys	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Amp	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Counts 5-10	Chrys	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Amp	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ò	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ion Limit, s/cc	0.00012	0.00015	0.00016	0.00015	0.00016	0.00015	0.00019	0.00015	0.00016	0.00015	0.00015	0.00014	0.00015	0.00015		0.00015	0.00015	0.00016	0.00015	0.00015	0.00015	0.00015	0.00017	0.00019	0.00015	0.00015	0.00015	0.00014	0.00016	0.00016	0.00015	0.00015	0.00015	0.00016				
	Analyzed, mm2 Detect	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770	0.8770
	Vol, L Area /	3554.2	2850.3	2780.1	2924	2731.6	2915	2268.4	2952.5	2771	2863.9	3021.4	3064.8	2878.6	2965.2	0	2954.3	2853.2	2744.6	2939.2	2990.6	2981.4	2973.8	2582.2	2290.2	2857.3	2839.6	2847.2	3106.8	2714.8	2704.8	2895.4	2922.2	2857.5	2760.8	0	0	0	0
	EOHSI #	1 0609-38-2	O 0609-38-2	O 0609-SP-2	O 0609-DT-2	10610-20-2	O 0610-20-2	1 0610-38-2	O 0610-38-2	O 0610-SP-2	O 0610-DT-2	1 0611-20-2	O 0611-20-2	I 0611-38-2	O 0611-38-2	O 0611-SP-2	O 0611-DT-2	1 0612-20-2	O 0612-20-2	10612-38-2	O 0612-38-2	O 0612-SP-2	O 0612-DT-2	1 0613-20-2	O 0613-20-2	10613-38-2	O 0613-38-2	O 0613-SP-2	O 0613-DT-2	I 0614-20-2	O 0614-20-2	I 0614-38-2	O 0614-38-2	O 0614-SP-2	O 0614-DT-2	I 0610-20-B	O 0610-20-B	I 0610-38-B	O 0610-38-B
	RJLG #	0123219HT-1	0123221HT-1	0123223HT-1	0123225HT-1	0123227HT-1	0123229HT-1	0123231HT-1	0123233HT-1	0123235HT-1	0123237HT-1	0123239HT-1	0123241HT-1	0123243HT-1	0123245HT-1	0123247HT-1	0123249HT-1	0123251HT-1	0123253HT-1	0123255HT-1	0123257HT-1	0123259HT-1	0123261HT-1	0123263HT-1	0123265HT-1	0123267HT-1	0123269HT-1	0123271HT-1	0123273HT-1	0123275HT-1	0123277HT-1	0123279HT-1	0123281HT-1	0123283HT-1	0123285HT-1	0123286HT-1	0123287HT-1	0123288HT-1	0123289HT-1

Page 5

	Counts :	np Chry:
		al Arr
	-10	Tot
tions	Counts 5	Chrys
Concentrat		Amp
Protocol (		Detection Limit, s/cc
		Area Analyzed, mm2

						O	ounts 5-10			Counts > 10		Concentration, s/cc
RJLG #	EOHSI #	Vol, L	Area Ané	alyzed, mm2	Detection Limit, s/cc	Amp	Chrys	Total	Amp	Chrys	Total	Amphibole Chysotile
0123290HT-1	1 O 0610-SP-B		0	0.8770		0	o	0	0	0	0	
0123291HT-1	0 0610-DT-B		0	0.8770		0	0	0	0	0	0	
*: Samples w	ere collected on	the day w	/ith the lost	blank, O 0417-	21-B, which was found fil	Iterless in t	he cassette	by RJ Lee (	Broup.			
The sample c	sollector, Lih-Min	g Yiin, ho	wever, repo	rted completer	ness of the sampling.							

Protocol Concentrations



ncentrations	
പ	
7402	

| 0            | 0   | 0  | 0   | 0  | 0  | 0   | 0  | 0   | 0   | 0  | 0   |  | 0   
   
   
  | 0  | 0   
   
  | 0  
     | 0   
   
   | 0  | 0  | 0   
   
  | 0  | 0   
  | 0           | 0   | 0  
   
  | 0   | 0   | 0  | 0  | 0   | 0   | 0  | -   | 0   
   |   |
|--------------|---|--|---|--|--|---|--|---|---|--|---|--
--
--
--|--
--
--
--|--
--
--
---|--|--
--
--|--
--
--|-------------|---
--
---|---|---|--|--|---|---
--|---|---|---|
|              | 5   | 5  | 5   | 5  | )  | )   | )  |   | )   |  |   | )  |   
   
   
  | )  |   
   
  | )  
     |   
   
   | )  | )  | )   
   
  | )  | )   
  |             | )   | )  
   
  | )   | )   | )  | )  | )   | )   | )  | J   | )   
   |   |
|              |   |  |   |  |  |   |  |   |   |  |   |  |   
   
   
  |  |   
   
  |  
     |   
   
   |  |  |   
   
  |  |   
  |             |   |  
   
  |   |   |  |  |   |   |  |   |   
   |   |
| 37           | -   | 67   | с<br>О  | -  | 0  | e   | -  | 25  | 0   | -  | -   | 20   | 4   
   
   
  | 57   | -   
   
  | 0  
     | 0   
   
   | 22   | 0  | 68  
   
  | က  | 7   
  | e           | 14  | 0  
   
  | 79  | 0   | 5  | 9  | 0   | 8   | 16   | 7   | 13  
   | 9   |
| 0            | 0   | 0  | 0   | 0  | 0  | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0   
   
   
  | 0  | 0   
   
  | 0  
     | 0   
   
   | 0  | 0  | 0   
   
  | 0  | 0   
  | 0           | 0   | 0  
   
  | 0   | 0   | 0  | 0  | 0   | 0   | 0  | 0   | 0   
   | 0   |
| 0            | 0   | 0  | 0   | 0  | 0  | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0   
   
   
  | 0  | 0   
   
  | 0  
     | 0   
   
   | 0  | 0  | 0   
   
  | 0  | 0   
  | 0           | 0   | 0  
   
  | 0   | 0   | 0  | 0  | 0   | 0   | 0  | 0   | 0   
   | 0   |
| 0            | 0   | 0  | 0   | 0  | 0  | 0   | 0  | 0   | 0   | 0  | 0   | 0  | 0   
   
   
  | 0  | 0   
   
  | 0  
     | 0   
   
   | 0  | 0  | 0   
   
  | 0  | 0   
  | 0           | 0   | 0  
   
  | 0   | 0   | 0  | 0  | 0   | 0   | 0  | 0   | 0   
   | 0   |
| 0.00039      | 0.00038   | 0.00042  | 0,00039   | 0.00041  | 0.00041  | 0.00038   | 0.00038  | 0.00036   | 0.00036   | 0.00037  | 0.00036   | 0.00040  | 0.00040   
   
   
  | 0.00038  | 0.00041   
   
  | 0.00041  
     | 0.00039   
   
   | 0.00039  | 0.00038  | 0.00039   
   
  | 0.00039  | 0.00039   
  | 0.00036     | 0.00038   | 0.00039  
   
  | 0.00036   | 0.00038   | 0.00038  | 0.00036  | 0.00036   | 0.00035   | 0.00038  | 0.00037   | 0.00038   
   | 0.00037   |
| 0.3508       | 0.3508  | 0.3508   | 0.3508  | 0.3508   | 0.3508   | 0.3508  | 0.3508   | 0.3508  | 0.3508  | 0.3508   | 0.3508  | 0.3508   | 0.3508  
   
   
  | 0.3508   | 0.3508  
   
  | 0.3508   
     | 0.3508  
   
   | 0.3508   | 0.3508   | 0.3508  
   
  | 0.3508   | 0.3508  
  | 0.3508      | 0.3508  | 0.3508   
   
  | 0.3508  | 0.3508  | 0.3508   | 0.3508   | 0.3508  | 0.3508  | 0.3508   | 0.3508  | 0.3508  
   | 0.3508  |
| 26.5         | 00.4  | 22.1   | 05.5  | 86.2   | 45.9   | 52.3  | 54.6   | 40.9  | 81.4  | 56.4   | 19.2  | 16.1   | 27.8  
   
   
  | 87.1   | 83.2  
   
  | 05.6   
     | 43.5  
   
   | 38.4   | 09.9   | 30.4  
   
  | 17.2   | 34.6  
  | 56.5        | 91.2  | 36.8   
   
  | 22.7  | 16.6  | 21.2   | 59.5   | 040   | 43.3  | 19.9   | 99.8  | 34.9  
   | 96.2  |
| 282          | -2 29(  | 262  | -2 28(  | -2 268   | 2 264  | 2* 285  | -2* 285  | 2* 30   | -2* 308   | -2* 295  | -2* 301   | 27-  | -2 272  
   
   
  | 288  | -2 268  
   
  | -2 270   
     | -2 28   
   
   | 283  | -2 29(   | 283   
   
  | -2 281   | -2 283  
  | -2 306      | 286   | -2 283   
   
  | 302   | -2 291  | -2 292   | -2 306   | с<br>с  | -2 312  | 291  | -2 296  | -2 286  
   | -2 296  |
| F 10416-13-2 | C 0 0416-13   | r 10416-21- <u>:</u>   | <sup>C</sup> O 0416-21  | C 0 0416-SF  | C 0 0416-D1  | F   0417-13-2   | C 0 0417-13  | r   0417-21- <u>:</u>   | C 0 0417-21   | C 0 0417-SF  | C 0 0417-D1   | <sup>L</sup>   0418-13-2   | <sup>C</sup> O 0418-13  
   
   
  | r   0418-21-   | C 0 0418-21   
   
  | C 0 0418-SF  
     | C 0 0418-D1   
   
   | F 10419-13-2   | C 0419-13  | r   0419-21- <u></u>  
   
  | C 0 0419-21  | C 0 0419-SF   
  | C 0 0419-D1 | 「I0420-13-{   | C 0420-13  
   
  | 10420-21-   | <sup>C</sup> O 0420-21  | C 0420-SF  | <sup>C</sup> O 0420-DT   | I 0421-13-2   | C 0 0421-13   | <sup>r</sup>   0421-21- <u></u>  | <sup>C</sup> O 0421-21  | <sup>C</sup> O 0421-SF  
   | 0 0421-DT   |
| 0122874H1    | 0122876H7   | 0122878H7  | 0122880H7   | 0122882H7  | 0122884H7  | 0122886H7   | 0122888H7  | 0122890H7   | 0122892H7   | 0122894H1  | 0122896H7   | 0122898H7  | 0122900H7   
   
   
  | 0122902H   | 0122904H  
   
  | 0122906H7  
     | 0122908H1   
   
   | 0122910H1  | 0122912H7  | 0122914H1   
   
  | 0122916H1  | 0122918H1   
  | 0122920H1   | 0122922H0   | 0122924H7  
   
  | 0122926H7   | 0122928H7   | 0122930H7  | 0122932H7  | 0122934H7   | 0122936H1   | 0122938H7  | 0122940H7   | 0122942HT   
   | 0122944H1   |
|              | 0122874HT 10416-13-2 2826.5 0.3508 0.00039 0 0 0 37 0 | 0122874HT 10416-13-2 2826.5 0.3508 0.00039 0 0 37 0 0 0122876HT 00416-13-2 2900.4 0.3508 0.00038 0 0 0 1 1 | 0122874HT 10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT 0 0416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122876HT 0 0416-21-2         2622.1         0.3508         0.00042         0         0         1         0         0 | 0122874HT 10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT 00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122876HT 00416-12-2         2822.1         0.3508         0.00038         0         0         1         0           0122878HT 10416-21-2         2622.1         0.3508         0.00042         0         0         67         0           0122880HT 00416-21-2         2805.5         0.3508         0.00039         0         0         3         0 | 0122874HT 10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT 00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122876HT 00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122878HT 10416-21-2         2622.1         0.3508         0.00042         0         0         67         0           0122880HT 00416-21-2         2805.5         0.3508         0.00039         0         0         3         0           0122882HT 00416-21-2         2805.5         0.3508         0.00039         0         0         3         0           0122882HT 00416-SP-2         2686.2         0.3508         0.00041         0         0         1         0 | 0122874HT 10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT 00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122876HT 00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122878HT 10416-21-2         2622.1         0.3508         0.00042         0         0         67         0           0122880HT 00416-21-2         2805.5         0.3508         0.00039         0         0         3         0           0122882HT 00416-21-2         2805.5         0.3508         0.00041         0         0         3         0           0122882HT 00416-51-2         2866.2         0.3508         0.00041         0         0         3         0           0122882HT 00416-51-2         2645.9         0.3508         0.00041         0 | 0122874HT 10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT 00416-13-2         2900.4         0.3508         0.00038         0         0         1         0         0         1         0 | 0122874HT 10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT 00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122876HT 00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122878HT 10416-21-2         2805.5         0.3508         0.00042         0         0         67         0           0122880HT 00416-21-2         2805.5         0.3508         0.00039         0         0         3         0           0122882HT 00416-21-2         2866.2         0.3508         0.00041         0         0         1         0         0           0122888HT 00416-51-2         2856.2         0.3508         0.00041         0         0         0         1         0           0122888HT 00416-51-2         2856.2         0.3508         0.00038         0 | 0122874HT 10416-13-2         2826.5         0.3508         0.00039         0         37         0           0122876HT 00416-13-2         2800.4         0.3508         0.00038         0         0         1         0           0122876HT 00416-21-2         2802.5         0.3508         0.00038         0         0         0         1         0           0122878HT 10416-21-2         2805.5         0.3508         0.00042         0         0         0         67         0           0122880HT 00416-21-2         2805.5         0.3508         0.00041         0         0         3         0           0122882HT 00416-21-2         2866.2         0.3508         0.00041         0         0         1         0 | 0122874HT         10416-13-2         282.6.5         0.3508         0.00039         0         37         0         37         0           0122876HT         00416-13-2         280.4         0.3508         0.00038         0         0         1         0         37         0           0122876HT         00416-21-2         2800.4         0.3508         0.00038         0         0         0         1         0< | 0122874HT         10416-13-2         282.6.5         0.3508         0.00038         0         37         0           0122876HT         00416-13-2         280.4         0.3508         0.00038         0         0         1         0         37           0122876HT         00416-21-2         280.4         0.3508         0.00038         0         0         67         0         0         1         0           0122878HT         10416-21-2         2805.5         0.3508         0.00039         0         0         0         67         00 | 0122874HT         10416-13-2         282.6.5         0.3508         0.00038         0         37         0         37           0122876HT         00416-13-2         280.4         0.3508         0.00038         0         0         1         0         37           0122876HT         00416-21-2         2802.4         0.3508         0.00038         0         0         67         0         0         1         0         0         1         0 | 0122874HT         10416-13-2         282.6.5         0.3508         0.00038         0         37         0           0122876HT         00416-13-2         282.6.5         0.3508         0.00038         0         0         1         0         37           0122876HT     
   00416-21-2         2800.4         0.3508         0.00038         0         0         67         0         0         1           0122878HT         10416-21-2         2805.5         0.3508         0.00042         0         0         0         1         0 <td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         37         0           0122876HT         00416-13-2         2800.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         67         0           0122876HT         00416-21-2         2622.1         0.3508         0.00042         0         0         1         0           0122880HT         00416-21-2         2645.9         0.3508         0.00041         0         0         1         0</td> <td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0         0         1           0122876HT         00416-13-2         2822.1         0.3508         0.00038         0         0         0         1         0         0         0         1         0<td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         7         0           0122876HT         0.0416-13-2         2826.5         0.3508         0.00038         0         0         1         0         7         0           0122876HT         0.0416-21-2         2805.5         0.3508         0.00039         0         0         67         0         0         1         0         0         1         0&lt;</td><td>0122874HT         10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0         0         1           0122876HT         00416-13-2         2800.4         0.3508         0.00039         0         0         1         0         0         1         0         0         1         0         0         1         0<td>0122874HT [0416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT [0416-21-2         2820.4         0.3508         0.00039         0         0         1         0         0         1           0122876HT [0416-21-2         2801.4         0.3508         0.00039         0         0         0         1         0         0         1           0122886HT [0416-21-2         2805.5         0.3508         0.00041         0         0         0         1         0         0         0         0         1         0</td><td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122876HT         00416-13-2         2800.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2805.5         0.3508         0.00038         0         0         67         0           0122876HT         00416-21-2         2655.5         0.3508         0.00034         0         0         7         0           0122882HT         00416-SP-2         2686.5         0.3508         0.00034         0</td><td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         7         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2800.4         0.3508         0.00042         0         0         67         0           0122887HT         00416-21-2         2805.5         0.3508         0.00041         0         0         67         0           0122886HT         00416-57-2         2864.5         0.3508         0.00038         0         0         0         1         0           0122886HT         00417-13-2*         2854.6         0.3508         0.00038         0         0         0         1         0         <t< td=""><td>[172874HT         [0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122875HT         00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122875HT         00416-13-2         2562.1         0.3508         0.00038         0         0         67         0         0         1         0           0122885HT         00416-21-2         2686.2         0.3508         0.00041         0         0         1         0         0         1         0         0           0122885HT         00416-51-2         2685.2         0.3508         0.00038         0         0         0         0         1         0</td><td>0122874HT         0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           012287FHT         0416-13-2         2805.5         0.3508         0.00038         0         0         7         0          
01228781HT         0416-21-2         2805.5         0.3508         0.00039         0         0         7         0           01228781HT         0416-51-2         2865.9         0.3508         0.00041         0         0         7         0           0122884HT         0417-13-2         2845.9         0.3508         0.00031         0         <t< td=""><td></td><td>0122874HT         10416-13-2         286.65         0.3508         0.00038         0         7         0           0122878HT         00416-13-2         286.55         0.3508         0.00038         0         0         7         0           0122878HT         00416-13-2         286.51         0.3508         0.00038         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         1         0         0         1           0122888HT         00416-51-2         286.53         0.3508         0.00038         0</td><td>0122874HT         10416-13-2         2226.6         0.03508         0.00039         0         0         7         0           0122875HT         10416-13-2         2226.5         0.3508         0.00039         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         1         0         0         0         7         0         <td< td=""><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         7         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         0         7         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         0         7         0         0         0         7         0</td><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         0         7         0           0122876HT         00416-13-2         2806.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         7         0         7         7         0         7</td><td>(172874HT         (10416-1):2         2806.5         0.3508         0.00039         0         0         7         0           0122876HT         (0416-21):2         2800.4         0.3508         0.00039         0         0         7         0         7           0122876HT         (0416-21):2         2800.5         0.3508         0.00039         0         0         67         0         7         0           0122880HT         (0415-87):2         2866.5         0.3508         0.00031         0         0         7         0         7         0         0         7         0         0         7         0         0         0         7         0</td></td<><td>0122874HT         00416-13-2         23266         0.00039         0         0         37           0122876HT         00416-21-2         2826.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2865.2         0.3508         0.00038         0         0         7           0122805HT         00417-21-2         3001.4         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805</td><td>0122874HT         01416-13-2         2826.5         0.3508         0.00039         0         0         37           0122879HT         00416-13-2         2805.5         0.3508         0.00039         0         0         7           0122879HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7         0           0122809HT         00416-51-2         2805.5         0.3508         0.00034         0         0         7         0           0122809HT         00416-51-2         2864.5         0.3508         0.00034         0         0         1         0</td><td>01/22874HT         10416-13-2         286.6         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/2286HT         0416-21-2         286.5         0.3508         0.00031         0         0         7           01/2286HT         0416-57-2         286.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         386.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         390.4         0.3508         0.00038         0         0         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         350.8         0.00039         0         0         7         7           01/2</td><td>O122878HT         O41641-32         2826.5         0.3508         0.00038         0         7         7           0122878HT         0.0416-31-2         2820.4         0.3308       
 0.00038         0         0         7           0122878HT         0.0416-31-2         2820.5         0.3308         0.00039         0         0         7           0122878HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2855.6         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2856.4         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           01228918HT         0.0417-32-2         3319.2         0.3308         0.00034         0         0         7     &lt;</td><td>0122878HT         01416-13-2         2805.5         0.3308         0.00033         0         7         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122888HT         04416-17-2         2805.5         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04115-12-2         2854.6         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         3840.9         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         0</td><td>Olt2287NHT         Olt1237NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1732NHT         Olt1733NHT         Olt1733NHT         Olt1732NHT         Olt1733NHT         Olt1733</td><td>Olizzabilit         Olizzabilit         Ozisolit         Ozisolit</td></td></t<></td></t<></td></td></td> | 0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         37         0           0122876HT         00416-13-2         2800.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         67         0           0122876HT         00416-21-2         2622.1         0.3508         0.00042         0         0         1         0           0122880HT         00416-21-2         2645.9         0.3508         0.00041         0         0         1         0 | 0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0         0         1           0122876HT         00416-13-2         2822.1         0.3508         0.00038         0         0         0         1         0         0         0         1         0 <td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         7         0           0122876HT         0.0416-13-2         2826.5         0.3508         0.00038         0         0         1         0         7         0           0122876HT         0.0416-21-2         2805.5         0.3508         0.00039         0         0         67         0         0         1         0         0         1         0&lt;</td> <td>0122874HT         10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0         0         1           0122876HT         00416-13-2         2800.4         0.3508         0.00039         0         0         1         0         0         1         0         0         1         0         0         1         0<td>0122874HT [0416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT [0416-21-2         2820.4         0.3508         0.00039         0         0         1         0         0         1           0122876HT [0416-21-2         2801.4         0.3508         0.00039         0         0         0         1         0         0         1           0122886HT [0416-21-2         2805.5         0.3508         0.00041         0         0         0         1         0         0         0         0         1         0</td><td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122876HT         00416-13-2         2800.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2805.5         0.3508         0.00038         0         0         67         0           0122876HT         00416-21-2         2655.5         0.3508         0.00034         0         0         7         0           0122882HT         00416-SP-2         2686.5         0.3508         0.00034         0</td><td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         7         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2800.4         0.3508         0.00042         0         0         67         0           0122887HT         00416-21-2         2805.5         0.3508         0.00041         0         0         67         0           0122886HT         00416-57-2         2864.5         0.3508         0.00038         0         0         0         1         0           0122886HT         00417-13-2*         2854.6         0.3508         0.00038         0         0         0         1         0         0         0         0         0         0         0         0         0         0  
      0         <t< td=""><td>[172874HT         [0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122875HT         00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122875HT         00416-13-2         2562.1         0.3508         0.00038         0         0         67         0         0         1         0           0122885HT         00416-21-2         2686.2         0.3508         0.00041         0         0         1         0         0         1         0         0           0122885HT         00416-51-2         2685.2         0.3508         0.00038         0         0         0         0         1         0</td><td>0122874HT         0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           012287FHT         0416-13-2         2805.5         0.3508         0.00038         0         0         7         0           01228781HT         0416-21-2         2805.5         0.3508         0.00039         0         0         7         0           01228781HT         0416-51-2         2865.9         0.3508         0.00041         0         0         7         0           0122884HT         0417-13-2         2845.9         0.3508         0.00031         0         <t< td=""><td></td><td>0122874HT         10416-13-2         286.65         0.3508         0.00038         0         7         0           0122878HT         00416-13-2         286.55         0.3508         0.00038         0         0         7         0           0122878HT         00416-13-2         286.51         0.3508         0.00038         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         1         0         0         1           0122888HT         00416-51-2         286.53         0.3508         0.00038         0</td><td>0122874HT         10416-13-2         2226.6         0.03508         0.00039         0         0         7         0           0122875HT         10416-13-2         2226.5         0.3508         0.00039         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         1         0         0         0         7         0         <td< td=""><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         7         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         0         7         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         0         7         0         0         0         7         0</td><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         0         7         0           0122876HT         00416-13-2         2806.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         7         0         7         7         0         7</td><td>(172874HT         (10416-1):2         2806.5         0.3508         0.00039         0         0         7         0           0122876HT         (0416-21):2         2800.4         0.3508         0.00039         0         0         7         0         7           0122876HT         (0416-21):2         2800.5         0.3508         0.00039         0         0         67         0         7         0           0122880HT         (0415-87):2         2866.5         0.3508         0.00031         0         0         7         0         7         0         0         7         0         0         7         0         0         0         7         0</td></td<><td>0122874HT         00416-13-2         23266         0.00039         0         0         37           0122876HT         00416-21-2         2826.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2865.2         0.3508         0.00038         0         0         7           0122805HT         00417-21-2         3001.4         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805</td><td>0122874HT         01416-13-2         2826.5         0.3508         0.00039         0         0         37           0122879HT         00416-13-2         2805.5         0.3508         0.00039         0         0         7           0122879HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7         0           0122809HT         00416-51-2         2805.5         0.3508         0.00034         0         0         7         0           0122809HT         00416-51-2         2864.5         0.3508         0.00034         0         0         1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0       
 0         0</td><td>01/22874HT         10416-13-2         286.6         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/2286HT         0416-21-2         286.5         0.3508         0.00031         0         0         7           01/2286HT         0416-57-2         286.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         386.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         390.4         0.3508         0.00038         0         0         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         350.8         0.00039         0         0         7         7           01/2</td><td>O122878HT         O41641-32         2826.5         0.3508         0.00038         0         7         7           0122878HT         0.0416-31-2         2820.4         0.3308         0.00038         0         0         7           0122878HT         0.0416-31-2         2820.5         0.3308         0.00039         0         0         7           0122878HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2855.6         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2856.4         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           01228918HT         0.0417-32-2         3319.2         0.3308         0.00034         0         0         7     &lt;</td><td>0122878HT         01416-13-2         2805.5         0.3308         0.00033         0         7         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122888HT         04416-17-2         2805.5         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04115-12-2         2854.6         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         3840.9         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         0</td><td>Olt2287NHT         Olt1237NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1732NHT         Olt1733NHT         Olt1733NHT         Olt1732NHT         Olt1733NHT         Olt1733</td><td>Olizzabilit         Olizzabilit         Ozisolit         Ozisolit</td></td></t<></td></t<></td></td> | 0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         7         0           0122876HT         0.0416-13-2         2826.5         0.3508         0.00038         0         0         1         0         7         0           0122876HT         0.0416-21-2         2805.5         0.3508         0.00039         0         0         67         0         0         1         0         0         1         0< | 0122874HT         10416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0         0         1           0122876HT         00416-13-2         2800.4         0.3508         0.00039         0         0         1         0         0         1         0         0         1         0         0         1         0 <td>0122874HT [0416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT [0416-21-2         2820.4         0.3508         0.00039         0         0         1         0         0         1           0122876HT [0416-21-2         2801.4         0.3508         0.00039         0         0         0         1         0         0         1           0122886HT [0416-21-2         2805.5         0.3508         0.00041         0         0         0         1         0         0         0         0         1         0</td> <td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122876HT         00416-13-2         2800.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2805.5         0.3508         0.00038         0         0         67         0           0122876HT         00416-21-2         2655.5         0.3508         0.00034         0         0         7         0           0122882HT         00416-SP-2         2686.5         0.3508         0.00034         0</td> <td>0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         7         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2800.4         0.3508         0.00042         0         0         67         0           0122887HT         00416-21-2         2805.5         0.3508         0.00041         0         0         67         0           0122886HT         00416-57-2         2864.5         0.3508         0.00038         0         0         0         1         0           0122886HT         00417-13-2*         2854.6         0.3508         0.00038         0         0         0         1         0         <t< td=""><td>[172874HT         [0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122875HT         00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122875HT        
00416-13-2         2562.1         0.3508         0.00038         0         0         67         0         0         1         0           0122885HT         00416-21-2         2686.2         0.3508         0.00041         0         0         1         0         0         1         0         0           0122885HT         00416-51-2         2685.2         0.3508         0.00038         0         0         0         0         1         0</td><td>0122874HT         0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           012287FHT         0416-13-2         2805.5         0.3508         0.00038         0         0         7         0           01228781HT         0416-21-2         2805.5         0.3508         0.00039         0         0         7         0           01228781HT         0416-51-2         2865.9         0.3508         0.00041         0         0         7         0           0122884HT         0417-13-2         2845.9         0.3508         0.00031         0         <t< td=""><td></td><td>0122874HT         10416-13-2         286.65         0.3508         0.00038         0         7         0           0122878HT         00416-13-2         286.55         0.3508         0.00038         0         0         7         0           0122878HT         00416-13-2         286.51         0.3508         0.00038         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         1         0         0         1           0122888HT         00416-51-2         286.53         0.3508         0.00038         0</td><td>0122874HT         10416-13-2         2226.6         0.03508         0.00039         0         0         7         0           0122875HT         10416-13-2         2226.5         0.3508         0.00039         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         1         0         0         0         7         0         <td< td=""><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         7         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         0         7         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         0         7         0         0         0         7         0</td><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         0         7         0           0122876HT         00416-13-2         2806.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         7         0         7         7         0         7</td><td>(172874HT         (10416-1):2         2806.5         0.3508         0.00039         0         0         7         0           0122876HT         (0416-21):2         2800.4         0.3508         0.00039         0         0         7         0         7           0122876HT         (0416-21):2         2800.5         0.3508         0.00039         0         0         67         0         7         0           0122880HT         (0415-87):2         2866.5         0.3508         0.00031         0         0         7         0         7         0         0         7         0         0         7         0         0         0         7         0</td></td<><td>0122874HT         00416-13-2         23266         0.00039         0         0         37           0122876HT         00416-21-2         2826.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2865.2         0.3508         0.00038         0         0         7           0122805HT         00417-21-2         3001.4         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805</td><td>0122874HT         01416-13-2         2826.5         0.3508         0.00039         0         0         37           0122879HT         00416-13-2         2805.5         0.3508         0.00039         0         0         7           0122879HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7         0           0122809HT         00416-51-2         2805.5         0.3508         0.00034         0         0         7         0           0122809HT         00416-51-2         2864.5         0.3508         0.00034         0         0         1         0</td><td>01/22874HT         10416-13-2         286.6         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7         
 01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/2286HT         0416-21-2         286.5         0.3508         0.00031         0         0         7           01/2286HT         0416-57-2         286.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         386.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         390.4         0.3508         0.00038         0         0         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         350.8         0.00039         0         0         7         7           01/2</td><td>O122878HT         O41641-32         2826.5         0.3508         0.00038         0         7         7           0122878HT         0.0416-31-2         2820.4         0.3308         0.00038         0         0         7           0122878HT         0.0416-31-2         2820.5         0.3308         0.00039         0         0         7           0122878HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2855.6         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2856.4         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           01228918HT         0.0417-32-2         3319.2         0.3308         0.00034         0         0         7     &lt;</td><td>0122878HT         01416-13-2         2805.5         0.3308         0.00033         0         7         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122888HT         04416-17-2         2805.5         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04115-12-2         2854.6         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         3840.9         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         0</td><td>Olt2287NHT         Olt1237NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1732NHT         Olt1733NHT         Olt1733NHT         Olt1732NHT         Olt1733NHT         Olt1733</td><td>Olizzabilit         Olizzabilit         Ozisolit         Ozisolit</td></td></t<></td></t<></td> | 0122874HT [0416-13-2         2826.5         0.3508         0.00039         0         0         37         0           0122876HT [0416-21-2         2820.4         0.3508         0.00039         0         0         1         0         0         1           0122876HT [0416-21-2         2801.4         0.3508         0.00039         0         0         0         1         0         0         1           0122886HT [0416-21-2         2805.5         0.3508         0.00041         0         0         0         1         0         0         0         0         1         0 | 0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122876HT         00416-13-2         2800.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2805.5         0.3508         0.00038         0         0         67         0           0122876HT         00416-21-2         2655.5         0.3508         0.00034         0         0         7         0           0122882HT         00416-SP-2         2686.5         0.3508         0.00034         0 | 0122874HT         10416-13-2         2826.5         0.3508         0.00038         0         7         0           0122876HT         00416-13-2         2820.4         0.3508         0.00038         0         0         1         0           0122876HT         00416-13-2         2800.4         0.3508         0.00042         0         0         67         0           0122887HT         00416-21-2         2805.5         0.3508         0.00041         0         0         67         0           0122886HT         00416-57-2         2864.5         0.3508         0.00038         0         0         0         1         0           0122886HT         00417-13-2*         2854.6         0.3508         0.00038         0         0         0         1         0 <t< td=""><td>[172874HT         [0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122875HT         00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122875HT         00416-13-2         2562.1         0.3508         0.00038         0         0         67         0         0         1         0           0122885HT         00416-21-2         2686.2         0.3508         0.00041         0         0         1         0         0         1         0         0           0122885HT         00416-51-2         2685.2         0.3508         0.00038         0         0         0         0         1         0</td><td>0122874HT         0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           012287FHT         0416-13-2         2805.5         0.3508         0.00038         0         0         7         0           01228781HT         0416-21-2         2805.5         0.3508         0.00039         0         0         7         0           01228781HT         0416-51-2         2865.9         0.3508         0.00041         0         0         7         0           0122884HT         0417-13-2         2845.9         0.3508         0.00031         0         <t< td=""><td></td><td>0122874HT         10416-13-2         286.65         0.3508         0.00038         0         7         0           0122878HT         00416-13-2         286.55         0.3508         0.00038         0         0         7         0           0122878HT         00416-13-2         286.51         0.3508         0.00038         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         1         0         0         1           0122888HT         00416-51-2         286.53         0.3508         0.00038         0         0         0         0         0         0         0         0         0         0     
   0         0</td><td>0122874HT         10416-13-2         2226.6         0.03508         0.00039         0         0         7         0           0122875HT         10416-13-2         2226.5         0.3508         0.00039         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         1         0         0         0         7         0         <td< td=""><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         7         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         0         7         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         0         7         0         0         0         7         0</td><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         0         7         0           0122876HT         00416-13-2         2806.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         7         0         7         7         0         7</td><td>(172874HT         (10416-1):2         2806.5         0.3508         0.00039         0         0         7         0           0122876HT         (0416-21):2         2800.4         0.3508         0.00039         0         0         7         0         7           0122876HT         (0416-21):2         2800.5         0.3508         0.00039         0         0         67         0         7         0           0122880HT         (0415-87):2         2866.5         0.3508         0.00031         0         0         7         0         7         0         0         7         0         0         7         0         0         0         7         0</td></td<><td>0122874HT         00416-13-2         23266         0.00039         0         0         37           0122876HT         00416-21-2         2826.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2865.2         0.3508         0.00038         0         0         7           0122805HT         00417-21-2         3001.4         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805</td><td>0122874HT         01416-13-2         2826.5         0.3508         0.00039         0         0         37           0122879HT         00416-13-2         2805.5         0.3508         0.00039         0         0         7           0122879HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7         0           0122809HT         00416-51-2         2805.5         0.3508         0.00034         0         0         7         0           0122809HT         00416-51-2         2864.5         0.3508         0.00034         0         0         1         0</td><td>01/22874HT         10416-13-2         286.6         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/2286HT         0416-21-2         286.5         0.3508         0.00031         0         0         7           01/2286HT         0416-57-2         286.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         386.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         390.4         0.3508         0.00038         0         0         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         350.8         0.00039         0         0         7         7           01/2</td><td>O122878HT         O41641-32         2826.5         0.3508         0.00038         0         7         7           0122878HT         0.0416-31-2         2820.4         0.3308         0.00038         0         0         7           0122878HT         0.0416-31-2         2820.5         0.3308         0.00039         0         0         7           0122878HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2855.6         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2856.4         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           01228918HT         0.0417-32-2         3319.2         0.3308         0.00034         0         0         7     &lt;</td><td>0122878HT         01416-13-2         2805.5         0.3308         0.00033         0         7         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122888HT         04416-17-2         2805.5         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT        
04115-12-2         2854.6         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         3840.9         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         0</td><td>Olt2287NHT         Olt1237NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1732NHT         Olt1733NHT         Olt1733NHT         Olt1732NHT         Olt1733NHT         Olt1733</td><td>Olizzabilit         Olizzabilit         Ozisolit         Ozisolit</td></td></t<></td></t<> | [172874HT         [0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           0122875HT         00416-13-2         2900.4         0.3508         0.00038         0         0         1         0           0122875HT         00416-13-2         2562.1         0.3508         0.00038         0         0         67         0         0         1         0           0122885HT         00416-21-2         2686.2         0.3508         0.00041         0         0         1         0         0         1         0         0           0122885HT         00416-51-2         2685.2         0.3508         0.00038         0         0         0         0         1         0 | 0122874HT         0416-13-2         2826.5         0.3508         0.00038         0         0         37         0           012287FHT         0416-13-2         2805.5         0.3508         0.00038         0         0         7         0           01228781HT         0416-21-2         2805.5         0.3508         0.00039         0         0         7         0           01228781HT         0416-51-2         2865.9         0.3508         0.00041         0         0         7         0           0122884HT         0417-13-2         2845.9         0.3508         0.00031         0 <t< td=""><td></td><td>0122874HT         10416-13-2         286.65         0.3508         0.00038         0         7         0           0122878HT         00416-13-2         286.55         0.3508         0.00038         0         0         7         0           0122878HT         00416-13-2         286.51         0.3508         0.00038         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         1         0         0         1           0122888HT         00416-51-2         286.53         0.3508         0.00038         0</td><td>0122874HT         10416-13-2         2226.6         0.03508         0.00039         0         0         7         0           0122875HT         10416-13-2         2226.5         0.3508         0.00039         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         1         0         0         0         7         0         <td< td=""><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         7         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         0         7         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         0         7         0         0         0         7         0</td><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         0         7         0           0122876HT         00416-13-2         2806.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         7         0         7         7         0         7</td><td>(172874HT         (10416-1):2         2806.5         0.3508         0.00039         0         0         7         0           0122876HT         (0416-21):2         2800.4         0.3508         0.00039         0         0         7         0         7           0122876HT         (0416-21):2         2800.5         0.3508         0.00039         0         0         67         0         7         0           0122880HT         (0415-87):2         2866.5         0.3508         0.00031         0         0         7         0         7         0         0         7         0         0         7         0         0         0         7         0</td></td<><td>0122874HT         00416-13-2         23266         0.00039         0         0         37           0122876HT         00416-21-2         2826.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2865.2         0.3508         0.00038         0         0         7           0122805HT         00417-21-2         3001.4         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805</td><td>0122874HT         01416-13-2         2826.5         0.3508         0.00039         0         0         37           0122879HT         00416-13-2         2805.5         0.3508         0.00039         0         0         7           0122879HT         00416-21-2         2805.5         0.3508 
       0.00039         0         0         7         0           0122809HT         00416-51-2         2805.5         0.3508         0.00034         0         0         7         0           0122809HT         00416-51-2         2864.5         0.3508         0.00034         0         0         1         0</td><td>01/22874HT         10416-13-2         286.6         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/2286HT         0416-21-2         286.5         0.3508         0.00031         0         0         7           01/2286HT         0416-57-2         286.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         386.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         390.4         0.3508         0.00038         0         0         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         350.8         0.00039         0         0         7         7           01/2</td><td>O122878HT         O41641-32         2826.5         0.3508         0.00038         0         7         7           0122878HT         0.0416-31-2         2820.4         0.3308         0.00038         0         0         7           0122878HT         0.0416-31-2         2820.5         0.3308         0.00039         0         0         7           0122878HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2855.6         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2856.4         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           01228918HT         0.0417-32-2         3319.2         0.3308         0.00034         0         0         7     &lt;</td><td>0122878HT         01416-13-2         2805.5         0.3308         0.00033         0         7         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122888HT         04416-17-2         2805.5         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04115-12-2         2854.6         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         3840.9         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         0</td><td>Olt2287NHT         Olt1237NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1732NHT         Olt1733NHT         Olt1733NHT         Olt1732NHT         Olt1733NHT         Olt1733</td><td>Olizzabilit         Olizzabilit         Ozisolit         Ozisolit</td></td></t<> |             | 0122874HT         10416-13-2         286.65         0.3508         0.00038         0         7         0           0122878HT         00416-13-2         286.55         0.3508         0.00038         0         0         7         0           0122878HT         00416-13-2         286.51         0.3508         0.00038         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         7         0           0122888HT         00416-51-2         286.53         0.3508         0.00041         0         0         1         0         0         1           0122888HT         00416-51-2         286.53         0.3508         0.00038         0 | 0122874HT         10416-13-2         2226.6         0.03508         0.00039         0         0         7         0           0122875HT         10416-13-2         2226.5         0.3508         0.00039         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         1         0         0         0         7         0 <td< td=""><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         7         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         0         7         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         0         7         0         0         0         7         0</td><td>0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         0         7         0           0122876HT         00416-13-2         2806.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         7         0         7         7         0         7</td><td>(172874HT         (10416-1):2         2806.5         0.3508         0.00039         0         0         7         0           0122876HT         (0416-21):2         2800.4         0.3508         0.00039         0         0         7         0         7           0122876HT         (0416-21):2         2800.5         0.3508         0.00039         0         0         67         0         7         0           0122880HT         (0415-87):2         2866.5         0.3508         0.00031         0         0         7         0         7         0         0         7         0         0         7         0         0         0         7         0  
      0         0         0         0         0         0         0         0         0         0         0         0         0         0</td></td<> <td>0122874HT         00416-13-2         23266         0.00039         0         0         37           0122876HT         00416-21-2         2826.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2865.2         0.3508         0.00038         0         0         7           0122805HT         00417-21-2         3001.4         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805</td> <td>0122874HT         01416-13-2         2826.5         0.3508         0.00039         0         0         37           0122879HT         00416-13-2         2805.5         0.3508         0.00039         0         0         7           0122879HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7         0           0122809HT         00416-51-2         2805.5         0.3508         0.00034         0         0         7         0           0122809HT         00416-51-2         2864.5         0.3508         0.00034         0         0         1         0</td> <td>01/22874HT         10416-13-2         286.6         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/2286HT         0416-21-2         286.5         0.3508         0.00031         0         0         7           01/2286HT         0416-57-2         286.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         386.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         390.4         0.3508         0.00038         0         0         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         350.8         0.00039         0         0         7         7           01/2</td> <td>O122878HT         O41641-32         2826.5         0.3508         0.00038         0         7         7           0122878HT         0.0416-31-2         2820.4         0.3308         0.00038         0         0         7           0122878HT         0.0416-31-2         2820.5         0.3308         0.00039         0         0         7           0122878HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2855.6         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2856.4         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           01228918HT         0.0417-32-2         3319.2         0.3308         0.00034         0         0         7     &lt;</td> <td>0122878HT         01416-13-2         2805.5         0.3308         0.00033         0         7         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122888HT         04416-17-2         2805.5         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04115-12-2         2854.6         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         3840.9         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         0</td> <td>Olt2287NHT         Olt1237NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1732NHT         Olt1733NHT         Olt1733NHT         Olt1732NHT         Olt1733NHT         Olt1733</td> <td>Olizzabilit         Olizzabilit         Ozisolit         Ozisolit</td> | 0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         7         0           0122876HT         00416-13-2         2800.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         0         7         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         7         0         0         0         7         0         0         0         7         0 | 0122874HT         00416-13-2         2826.5         0.3508         0.00038         0         7         0         7         0           0122876HT         00416-13-2         2806.5         0.3508         0.00038         0         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         0         7         7         0         7         7         0         7 | (172874HT         (10416-1):2         2806.5         0.3508         0.00039         0         0         7         0           0122876HT         (0416-21):2         2800.4         0.3508         0.00039         0         0         7         0         7           0122876HT         (0416-21):2         2800.5         0.3508         0.00039         0         0         67         0         7         0           0122880HT         (0415-87):2         2866.5         0.3508         0.00031         0         0         7         0         7         0         0         7         0         0         7         0         0         0         7         0 | 0122874HT         00416-13-2         23266         0.00039         0         0         37           0122876HT         00416-21-2         2826.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7           0122806HT         00416-21-2         2805.5         0.3508         0.00034         0         0         7           0122805HT         00416-21-2         2805.5         0.3508        
0.00034         0         0         7           0122805HT         00416-21-2         2865.2         0.3508         0.00038         0         0         7           0122805HT         00417-21-2         3001.4         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805HT         00417-21-2         3019.2         0.3508         0.00037         0         0         7           0122805 | 0122874HT         01416-13-2         2826.5         0.3508         0.00039         0         0         37           0122879HT         00416-13-2         2805.5         0.3508         0.00039         0         0         7           0122879HT         00416-21-2         2805.5         0.3508         0.00039         0         0         7         0           0122809HT         00416-51-2         2805.5         0.3508         0.00034         0         0         7         0           0122809HT         00416-51-2         2864.5         0.3508         0.00034         0         0         1         0 | 01/22874HT         10416-13-2         286.6         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/22878HT         0416-21-2         286.5         0.3508         0.00039         0         0         7           01/2286HT         0416-21-2         286.5         0.3508         0.00031         0         0         7           01/2286HT         0416-57-2         286.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         386.5         0.3508         0.00038         0         0         7           01/2286HT         0417-61-2         390.4         0.3508         0.00038         0         0         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         390.4         0.3508         0.00039         0         7         7           01/2280HT         0417-61-2         350.8         0.00039         0         0         7         7           01/2 | O122878HT         O41641-32         2826.5         0.3508         0.00038         0         7         7           0122878HT         0.0416-31-2         2820.4         0.3308         0.00038         0         0         7           0122878HT         0.0416-31-2         2820.5         0.3308         0.00039         0         0         7           0122878HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0416-37-2         2865.5         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2855.6         0.3308         0.00031         0         0         7           0122888HT         0.0417-32-2         2856.4         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           0122898HT         0.0417-32-2         3319.2         0.3308         0.00037         0         0         7           01228918HT         0.0417-32-2         3319.2         0.3308         0.00034         0         0         7     < | 0122878HT         01416-13-2         2805.5         0.3308         0.00033         0         7         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122878HT         04416-13-2         2805.5         0.3308         0.00033         0         0         7           0122888HT         04416-17-2         2805.5         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04416-17-2         2845.6         0.3308         0.00031         0         0         7           0122888HT         04115-12-2         2854.6         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         3840.9         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         1           0122898HT         04117-15-2         2856.4         0.3308         0.00031         0         0         0 | Olt2287NHT         Olt1237NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1238NHT         Olt1732NHT         Olt1733NHT         Olt1733NHT         Olt1732NHT         Olt1733NHT         Olt1733 | Olizzabilit         Olizzabilit         Ozisolit         Ozisolit |

7402 Concentrations

	0	0	0	0	0	0							0	0	0	0	0	0	0	0	0	0	0	ō	0	0	0	0	0	0	0	0	0	0	0	0
n, s/cc																																				
entration																																				
Conce																																				
sbestos																																				
best A	10	0	17	œ	S	9	-		0	ო	-	0	10	N	15	თ	ი	÷	œ	-	15	-	0	7	37	S	10	<b>б</b>	2	0	10	7	22	4	0	-
Nonas																																				
al Asbe	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	°
Tot	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chrys																																				
	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Amp	æ	8	6	6	8	8							7	80	6	6	7	æ	0	8	e	2	80	8	-	œ	<i>с</i>	7	80	N	8	8	6	6	7	4
it, s/cc	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003							0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0005	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0004	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0004
ion Lim																																				
Detect																																				
mm2	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508		0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508	0.3508
alyzed,						ſ	dno	o filter	sette.																											
rea An						OHSI	3J Lee Gr	eports no	n the cas																											
l, L	358.4	358.6	331.4	338.2	351.6	917.6 F	0	0	0	-0	0	0	2930	901.5	2841	305.9	975.6	376.6	215.1	2904	279.7	969.9	913.3	364.3	591.7	906.5	578.4	928.9	373.5	<del>1</del> 06.1	372.7	909.7	301.6	308.6	955.1	500.5
S	ត	й Ņ	លី	5	8 -2	-2	*~	ņ	<u>م</u>	* ۳	~	ė		či N		ຄິ ຄຸ	й ч	58 -5	ະ ເ	Ņ	ю́	й Ņ	й Ч	50 -5	ň	й Ņ	čí	й Ņ	й Ч	м Ч	ñ	й N	ຄື	5	N N	5
+ISI #	22-13-2	422-13-	22-21-2	122-21-	122-SP	422-DT	17-21-E	417-21-	417-SP	417-DT	18-13-E	418-13-	04-12-2	504-12-	04-38-2	504-38-	504-SP	504-DT	05-12-2	505-12-	05-38-2	505-38-	505-SP	505-DT	06-12-2	506-12-	06-38-2	506-38-	506-SP	506-DT	07-12-2	507-12-	07-38-2	507-38-	507-SP.	507-DT
ц Ш	T 104	100 1	T 104	1 0 0	00 ⊥	00 1	F+04	ð o L	ð 0 L	00 1	T 104	0 0 L	T 105(	й О С Ц	T 105(	й О С	1 O Q	ы П О О	T 105(	1 O Q	T 105(	Ц О О	1 O O	T O O	T 105(	TOQ	T 105(	ы П О О С	ы П О С	ŏ0 ⊥	T 105(	TOQ	T 105(	T O Q	TOO	ы О С
	22946H	22948H	22950H	22952H	22954H	22956H	22957H	22958H	22959H	22960H	22961H	22962H	22969H	22971H	22973H	22975H	22977H	22979H	22981H	22983H	22985H	22987H	22989H	22991H	22993H	22995H	22997H	22999H	23001H	23003H	23005H	23007H	23009H	23011H	23013H	23015H
2	012	012	012	915	012	012	915	012	012	012	012	012	012	012	012	012	012	012	012	912	012	012	012	012	012	012	012	012	012	012	012	012	012	012	012	5

7402 Concentrations

7402 Concentrations

64

~
ű
aţi
f
ë
õ
O.
ğ
2

	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5		-					0	0	0	0	0	0	0	ő	0	0	0	이
ğ																		ğ	-													ğ				
, s/																		0.0	Ι.	wide												0.0				
atio																			den	Ē										-	Θ			٦		
entre																			ļ	J X 2										ä	n wid			L		
DCE																			N N	lon	~									P P	6 un					
õ																			N N	E ng	ivage									a	×0					
sto																			ľ	8.7	cle									Ē	long	age				
sbe																														Te	۳u	leava				
st A	9	4	ი	ω	2	ო	ო	S	ი	0	N	2	0	ო	ი	ო	-	2	6	ო	-	0	0	0	ო	2	2	ഹ	9	4	0	ດ ເ	ő	<b>-</b> 9	0	4
sbe													-					į								<sup>cu</sup>	-						C.			
ona																																				
ë	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	$\downarrow$	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0
Asb																														1	١					
otal																																				
Ĕ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	L	0	0	0	0	0	0	0	0	0	0	0	0	J	0	0	0	0	0
		-	-	-	_	_	_	-	-	-	-	-		_		_	_	ſ	-	-			-		-			-	_		Ţ			-	-	_
าบร																																				
σ	~	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	<u>,</u>	<b>*</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0
	-	Ŭ	Ŭ	Ū	Ŭ	-	Ŭ	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	
đ																																				
¥	~	~	<b>m</b>	~	<b>~</b>	~	<u>ر</u>	4	~	m	m	2	0	m	m	m	m	~							m	~	<b>"</b>	0	<u>ო</u>	<b>"</b>	<b>ი</b>	<b>"</b>	~	~	<b>"</b>	
8	ğ	03.	Ő	õ	ő	03.	0 0 0 0	Ő Ő	03	03	03	003	304	203	ő	203	Ő	003							ю Ю	Ő	Ő	204	ğ	ő	ő	Ő	00	03	003	80
t, s/	o.o	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	ő.	0.0	0.0	ŏ.o	0.0	0.0							0.0	0.0	0.0	0.0	o.o	0.0	o.o	0.0	0.0	0.0	0.0	ö
Ē																																				
o																																				
tect																																				
å																																				
2	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508
Ē	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0
zed,																																				
Jaly																																				
a Ai																																				
Are																																				
	4.9	7.9	5.6	4.5	9.1	0.1	5.1	9.4	8.7	9.4	5.2	8.9	6.6	0.9	0.6	3.5	<u>з.</u> 1	2.3	0	0	0	0	0	0	2.5	5.5	6.6	÷	9.2	4.8	4.1	342	0.2	8.6	3.6	9.6
'ol, I	290	295	287	287	284	293	305	319	286	287	291	293	274	291	291	286	285	295							291	283	278	277	281	284	283	ະ	300	296	284	297
~				~ .	~	~		<u>.</u>		~ .	0	2		~ .		~ .	2	2		~		~	۵	ഫ				~	N	2		~.		~	2	~
-	ч Б	12-2	8-2	38-2	SP-2	5-10	2-2	12-2	8-2	38-2	SP-	01.	2-2	12-2	8-2	38-2	SP-	5-10	ъ-В	12-E	8-B	38-E	SP-I	1-10	2-2	12-2	42	21-2	SP-;	01-	5 5	12-2	1-'2	21-2	SP-	Н
sl #	8-1	80	е, 9	80	8	-80	6-1	6	6-9	6	60	-60	-1-0	<del>6</del>	е-0	ę	è	<del>-</del>	5-1	6	5-3	02	05-	05-1	4-1	14-	4-2	14-	14-	14-	5-1	7-	5-2	15-	15	15-
HO:	050	05	050	0.05	05	0.05	050	005	050	0.05	0.05	0.05	051	05	051	0.05	05	05	050	0.05	050	05	0.05	0.05	051	0.05	051	0.05	05	05	051	05	051	0.05	0.05	202
ш	– –	Ĕ	E	Ĕ	Ĕ	Ē	- -	Ĕ	Ē	Ĕ	Ĕ	Ĕ	- -	E	- -	Ē	Ē	Ē	Ē	Ē	– –	Ē	Ē	Ĕ	Ē	Ĕ	– –	Ē	Ĕ	Ē	– –	Ē	Ē	E	Ĕ	ᅴ
#	17H	19H	21H	23H	25H	27H	29H	31H	33H	35H	37H	39H	41H	43H	45H	47H	49H	51H	52H	53H	54H	55H	56H	57H	H06	92H	94H	H96	98H	HOO	02H	04H	90H	08H	10H	12H
ġ	230	230	230	230	230	230	230.	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	231	S31	231	231	231	231	231
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5

7402 Concentrations

02 Concentrations	
7402	

# ISHO	Vol, L Area Analyze	d, mm2 Detection L	imit, s/cc Amp	Chrys	Total	Asbe: Nonas	sbest Asbestos Concentration, s/cc	
	2923.5	0.3508	0.00038	0	0	0	15	0
N	925.3	0.3508	0.00038	0	0	0	N	0
Ň	915.3	0.3508	0.00038	0	0	0	20	0
20	38.1	0.3508	0.00037	0	0	0	8	0
8	03.5	0.3508	0.00037	0	0	0	4	0
8	52.1	0.3508	0.00037	0	0	0	n	0
ä	29.6	0.3508	0.00039	0	0	0	19	0
ä	357.5	0.3508	0.00038	0	0	0	4	0
	2791	0.3508	0.00039	0	0	0	32	0
2	751.6	0.3508	0.00040	0	0	0	б	0
	2772	0.3508	0.00040	0	0	0	2	0
ä	363.6	0.3508	0.00038	0	0	0	n	0
ິ	340.2	0.3508	0.00047	0	0	0	13	0
ŝ	07.7	0.3508	0.00038	0	0	0	ε	0
ω	32.7	0.3508	0.00035	0	0	0	30	0
g	89.7	0.3508	0.00033	0	0	0	0	0
8	50.4	0.3508	0.00037	0	0	0	6	0
30	66.8	0.3508	0.00037	0	0	0	2	0
8	98.3	0.3508	0.00038	0	0	0	13	0
ŝ	320.7	0.3508	0.00038	0	0	0	<del>.    </del>	0
ä	372.6	0.3508	0.00038	0	0	0	20	0
	2856	0.3508	0.00038	0	0	0	5	0
8	61.1	0.3508	0.00038	0	0	0	ი	0
ä	368.4	0.3508	0.00038	0	0	0	-	0
ы	396.8	0.3508	0.00032	0	0	0	17	0
ຄັ	306.7	0.3508	0.00039	0	0	0	2	0
ត	315.1	0.3508	0.00039	0	0	0	41	0
ລັ	334.9	0.3508	0.00039	0	0	0	N	0
Ň	907.2	0.3508	0.00038	0	0	0	<b></b>	0
	2783	0.3508	0.00039	0	0	0	5	0
	0	0.3508		0	0	0	0	
	0	0.3508		0	0	0	2	
	0	0.3508		0	0	0	0	
	0	0.3508		0	0	0	0	
	0	0.3508		0	0	0	0	
	0	0.3508		0	0	0	0	
								Į.

Γ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	36	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0
s/cc																				000.																
tion,																				0	Г	qe			٦											
entra																					ine En:	in wi														
once																					lõ	0.7 L														
os C																					N N	( Buol	, e													
spest																					rew (	un o	leavag													
st As	5	S	្ត	4	ъ	2	<u>ო</u>	4	9	~	4	5	<u> </u>	œ	-	ო	⁰	æ	<u>6</u>	9		8	~	ω	יב- ⊇	9	ო	5 2	2	Ξ	сı	ი	8	4	ъ	œ
asbe	u		C U				,		-				-						•	'	ſ	.,			•			•		•						
Non																																				
Asbe	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
otal /																																				
-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	þ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
s																																				
ਠਿ	0	0	~	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Ł	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ū	Ū	Ŭ	Ŭ	Ū	Ū	-	Ū	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-		Ī	-	-	
Amp																																				
8	040	039	038	038	037	038	034	036	031	039	039	038	040	038	048	037	040	038	036	036	038	037		037	038	040	037	037	037	037	042	048	038	039	038	035
it, s/c	0.00	0.0	0.0	0.00	0.0	0.00	0.0	0.0	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.00	0.0	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.0	0.0
Ë																																				
ection																																				
Dete																																				
R	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3508	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518	3518
л Б	ö	0	0	ö	ö	ö	ö	ö	0	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	0	0	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö
alyze																																				
a An																																				
Are		_			~		-		~	~	_	_	~		_			•	_	~	~	~	_	~	~	~	~	~	_	~	~	~	~	~	~	~
	758.7	796.9	360.5	350.5	986.3	917.4	3248	025.5	554.2	350.3	780.1	2924	731.6	2915	268.4	952.5	2771	363.9	021.4	364.8	878.6	965.2	0	954.3	853.2	744.6	939.2	9006	981.4	973.8	582.2	290.2	857.3	839.6	847.2	106.8
8	2	2	ຄິ	ស៊	Ň	ដ		ĕ	ĕ	ដ	2		ίΩ,		ñ	Ň		ត	ĕ	ĕ	ลื	Ň		čí	ลั	Ś	Ň	Ň	čí 	či 	ณี	Ň	ល័	ñ	ត ត	ά
	م 0-	20-2	8-2	38-2	SP-2	DT-2	40	20-2	8-2	38-2	SP-2	DT-2	0-2	20-2	8-2	38-2	SP-2	DT-2	∾-0	20-2	8-2	38-2	SP-2	DT-2	ې 0-	20-2	8-2	38-2	SP-2	DT-2	0-2	20-2	8-2	38-2	SP-2	2-7 1-7
HSI HSH	08-2	608-	08-3	608-	608-	608-	09-2	-609	609-3	-609	-609	-609	10-2	610-	10-3	610-	610-	610-	11-2	611-	11-3	611-	611-	611-	12-2	612-	12-3	612-	612-	612-	13-2	613-	13-3	613-	613-	613-
Ē	901.	00.	901.	00.	00	00	901.	00	90 I .	00	00.	00.	901.	00.	901.	0	0	0	.106	00.	901.	0	0	0	901.	00	90   .	0	0	0	90	0	90 -	0	0	0
<b>_</b>	<b>J3HT</b>	J5HT	THT	THec	THT	13HT	15HT	17HT	19HT	THT	23HT	25HT	27HT	29HT	31HT	33HT	35HT	37HT	39HT	41HT	13HT	45HT	17HT	19HT	SIHT	53HT	55H7	57HT	59HT	31HT	33HT	35HT	37HT	39HT	71HT	73HT
ΓG	232(	2320	2320	2320	2321	2321	2321	2321	2321	2322	2322	2322	2322	2322	232(	2320	2325	232(	2325	2324	2324	2324	2324	2324	2325	2325	2325	2325	2325	2326	232(	232(	232(	232(	232,	232.
ď	5	5	5	5	9	5	5	5	5	5	5	5	5	5	5	5	Б	5	Б	5	5	5	5	5	5	Б	5	2	5	5	5	5	5	5	5	5

7402 Concentrations

Page 5

# 7402 Concentrations

7402 Concentrations

RJLG # EOHSI #	Vol, L	Area Analyzed, mm2	Detection Limit, s/cc Amp	Chrys	Total /	Asbe: Non:	asbest Asbestos Concentration, s/cc	
23275HT   0614-20-2	2714.8	0.3518	0.00040	0	0	0	5	0
23277HT 0 0614-20-2	2 2704.8	0.3518	0.00040	0	0	0	18 0	0
[23279HT   0614-38-2	2895.4	0.3518	0.00038	0	0	0	10 0	0
123281HT O 0614-38-2	2 2922.2	0.3518	0.00037	0	0	0	27 0	0
123283HT O 0614-SP-	2 2857.5	0.3518	0.00038	0	0	0	7 0	0
123285HT O 0614-DT-	2 2760.8	0.3518	0.00040	0	0	0	8	0
123286HT 1 0610-20-B	0	0.3508		0	0	0	0	
123287HT O 0610-20-1	0	0.3508		0	0	0	0	
123288HT 1 0610-38-B	0	0.3518		0	0	0	0	
123289HT O 0610-38-I	0	0.3518		0	0	0	0	
123290HT O 0610-SP-	ē 0	0.3518		0	0	0	0	
123291HT O 0610-DT-	ē	0.3518		0	0	0	0	
Samples were collecter	d on the da	ly with the lost blank, O	0417-21-B, which was found	filterless in the	e cassette	by RJ Lee	Group.	
ie sample collector, Lih	-Ming Yiin,	however, reported com	pleteness of the sampling.			•		
								1

7402 Concentrations



Appendix 3. Meteorological Data (Windroses, Wind Speeds and Directions)






Date	Direction	Degree	%	Mean Wind	and the second	Air Sampling	Sites
	Sale Lan			Speen (mph)	Residential	DOT	State Park
04/16/0	1 Calm	States and states	35.5			and the second second	and the second se
	SSW	202.5	4.8	Sector Sector	UpWind	Downwind	Upwind
	SW	225	1.6		Crosswind	Downwind	Upwind
	WSW	247.5	8.1	0.18	Crosswind	Crosswind	Upwind
	w	270	1.6		Crosswind	Crosswind	Crosswind
	WNW	292.5	9.7	0.97	Downwind	Crosswind	Crosswind
	NW	315	8.1	0.36	Downwind	Crosswind	Crosswind
	NNW	337.5	11.3	1.21	Downwind	Crosswind	Crosswind
	N	360	9.7	0.30	Downwind	Crosswind	Crosswind
	S	180	9.7	0.15	UpWind	Downwind	Crosswind
04/17/0	1 Calm	100	18.0	0	oprind		
	WSW	247.5	1.6	Construction of the	Crosswind	Crosswind	Upwind
	WNW	292.5	1.6		Downwind	Crosswind	Crosswind
	NW	315	14.8	2.96	Downwind	Crosswind	Crosswind
	NNW	337.5	50.8	4.38	Downwind	Crosswind	Crosswind
	N	360	9.8	3.77	Downwind	Crosswind	Crosswind
	NNE	22.5	1.6	0.17	Downwind	Lowind	Downwind
	S	190	1.0		LinWind	Downwind	Crosswind
04/19/0	1 Colm	100	12.3		opwind	DOWINNIG	CIUSSWIIIU
04/10/0	SIM	225	40.0	1.45	Crocswind	Downwind	Llowind
	SVV	220	0.7	1.45	Dourswind	Crooswind	Crosswind
	VVINVV	292.5	0.0	0.04	Downwind	Crosswind	Crosswind
	NVV	315	23.3	2.84	Downwind	Crosswind	Crosswind
	NNW	337.5	13.3	1.23	Downwind	Crosswind	Crosswind
044040	N Color	360	10.0	2.01	Downwind	Crosswind	Crosswind
04/19/0	Caim	000.5	42.1		LinMind	Demonstrad	1 Involuted
	SSVV	202.5	1.0	4.04	Opvvind	Downwind	Upwind
	VVSVV	247.5	3.1	1.64	Crosswind	Crosswind	Opwind
	VV	292.5	4.2	3.97	Downwind	Crosswind	Crosswind
	WINW	292.5	2.1	3.91	Downwind	Crosswind	Crosswind
	NW	315	8.3	4.33	Downwind	Crosswind	Crosswind
	NNW	337.5	24.0	4.22	Downwind	Crosswind	Crosswind
	N	360	9.4	0.97	Downwind	Crosswind	Crosswind
	ENE	67.5	4.2		Crosswind	Crosswind	Downwind
	S	180	1.0	and the second states	UpWind	Downwind	Crosswind
04/20/0	1 Calm		16.7		a share the state of the state	in the symptotic family	
	SSW	202.5	10.4	2.17	UpWind	Downwind	Upwind
	WSW	247.5	3.1	1.27	Crosswind	Crosswind	Upwind
	W	270	12.5	2.96	Crosswind	Crosswind	Crosswind
	WNW	292.5	2.1		Downwind	Crosswind	Crosswind
	NNW	337.5	4.2	0.45	Downwind	Crosswind	Crosswind
	N	360	2.1		Downwind	Crosswind	Crosswind
	E	90	1.0		Crosswind	Crosswind	Crosswind
	ESE	112.5	8.3	1.09	UpWind	Crosswind	Crosswind
	SE	135	7.3	0.26	UpWind	Crosswind	Crosswind
	SSE	157.5	11.5	1.67	UpWind	Crosswind	Crosswind
	S	180	20.8	1.35	UpWind	Downwind	Crosswind
04/21/0	1 Calm		26.0				
	SSW	202.5	9.4	2.29	UpWind	Downwind	Upwind
	SW	225	7.3	2.40	Crosswind	Downwind	Upwind

Date	Direction	Degree	%	Mean Wind		Air Sampling	Sites
				Speen (mph)	Residential	DOT	State Park
	WSW	247.5	2.	1	Crosswind	Crosswind	Upwind
	W	270	8.3	3 1.48	Crosswind	Crosswind	Crosswind
	WNW	292.5	4.	2 2.96	Downwind	Crosswind	Crosswind
	SSE	157.5	4.	2 3.02	UpWind	Crosswind	Crosswind
	S	180	38.	5 2.25	UpWind	Downwind	Crosswind
04/22/01	Calm	and the second	38.	5			
2011	SSW	202.5	3.	- Forest provides and	UpWind	Downwind	Upwind
	SW	225	4.	2 0.73	Crosswind	Downwind	Upwind
	WSW	247.5	1.0	0	Crosswind	Crosswind	Upwind
	W	270	17.	7 4.39	Crosswind	Crosswind	Crosswind
	WNW	292.5	10.4	4 5.01	Downwind	Crosswind	Crosswind
	NW	315	5.	2 5.37	Downwind	Crosswind	Crosswind
	ENE	67.5	1.0	0	Crosswind	Crosswind	Downwind
	F	90	1.0	0	Crosswind	Crosswind	Crosswind
	SE	135	1.0	0	UpWind	Crosswind	Crosswind
	SSE	157.5	6.	3 2.61	UpWind	Crosswind	Crosswind
	S	180	10	4 1.48	UpWind	Downwind	Crosswind
05/04/01	Calm	100	34	0			
00.01.01	SSW	202.5	0.	7 0.45	UpWind	Downwind	Upwind
	SW	225	5	6 0.39	Crosswind	Downwind	Upwind
	WSW	247 5	21	8 0.59	Crosswind	Crosswind	Upwind
	W	270	1	0 1.64	Crosswind	Crosswind	Crosswind
	MANA	202 5	2	8 134	Downwind	Crosswind	Crosswind
	NIM	232.5	12	2 3 41	Downwind	Crosswind	Crosswind
	NINDA	207.6	201	5.41	Downwind	Crocewind	Crosswind
	NINVV	337.5	32.	1 2.00	Downwind	Crosswind	Crosswind
	N OF	300	3.	1 3.93	Lowing	Crosswind	Crosswind
	SE	135	0.	7	Upwind	Crosswind	Crosswind
	SSE	157.5	0.	0.50	Upwind	Crosswind	Crosswind
AF INF INT	S	180	3.	5 0.59	Opwind	Downwind	Crosswind
05/05/01	Caim	205	0.		Crocowind	Downwind	Upwind
	SVV	220	0.	5 0.07	Crosswind	Crosswind	Crosswind
	NININA	315	3.	0 5.27	Downwind	Crosswind	Crosswind
	NINW	337.5	25.	5.3/	Downwind	Crosswind	Crosswind
	NINI	360	38.	2.50	Downwind	Lowind	Downwind
	NNE	22.5	18.	1.90	Creasulad	Upwind	Downwind
	NE	45	2.	4 2.97	Crosswind	Opwind	Downwind
	ENE	67.5	1.	1.9/	Crosswind	Crosswind	Orecoviral
	E	90	2.	4 2.14	Crosswind	Crosswind	Crosswind
	SE	135	2.	2.31	Upwind	Crosswind	Crosswind
	SSE	157.5	0.	/	Upwind	Crosswind	Crosswind
	S	180	0.		UpWind	Downwind	Crosswind
05/06/01	Calm		27.	4		0	11-1-1
	SSW	202.5	0.	1.45	UpWind	Downwind	Upwind
	SW	225	0.3	3	Crosswind	Downwind	Upwind
	WNW	292.5	0.	7	Downwind	Crosswind	Crosswind
	NNW	337.5	2.	1 1.79	Downwind	Crosswind	Crosswind
	N	360	3.	1 1.81	Downwind	Crosswind	Crosswind
	NNE	22.5	4.	9 1.74	Downwind	Upwind	Downwind
	NE	45	4.	9 1.01	Crosswind	Upwind	Downwind

Date	Direction	Degree %	•	Mean Wind		Air Sampling	Sites
	and a second second			Speen (mph)	Residential	DOT	State Park
	ENE	67.5	7.6	1.03	Crosswind	Crosswind	Downwind
	E	90	5.6	1.69	Crosswind	Crosswind	Crosswind
	ESE	112.5	2.4	1.53	UpWind	Crosswind	Crosswind
	SE	135	4.5	1.63	UpWind	Crosswind	Crosswind
	SSE	157.5	9.4	2.10	UpWind	Crosswind	Crosswind
	S	180	26.4	1.92	UpWind	Downwind	Crosswind
05/07/01	Calm	ALC: Decad	26.7	Cartage Land			
- 10 CO	SSW	202.5	1.0	0.30	UpWind	Downwind	Upwind
	SW	225	1.4		Crosswind	Downwind	Upwind
	WSW	247.5	2.1	0.75	Crosswind	Crosswind	Upwind
	WNW	292.5	2.1	1.27	Downwind	Crosswind	Crosswind
	NW	315	6.3	1.33	Downwind	Crosswind	Crosswind
	NNW	337.5	0.7	1.90	Downwind	Crosswind	Crosswind
	N	360	0.3		Downwind	Crosswind	Crosswind
	NE	45	0.3		Crosswind	Upwind	Downwind
	ENE	67.5	1.0	1.27	Crosswind	Crosswind	Downwind
	E	90	1.4		Crosswind	Crosswind	Crosswind
	ESE	112.5	2.1	1.98	UpWind	Crosswind	Crosswind
	SE	135	4.5	1.74	UpWind	Crosswind	Crosswind
	SSE	157.5	13.5	1.89	UoWind	Crosswind	Crosswind
	S	180	36.5	1.74	UpWind	Downwind	Crosswind
05/08/0	1 Calm	100	32.4			Second Second Second Second	Constant and a star
0010010	SSW	202.5	2.4	1.66	UpWind	Downwind	Upwind
	SW	225	2.1	1.98	Crosswind	Downwind	Upwind
	WSW	247.5	3.5	0.27	Crosswind	Crosswind	Upwind
	W	270	0.3		Crosswind	Crosswind	Crosswind
	WNW	292.5	2.1	0.93	Downwind	Crosswind	Crosswind
	NW	315	1.0	0.67	Downwind	Crosswind	Crosswind
	NNW	337.5	5.9	1.43	Downwind	Crosswind	Crosswind
	N	360	0.3		Downwind	Crosswind	Crosswind
	ENE	67.5	0.3		Crosswind	Crosswind	Downwind
	E	90	0.3		Crosswind	Crosswind	Crosswind
	ESE	1125	0.0		UpWind	Crosswind	Crosswind
	SE	125	0.0	1.14	UpWind	Crosswind	Crosswind
	SCE	157.5	12.0	2.14	UnWind	Crosswind	Crosswind
	S	197.5	26.5	2.27	UnWind	Downwind	Grosswind
05/00/0	1 Calm	100	24.0	2.23	oprind	Downwind	CIOSSWING
03/03/0	SSW	202.5	0.3		UnWind	Downwind	Upwind
	SW	202.5	0.0		Crosswind	Downwind	Unwind
	WSW	247 5	1.0	0.30	Crosswind	Crosswind	Upwind
	W	270	2.4	0.54	Crosswind	Crosswind	Crosswind
	MANNA	2025	1.4	1 10	Downwind	Crosewind	Crosswind
	NIA	292.0	4.0	1.10	Downwind	Crosswind	Crosswind
	NININA	315	12.5	2.28	Downwind	Crosswind	Crosswind
	NINV	337.5	13.5	2.72	Downwind	Crosswind	Crosswind
	N	360	13.9	1.88	Downwind	Upwind	Downwind
	NNE	22.5	0.7		Oreconvird	Opwind	Downwind
	ENE	67.5	0.3		Crosswind	Crosswind	Oreceivind
	E	90	0.3		Crosswind	Crosswind	Crosswind
	ESE	112.5	22.2	1.39	Upwind	Crosswind	Crosswind

Date	Direction	Degree	%	Mean Wind	and the superior second	Air Sampling	Sites
				Speen (mph)	Residential	DOT	State Park
	SE	135	7.3	1.02	UpWind	Crosswind	Crosswind
and the second second	S	180	1.0	0.97	UpWind	Downwind	Crosswind
05/10/01	Calm		18.8				
	WNW	292.5	5.4	2.16	Downwind	Crosswind	Crosswind
	NW	315	21.3	2.72	Downwind	Crosswind	Crosswind
	NNW	337.5	11.2	3.38	Downwind	Crosswind	Crosswind
	N	360	1.8	3.13	Downwind	Crosswind	Crosswind
	NNE	22.5	1.1	1.94	Downwind	Upwind	Downwind
	ENE	67.5	0.4		Crosswind	Crosswind	Downwind
	ESE	112.5	39.7	1.45	UpWind	Crosswind	Crosswind
	SE	135	0.4		UpWind	Crosswind	Crosswind
05/14/01	Calm		38.3		And the second s		
	SW	225	3.6	0.10	Crosswind	Downwind	Upwind
	WSW	247.5	0.4		Crosswind	Crosswind	Upwind
	W	270	1.6	0.67	Crosswind	Crosswind	Crosswind
	WNW	292.5	12.9	0.85	Downwind	Crosswind	Crosswind
	NW	315	36.7	1.63	Downwind	Crosswind	Crosswind
	NNW	337.5	3.2	1.99	Downwind	Crosswind	Crosswind
	E	90	0.4		Crosswind	Crosswind	Crosswind
	ESE	112.5	0.8	0.45	UpWind	Crosswind	Crosswind
	SE	135	1.2	0.30	UpWind	Crosswind	Crosswind
	SSE	157.5	0.4		UpWind	Crosswind	Crosswind
	S	180	0.4		UpWind	Downwind	Crosswind
05/15/01	Calm	100	36.7	a a day of the second second	oprind	Dominia	Crocomina
0011010	SSW	202.5	0.4		UpWind	Downwind	Upwind
	SW	225	0.4		Crosswind	Downwind	Upwind
	WSW	247.5	0.4		Crosswind	Crosswind	Upwind
	WNW	292.5	3.6	1.52	Downwind	Crosswind	Crosswind
	NW	315	17.6	2 46	Downwind	Crosswind	Crosswind
	NNW	337.5	5.8	1 72	Downwind	Crosswind	Crosswind
	N	360	20	1 20	Downwind	Crosswind	Crosswind
	NNE	22.5	83	1.09	Downwind	Unwind	Downwind
	NE	45	6.5	1.00	Crosswind	Upwind	Downwind
	ENE	45 67 5	9.0	0.50	Crosswind	Crosswind	Downwind
	E	07.5	5.0	0.30	Crosewind	Crocewind	Crosewind
	ESE	1125	0.7	0.34	UnWind	Crosswind	Crosswind
	COL	12.5	1.0	0.10	UpWind	Crosswind	Crosswind
	COL	157 5	1.0	0.18	UpWind	Crosswind	Crosswind
	C	107.5	0.4	1.01	UpWind	Downwind	Crosswind
05/10/01	Cole	180	1.0	1.01	opwind	Downwind	Crosswind
03/10/01	Calin	000 F	1.0	1.00	LIDMind	Downwind	Linwind
	SSW	202.5	9.0	1.20	Crosswind	Downwind	Upwind
	SVV	225	25.1	1.63	Crosswind	Creaseviad	Upwind
	WSW	247.5	5.9	0.99	Crosswind	Crosswind	Opwind
	W	270	2.8	0.48	Crosswind	Crosswind	Crosswind
	WNW	292.5	0.7	0.45	Downwind	Crosswind	Crosswind
	NW	315	2.1	0.78	Downwind	Crosswind	Crosswind
	NNW	337.5	2.4	0.96	Downwind	Crosswind	Crosswind
	N	360	10.1	0.99	Downwind	Crosswind	Crosswind
the second second second	NNE	22.5	12.9	1.64	Downwind	Upwind	Downwind

Date	Direction	Degree	%	Mean Wind		Air Sampling	Sites
	15 March Colders			Speen (mph)	Residential	DOT	State Park
	NE	45	14.6	1.79	Crosswind	Upwind	Downwind
	ENE	67.5	4.2	1.38	Crosswind	Crosswind	Downwind
	E	90	0.7	0.45	Crosswind	Crosswind	Crosswind
	ESE	112.5	2.1	0.78	UpWind	Crosswind	Crosswind
	SE	135	0.3		UpWind	Crosswind	Crosswind
	SSE	157.5	0.7		UpWind	Crosswind	Crosswind
	S	180	4.5	0.57	UpWind	Downwind	Crosswind
05/17/	01 Calm	and the states	0.3		In the second second		- Caller Contraction
	SSW	202.5	13.2	1.37	UpWind	Downwind	Upwind
	SW	225	76.4	1.89	Crosswind	Downwind	Upwind
	WSW	247.5	4.5	1.02	Crosswind	Crosswind	Upwind
	w	270	0.3		Crosswind	Crosswind	Crosswind
	N	360	0.3		Downwind	Crosswind	Crosswind
	NNE	22.5	0.3		Downwind	Upwind	Downwind
	E	90	0.7	0.45	Crosswind	Crosswind	Crosswind
	ESE	112.5	1.0	0.97	UpWind	Crosswind	Crosswind
	SE	135	0.7		UpWind	Crosswind	Crosswind
	SSE	157.5	0.3		UpWind	Crosswind	Crosswind
	S	180	1.7	0.94	UpWind	Downwind	Crosswind
05/18/	01 Calm		29.2	ANS BOSSEDON	THE REAL PROPERTY OF		and the second second
	SSW	202.5	13.5	0.61	UpWind	Downwind	Upwind
	SW	225	31.3	1.33	Crosswind	Downwind	Upwind
	WSW	247.5	1.7	0.76	Crosswind	Crosswind	Upwind
	WNW	292.5	1.4	1.17	Downwind	Crosswind	Crosswind
	NW	315	1.4	1.17	Downwind	Crosswind	Crosswind
	NNW	337.5	1.4	0.67	Downwind	Crosswind	Crosswind
	N	360	0.3	3	Downwind	Crosswind	Crosswind
	NE	45	2.4	1.05	Crosswind	Upwind	Downwind
	ENE	67.5	1.7	0.36	Crosswind	Crosswind	Downwind
	E	90	3.1	0.40	Crosswind	Crosswind	Crosswind
	ESE	112.5	4.5	0.21	UpWind	Crosswind	Crosswind
	SE	135	1.7	0.36	UpWind	Crosswind	Crosswind
	SSE	157.5	1.7	0.36	UpWind	Crosswind	Crosswind
	S	180	4.5	0.65	UpWind	Downwind	Crosswind
05/19/	01 Calm		20.1		and the second second		and the second s
	SSW	202.5	1.7	2.15	UpWind	Downwind	Upwind
	SW	225	8.3	1.92	Crosswind	Downwind	Upwind
	WSW	247.5	3.1	1.07	Crosswind	Crosswind	Upwind
	W	270	2.1	0.93	Crosswind	Crosswind	Crosswind
	WNW	292.5	1.4		Downwind	Crosswind	Crosswind
	NW	315	29.2	0.78	Downwind	Crosswind	Crosswind
	NNW	337.5	4.9	1.23	Downwind	Crosswind	Crosswind
	N	360	5.2	2 1.54	Downwind	Crosswind	Crosswind
	NNE	22.5	4.5	5 1.94	Downwind	Upwind	Downwind
	NE	45	13.2	2 1.74	Crosswind	Upwind	Downwind
	ENE	67.5	1.4	1.23	Crosswind	Crosswind	Downwind
	E	90	0.7	1.45	Crosswind	Crosswind	Crosswind
	ESE	112.5	1.0	) 1.27	UpWind	Crosswind	Crosswind
	SE	135	0.7	,	UpWind	Crosswind	Crosswind

Date	Direction	Degree	%	Mean Wind		Air Sampling	Sites
				Speen (mph)	Residential	DOT	State Park
	SSE	157.5	1.0	1.64	UpWind	Crosswind	Crosswind
	S	180	1.4	1.17	UpWind	Downwind	Crosswind
05/20/0	1 Calm		17.7				
	SSW	202.5	6.6	1.15	UpWind	Downwind	Upwind
	SW	225	33.7	1.94	Crosswind	Downwind	Upwind
	WSW	247.5	3.8	1.00	Crosswind	Crosswind	Upwind
	w	270	2.4	0.51	Crosswind	Crosswind	Crosswind
	WNW	292.5	1.0	0.60	Downwind	Crosswind	Crosswind
	NW	315	4.2	0.62	Downwind	Crosswind	Crosswind
	NNW	337.5	6.9	0.43	Downwind	Crosswind	Crosswind
	N	360	7.6	0.97	Downwind	Crosswind	Crosswind
	NNE	22.5	5.2	1.49	Downwind	Upwind	Downwind
	NE	45	7.3	1.53	Crosswind	Upwind	Downwind
	ENE	67.5	1.4	0.95	Crosswind	Crosswind	Downwind
	ESE	112.5	0.7		UpWind	Crosswind	Crosswind
	SSE	157.5	0.3		UpWind	Crosswind	Crosswind
	S	180	1.0	1.64	UpWind	Downwind	Crosswind
06/08/0	1 Calm		26.5	- All and the second second	Concernant and	and the state of the	Statistics and an and
1.11.11.11.11	WNW	292.5	1.0	4.32	Downwind	Crosswind	Crosswind
	NW	315	28.9	3.97	Downwind	Crosswind	Crosswind
	NNW	337.5	13.6	3.89	Downwind	Crosswind	Crosswind
	N	360	2.8	2.10	Downwind	Crosswind	Crosswind
	NNE	22.5	0.7		Downwind	Upwind	Downwind
	ENE	67.5	4.5	0.91	Crosswind	Crosswind	Downwind
	ESE	112.5	21.3	1.16	UpWind	Crosswind	Crosswind
	SSE	157.5	0.3		UpWind	Crosswind	Crosswind
	S	180	0.3		UpWind	Downwind	Crosswind
06/09/0	1 Calm		21.5				History
100	SSW	202.5	2.1	0.15	UpWind	Downwind	Upwind
	SW	225	1.0	0.60	Crosswind	Downwind	Upwind
	WSW	247.5	0.7		Crosswind	Crosswind	Upwind
	W	270	0.3		Crosswind	Crosswind	Crosswind
	WNW	292.5	7.3	0.87	Downwind	Crosswind	Crosswind
	NW	315	24.7	1.31	Downwind	Crosswind	Crosswind
	NNW	337.5	4.9	1.82	Downwind	Crosswind	Crosswind
	N	360	2.4	1.98	Downwind	Crosswind	Crosswind
	NNE	22.5	0.7		Downwind	Upwind	Downwind
	NE	45	0.7	0.45	Crosswind	Upwind	Downwind
	ENE	67.5	2.1	0.45	Crosswind	Crosswind	Downwind
	F	90	29.9	1.24	Crosswind	Crosswind	Crosswind
	SE	135	0.7	1 45	UpWind	Crosswind	Crosswind
	SSE	157.5	0.7	1.45	UpWind	Crosswind	Crosswind
	S	180	0.7	1.01	UnWind	Downwind	Crosswind
06/10/0	1 Calm	100	46.0		optinia	DOWINWING	CIOSSWIIIG
0011010	SSW	202 5	10.5		UnWind	Downwind	Upwind
	WSW	202.5	1.0		Crosswind	Crosswind	Upwind
	W	247.5	10.1	1 1 2	Crosswind	Crosswind	Crosswind
	WNIM	202 6	2.9	1.15	Downwind	Crosswind	Crosswind
	VVINVV	232.3	0.0	1.90	Downwind	Ciosswind	Ciosswind

Date	Direction	Degree	%	Mean Wind		Air Sampling	Sites
				Speen (mph)	Residential	DOT	State Park
	NNW	337.5	0.7		Downwind	Crosswind	Crosswind
	N	360	0.3		Downwind	Crosswind	Crosswind
	ESE	112.5	2.4	1.25	UpWind	Crosswind	Crosswind
	SE	135	24.3	1.64	UpWind	Crosswind	Crosswind
	S	180	4.2	1.64	UpWind	Downwind	Crosswind
6/11/0	Calm		43.4				
	SSW	202.5	3.8	1.12	UpWind	Downwind	Upwind
	SW	225	0.7	0.45	Crosswind	Downwind	Upwind
	WSW	247.5	2.4	0.54	Crosswind	Crosswind	Upwind
	w	270	3.1	0.92	Crosswind	Crosswind	Crosswind
	WNW	292.5	0.7	1.45	Downwind	Crosswind	Crosswind
	NW	315	6.9	2.26	Downwind	Crosswind	Crosswind
	NNW	337.5	4.9	0.97	Downwind	Crosswind	Crosswind
	N	360	3.5	0.67	Downwind	Crosswind	Crosswind
	E	90	0.7		Crosswind	Crosswind	Crosswind
	SE	135	0.7		UpWind	Crosswind	Crosswind
	SSE	157.5	9.0	0.97	UpWind	Crosswind	Crosswind
	S	180	20.1	0.93	UpWind	Downwind	Crosswind
06/12/0	1 Calm	100	27.1	0.00	oprind		
011210	SSW	202.5	1.0	P	UpWind	Downwind	Upwind
	SW	225	0.3		Crosswind	Downwind	Upwind
	WSW	247.5	24	1.09	Crosswind	Crosswind	Upwind
	W	270	21	0.93	Crosswind	Crosswind	Crosswind
	WNIM	292.5	24	1.09	Downwind	Crosswind	Crosswind
	NBA	315	1.0	1.00	Downwind	Crosswind	Crosswind
	NINIM	337.5	9.4	2 16	Downwind	Crosswind	Crosswind
	N	360	10.4	2.10	Downwind	Crosswind	Crosswind
	NINE	22.5	0.3	2.11	Downwind	Unwind	Downwind
	ESE	1125	1.0	0.60	UnWind	Crosswind	Crosswind
	CE	12.5	1.0	1.00	UpWind	Crosswind	Crosswind
	SE	157.5	16.0	1.27	UpWind	Crosswind	Crosswind
	SSE	157.5	05.0	1.07	UpWind	Downwind	Crosswind
06/12/0	5 1 Colm	100	20.0	1.37	opwind	Downwind	Crosswind
00/13/0	SIM	225	0.0	Call South Constants	Crosswind	Downwind	Unwind
	MICIAI	247.5	0.0		Crosswind	Crosswind	Upwind
	NIM	247.5	17	1 57	Downwind	Crosswind	Crosswind
	NINIW	227 5	8.3	1.92	Downwind	Crosswind	Crosswind
	N	260	8.7	1.00	Downwind	Crosswind	Crosswind
	NINE	22.5	1.4	0.67	Downwind	Unwind	Downwind
	E	22.5	7.9	0.07	Crosswind	Crosswind	Crosswind
	ESE	112 5	20.1	0.07	UnWind	Crosswind	Crosewind
	CE	112.5	20.1	1.07	UpWind	Crosswind	Crosswind
	SE	155	F.0	1.07	UpWind	Crosswind	Crosswind
	555	157.5	5.2	. 1.21	UpWind	Downwind	Crocowind
00/14/0	5 Colm	180	2.1	1.12	opwind	Downwind	Crosswind
10/ 14/0	W	270	0.2		Crosswind	Crosewind	Crosewind
	MANNA	202 5	1.0	0.30	Downwind	Crosswind	Crosswind
	NIM	232.3	1.0	0.50	Downwind	Crosswind	Crosswind
	INVY	315	1.0	0.00	Downwind	Crosswind	Orosawind

Date	Direction	Degree	%	Mean Wind		Air Sampling	sites
		U U		Speen (mph)	Residential	DOT	State Park
	N	360	0.7	2.46	Downwind	Crosswind	Crosswind
	NE	45	0.7		Crosswind	Upwind	Downwind
	ENE	67.5	0.3		Crosswind	Crosswind	Downwind
	Е	90	2.4	1.66	Crosswind	Crosswind	Crosswind
	ESE	112.5	1.4	1.40	UpWind	Crosswind	Crosswind
	SE	135	2.1	1.60	UpWind	Crosswind	Crosswind
	SSE	157.5	10.8	1.67	UpWind	Crosswind	Crosswind
	S	180	42.4	1.58	UpWind	Downwind	Crosswind
Notes:					-		
1. Weath	er data colle	ction time: n	oon to n	oon (e.g. 4/16/0	1 data were fr	rom 4/16 noon t	o 4/17 noon).
2. Calm v	vind calculati	ion was base	ed on no	-wind, no-direct	ion periods.	no wind but di	irection recorde
3. Diariks	IT MEAT WI	iu speeu ci	Jumm	uicale very low-	speed wind it	no wind, but di	ilection lecolde

# Appendix 4. Dust Sample Data.

RJ Lee Group, Inc.

Dust - 7402 Structures

Draft - Privileged and Confidential

	EOHSI	C	ounts	Area	Dilution	Filter	Mass	Million	Asbestos s/g				
SampleNum	Sample #	Chrysotile	Amphibole	Analyzed mm2	Factor	Area, mm2	Used, g	Sensitivity	Concentration	wt%			
0123292HT	D01		b i	0.08898	0.01	1452	0.7818	2.09	0	0			
0123293HT	D02		D	0.08898	0.05	1452	0.0357	9.14	0	0			
0123294HT	D03		D I	0.08898	0.1	1452	0.0917	1.78	0	0			
0123295HT	D04		0 (	0.08898	0.05	1452	¥ 0.1099	2.97	0	0			
0123296HT	D05		0 (	0.08898	0.01	1452	0.1010	16.16	0	0			
0123297HT	D06		0 0	0.08898	0.05	1452	0.3598	0.91	0	0			
0123298HT	D07		Ď	0.08898	0.01	1452	0.1039	15.71	0	0			
0123299HT	D08		b i	0.08898	0.2	1452	0.0292	2.79	0	0			
0123300HT	D09		0 0	0.08898	0.05	1452	0.1086	3.01	0	0			
0123301HT	D10		D I	0.08898	0.1	1452	0.0668	2.44	0	0			
0123302HT	D11		0 (	0.08898	0.01	1452	0,1740	9.38	0	0			
0123303HT	D12		D	0.08898	0.1	1452	0.1714	0.95	0.95	3.86E-04			
0123304HT	D13	1	D I	0.08898	0.001	1452	0.2399	68.02	0	0	1		
0123305HT	D14	1	b (	0.08898	0.1	1452	0.0881	1.85	0	0			
0123306HT	D15		0 (	0.08898	0.2	1452	0.0072	11.33	0	0			
0123307HT	D16		0 0	0.08898	0.05	1452	0.0404	8.08	0	0	Drow P	Van Orden	
0123308HT	D17		D	0.08898	0.1	1452	0.1003	1.63	0	0			•
0123309HT	D18		D, O	0.08898	0.03	1452	0.1012	5.37	0	0	15 x 0.3	cleavage	
0123310HT	D19		0 0	0.08898	0.05	1452	0.1000	3.26	0	0			
0123311HT	D20		D (	0.08898	0.1	1452	0.1033	1.58	0	0			
0123312HT	D21		D	0.08898	0.01	1452	0.1998	8.17	0	0	1		
0123313HT	D22		0 (	0.08898	0.1	1452	0.1984	0.82	0	0	- Lana	1	
0123314HT	D23		0 0	0.08898	0.01	1452	0.1981	8.24	0	0			
0123315HT	D24	1	D	0.08898	0.01	1452	0.2001	8,16	0	0	í.		
0123316HT	D25		0 (	0.08898	0.2	1452	0.0169	4.83	0	0			
0123317HT	D26		D I	0.08898	0.05	1452	0.1997	1.63	0	0			
0123318HT	D27		b T	0.08898	0.01	1452	0,1999	8.16	0	0	1		
0123319HT	D28		0	0.08898	0.01	1452	0.1998	8.17	0	0			
0123320HT	D29		D	0.08898	0.05	1452	0.1987	1.64	0	0	1		
0123321HT	D30		0	0.08898	0.05	1452	0.1968	1.66	0	0			
0123322HT	D32	1	0	0.08898	0.005	1452	0.2008	16.25	0	0	1		
0123323HT	D33		D	0.08898	0.01	1452	0.1989	8.20	0	0	1		
0123324HT	D34		0	0.08898	0.05	1452	0,1995	1.64	0	0			
0123325HT	D35		0	0.08898	0.05	1452	0.1997	1.63	0	0			
0123326HT	D36		0	0.08898	0.05	1452	0.2009	1.62	0	0	1		
0123327HT	D37		0	0.08898	0.05	1452	0.2008	1.63	0	0			
0123328HT	D38		0	0.08898	0.01	1452	0.1995	8.18	0	0			
0123329HT	D39	1	Ō	0.08898	0.01	1452	0.2011	8.11	0	0			
0123330HT	D40		0	0.08898	0.01	1452	0.2008	8.13	0	0			
0123331HT	D41		0	0.08898	0.01	1452	0.1993	8.19	0	0		1	
0123332HT	D42		Ō	0.08898	0.2	1452	0.0474	1.72	0	0			
0123333HT	D43		0	0.08898	0.1	1452	0.2003	0.81	0	0			
0123334HT	D44	1	0	0.08898	0,01	1452	0.1994	8.18	0	0			-
0123335HT	D45		0	0 0.08898	0.01	1452	0.1993	8.19	0	0	1		
0123336HT	D46		0	0.08898	0.01	1452	0,1998	8.17	0	0	1		
0123337HT	D47	•	0	0 0.08898	0.01	1452	0.2006	8.13	0	0	1		
0123338HT	D48	1	0	0 0.08898	0.05	1452	0.1997	1.63	0	0		T	
0123339HT	D51		0	0 0.08898	0.2	1452	0,1672	0.49	0	0			
0123340HT	D65		0	0 0.08898	1	1452	0.0000						
0123341HT	D66	••••••••	0	0 0.08898	0.1	1452	0.0229	7.13	0	0	1		
0123342HT	D67		0	0.08898	0.05	1452	0.1998	1.63	0	0			
0123343HT	D68	+	0	0.08898	0.01	1452	0.2005	8.14	0	0	1		
0123344HT	D71		0	0.08898	0.2	1452	0.0150	5.44	0	0			
0123345HT	D72		0	0.08898	0.01	1452	0.2001	8.16	0	0	1	1 1	
0123346HT	D73		0	0.08898	1	1452	0.0000		······································				
0123347HT	D74		0	0.08898	1	1452	0.0000			1			
0123348HT	DA1	1	0	0.08898	0.05	1452	0.2005	1.63	0	0			
												1	
												<u> </u>	
Note: D65 D73 D	74 annear to be	hlank hans an	d had no measu	able mass				· · · · ·			1	1	

	EOHSI	Cou	unts	Агеа	Dilution	Filter	Mass	Million /	Asbestos s/g			
SampleNum	Sample #	Chrysotile	Amphibole	Analyzed mm2	Factor	Area, mm2	Used, g	Sensitivity	Concentration	wt%		
0123292HT	D01	0	0	0.08898	0.01	1452	0.7818	2.09	0	0		
0123293HT	D02	0	0	0.08898	0.05	1452	0.0357	9.14	0	0		
0123294HT	D03	0	0	0.08898	0.1	1452	0.0917	1.78	0	0		
0123295HT	D04	0	0	0.08898	0.05	1452	0.1099	2.97	0	0		
0123296HT	D05	0	0	0.08898	0.01	1452	0.1010	16.16	0	0		
0123297HT	D06	0	0	0.08898	0.05	1452	0.3598	0.91	0	0		
0123298HT	D07	0	0	0.08898	0.01	1452	0.1039	15.71	0	0		
0123299HT	D08	0	0	0.08898	0.2	1452	0.0292	2.79	_0	0	Drew R. Van Orden:	7
0123300HT	D09	0	0	0.08898	0.05	1452	0,1086	3.01	0	0	15 x 0.3 cleavage	
0123301HT	D10	0	0	0.08898	0.1	1452	0.0668	2.44	0	0		
0123302HT	D11	0	0	0.08898	0.01	1452	0.1740	9.38	0	0		
0123303HT	D12	0	1	0.08898	0.1	1452	0.1714	0.95	0.95	3.86E-04		
0123304HT	D13	0	0	0.08898	0.001	1452	0.2399	68.02	0	0		
0123305HT	D14	0	0	0.08898	0.1	1452	0.0881	1.85	0	0		
0123306HT	D15	0	0	0.08898	0.2	1452	0.0072	11.33	0	0		
0123307HT	D16	0	0	0.08898	0.05	1452	0.0404	8.08	0	0		
0123308HT	D17	0	0	0.08898	0.1	1452	0.1003	1.63	0	0		
0123309HT	D18	0	0	0.08898	0.03	1452	0 1012	5 37	0	0		
0123310HT	D19	0	0	0.08898	0.05	1452	0 1000	3 26	0	0		
0123311HT	D20	0	0	0.08898	0.00	1452	0.1033	1.58	0	0		
0123312HT	D21	0	0	0.08898	0.01	1452	0 1998	8 17	0	0		
0123313HT	022	0	0	0.08898	0.01	1452	0.1000	0.82	0	0		
0123314HT	D23	0	0	0.08898	0.01	1452	0.1004	8.24	0	0		
0123315HT	D24	0	0	0.00000	0.01	1452	0.1001	8 16	0	0		
0123316HT	D25	0	0	0.00000	0.01	1452	0.0160	4.83	0	0		
0123317HT	D26	0	0	0.00000	0.5	1452	0.01007	1.63	0	0		
012331847	020		0	0.00000	0.00	1452	0.1000	8.16	0	0		
012331011	027	0	0	0.00050	0.01	1452	0.1008	8.17	0	0		
012331901	D20	0	0	0.00090	0.01	1452	0.1990	1.64	0	0		
012002001	D29	0	0	0.00090	0.05	1402	0.1907	1.04	0	0		
012002101	030	0	0	0.00090	0.05	1452	0.1900	100	0	0		
012332201	D32	0	0	0.00090	0.005	1402	0.2000	10.25	0			
012332301	033	0	0	0.00090	0.01	1452	0.1909	0.20	0	0		
0123324H1	D34	0	0	0.08696	0.05	1452	0.1995	1.04		0		
0123325H1	035	0	0	0.08090	0.05	1452	0.1997	1.03	0	0		
0123326HT	030	0	0	0.08898	0.05	1452	0.2009	1.02	0	0		
0123327HT	D37	0	0	0.08898	0.05	1452	0.2008	1.63	0			
0123328HT	D38	0	0	0.08898	0.01	1452	0.1995	8.18	0	0		
0123329HT	D39	0	0	0.08898	0.01	1452	0.2011	8.11	0	0		
0123330HT	D40	0	0	0.08898	0.01	1452	0.2008	8.13	0	0		
0123331HT	D41	0	0	0.08898	0.01	1452	0.1993	8.19	0	0		
0123332HT	D42	0	0	0.08898	0.2	1452	0,0474	1.72	0	0		
0123333HT	D43	0	0	0.08898	0.1	1452	0.2003	0.81	0	0		
0123334HT	D44	0	0	0.08898	0.01	1452	0.1994	8.18	0	0		
0123335HT	D45	0	0	0.08898	0.01	1452	0.1993	8.19	0	0		
0123336HT	D46	0	0	0.08898	0.01	1452	0.1998	8.17	0	0		
0123337HT	D47	0	0	0.08898	0.01	1452	0.2006	8.13	0	0		
0123338HT	D48	0	0	0.08898	0.05	1452	0.1997	1.63	0	0		
0123339HT	D51	0	0	0.08898	0.2	1452	0.1672	0.49	0	0		
0123340HT	D65	0	0	0.08898	1	1452	0.0000					
0123341HT	D66	0	0	0.08898	0.1	1452	0.0229	7.13	0	0		
0123342HT	D67	0	0	0.08898	0.05	1452	0.1998	1.63	0	0		
0123343HT	D68	0	0	0.08898	0.01	1452	0.2005	8.14	0	0		
0123344HT	D71	0	0	0.08898	0.2	1452	0.0150	5.44	0	0		
0123345HT	D72	0	0	0.08898	0.01	1452	0.2001	8.16	0	0		
0123346HT	D73	0	0	0.08898	1	1452	0.0000					
0123347HT	D74	0	0	0.08898	1	1452	0.0000					
0123348HT	DA1	0	0	0.08898	0.05	1452	0.2005	1.63	0	0		
Note: D65 D	73, D74 an	pear to be I	blank bags a	and had no meas	urable mass							
	· · · · · · · · · · · ·		1		1	· · · ·	1					

# Appendix 5. Air and Dust QC Data

#### Air - Protocol Structure QC Data

								Counts 5-10	)		Counts > 10	)	Concentrat	ion, s/cc
					Area Analyzed,	Detection								
Job No.	RJLG #	QA #	EOHSI #	Vol, L	mm2	Limit, s/cc	Amp	Chrys	Total	Amp	Chrys	Total	Amphibole	Chysotile
				l										
These are analy	ses of the second	d wedge	e (of the 3 wedg	ges from the	e original filt	er)	an							
LSH008473-RA	0122904HTR-1	10646	O 0418-21-2	2683.2	0.9320	0.00015	0	0	0	0	0	0	0	0
LSH008473-RA	0122959HTR-1	12252	O 0417-SP-B	0	0.9320		0	0	0	0	0	0		
LSH008473-RA	0122975HTR-1	12539	O 0504-38-2	2805.9	0.9320	0.00015	0	0	0	0	0	0	0	0
LSH008473-RA	0122985HTR-1	12834	1 0505-38-2	3279.7	0.9320	0.00013	0	0	0	0	0	0	0	0
LSH008473-RA	0123017HTR-1	13802	1 0508-12-2	2904.9	0.9320	0.00014	0	0	0	0	0	0	0	0
LSH008473-RA	0123140HTR-1	16585	O 0518-12-2	2907.7	0.9320	0.00014	0	0	0	0	0	0	0	0
LSH008473-RA	0123150HTR-1	16880	1 0519-12-2	2898.3	0.9320	0.00014	0	0	0	0	0	0	0	0
LSH008473-RA	0123177HTR-1	17064	O 0516-SP-B	0	0.9320		0	0	0	0	0	0		
These are analy	ses of additional	grids (n	ew) from the fi	rst wedge (o	of the 3 wee	lge original f	ilter)							
LSH008473-RA	0122878HT-1D	10147	I 0416-21-2	2622.1	0.8770	0.00017	0	0	0	0	0	0	0	0
LSH008473-RA	0122880HT-1D	10182	O 0416-21-2	2805.5	0.8770	0.00016	0	0	0	0	0	0	0	0
LSH008473-RA	0122906HT-1D	10754	O 0418-SP-2	2705.6	0.8770	0.00016	0	0	0	0	0	0	0	0
LSH008473-RA	0122928HT-1D	11353	O 0420-21-2	2916.6	0.8770	0.00015	0	0	0	0	0	0	0	0
LSH008473-RA	0122987HT-1D	12852	O 0505-38-2	2969.9	0.9043	0.00014	0	0	0	0	0	0	0	0
LSH008473-RA	0122999HT-1D	13369	O 0506-38-2	2928.9	0.9043	0.00015	0	0	0	0	0	0	0	0
LSH008473-RA	0123162HT-1D	17235	I 0520-12-2	3396.8	0.8770	0.00013	0	0	0	0	0	0	0	0
LSH008473-RA	0123283HT-1D	19634	O 0614-SP-2	2857.5	0.8770	0.00015	0	0	0	0	0	0	0	0
These are re-an	alyses of the orig	inal gric	is, though not r	necessarily l	the same gr	id openings								
LSH008473-RA	0122979HT-1D		O 0504-DT-2	2876.6	0.8770	0.00015	0	0	0	0	0	0	0	0
LSH008473-RA	0123051HT-1D		O 0510-DT-2	2952.3	0.8770	0.00015	0	0	0	0	0	0	0	0
LSH008473-RA	0123104HT-1D		O 0515-12-2	2842.0	0.8770	0.00015	0	0	0	0	0	0	0	0
LSH008473-RA	0123241HT-1D		O 0611-20-2	3064.8	0.8770	0.00014	0	0	0	0	0	0	0	0

### Air - 7402 Structures QC Data

					Area	Detection			Tatal	Nenabaa	Asbestos	
Job #		OA #			Analyzed,	Detection	4	Chruc	Total	too	tion o/oo	
JOD #	KJLG #	QA#		V01, L	mmz	Limit, s/cc	Amp	Chrys	Aspestos	los	tion, s/cc	 
These are enable	as of the opport	duvodao	(of the 2 words	a fuene ila a	original filts		· · · ·					 
These are analys				es from the		0,00020	0		0 0	1	0	 
LSH000473-R	0122904HTR	10040	0 0410-21-2	2003.2	0.3720	0.00036	0			1	0	 
LSH006473-R	012293901R	12202	O 0417-SP-B	0005.0	0.3720	0.00027	0			0		 
LSH000473-R	01229750118	12009	0 0004-36-2	2005.9	0.3720	0.00037	0			<u> </u>	0	 
LSH008473-R	0122985HTR	12834	10505-38-2	3279.7	0.3728	0.00031	0			0.0	0	 
LSH008473-R	0123017HTR	13802	0.0540.40.0	2904.9	0.3728	0.00036	0		0 0	5	0	 
LSH008473-R	0123140HTR	16585	0 0518-12-2	2907.7	0.3728	0.00036	0		0 0	3	0	 
LSH008473-R	0123150HTR	16880	10519-12-2	2898.3	0.3728	0.00036	0		0 0	9	0	 
LSH008473-R	0123177HTR	17064	O 0516-SP-B	0	0.3728		0		0 0	0		 
				L <u>,</u>								 
These are analys	ses of additional	grids (ne	ew) from the fir	st wedge (o	f the 3 wedg	ge original f	lter)		-			 
LSH008473-R	0122878HTD	10147	10416-21-2	2622.1	0.3508	0.00042	0		0 0	35	0	 
LSH008473-R	0122880HTD	10182	O 0416-21-2	2805.5	0.3508	0.00039	0		0 0	0	0	
LSH008473-R	0122906HTD	10754	O 0418-SP-2	2705.6	0.3508	0.00041	0		0 0	3	0	
LSH008473-R	0122928HTD	11353	O 0420-21-2	2916.6	0.3508	0.00038	0		0 0	0	0	 
LSH008473-R	0122987HTD	12852	O 0505-38-2	2969.9	0.3508	0.00037	0		0 0	0.5	0	
LSH008473-R	0122999HTD	13369	O 0506-38-2	2928.9	0.3508	0.00037	0		0 0	2	0	
LSH008473-R	0123162HTD	17235	l 0520-12-2	3396.8	0.3508	0.00032	0		0 0	0	0	
LSH008473-R	0123283HTD	19634	O 0614-SP-2	2857.5	0.3518	0.00038	0		0 0	7.5	0	
These are re-and	alyses of the orig	inal grid	s, though not n	ecessarily t	he same gri	d openings						
LSH008473-R	0122979HTD	_	O 0504-DT-2	2876.6	0.3508	0.00038	0		0 0	10	0	
LSH008473-R	0123051HTD		O 0510-DT-2	2952.3	0.3508	0.00037	0		0 0	9.5	0	
LSH008473-R	0123104HTD		O 0515-12-2	2842.0	0.3508	0.00039	0		0 0	3.5	0	 
LSH008473-R	0123241HTD		O 0611-20-2	3064.8	0.3508	0.00036	0		0 0	22	0	 

## Dust QC - Combined Protocol Structures

	RJ Lee Original Analysis										RJ Lee QC Analysis									EMS QC Analysis									
EOHSI	Counts Area Dilution Filter Mass Mil		Million Asbestos s/g			Counts		Area	Dilution	Filter	Mass	Villion Asbestos s/			Col	ints	Area	Dilution	Filter	Mass	Million As	bestos s/c							
Sample #	Chrysotil Ampl	ibo	Analyzed mm	Factor	Area, mn	n Used, g	Sensitivit	Concentratio	wt%	Chrysoti	Amphib	Analyze	Factor	Area, m	Used, g	Sensitiv	Concent	wt%	Chrysotil	Amphibo	Analyzed	Factor	Area, mr	Used, g	Sensitivi	Concenti	wt%		
D08	0	0	0.08898	0.2	1452	0.0292	2 2.79	0	0	0	0	0.089	0.2	1452	0.0292	2.79	0	0											
D12	0	1	0.08898	0.1	1452	0.1714	0.95	0.95	3.86E-04										0	0	0.093	0.1	1452	0.1714	0.9	0	0		
D36	0	0	0.08898	0.05	1452	0.2009	1.62	0	0	0		0.178	0.05	1452	0.2014	0.81	0.81	######	0	0	0.093	0.05	1452	0.2009	1.6	0	0		
D66	0	0	86880.0	0.1	1452	0.0229	7.13	0	0	Q		0.089	0.1	1452	0.0229	7.13	0	0											
DA1	0	0	0.08898	8.05	1452	0.200	1.63	0	0		0	0.089	0.05	1452	0.2001	1.63	0	0	0	0	0.093	0.05	1452	0.2005	1.6	0	0		
									/	1																			
	Drew R. Van Orden:					$\overline{\nabla}$																							
	15 x 0.3 cleavage					Drew R. Van Orden:																							
						6.5 x 0.25 t	remolite																						
						cleavage																		; !					
																									1				

.

### Dust QC - Combined 7402 Structures

RJ Lee Original Analysis										RJ Lee QC Analysis										EMS QC Analysis								
EOHSI	HSI Counts Area		Dilution	Filter	er Mass Mil		Million Asbestos s/g		Counts		Area	Dilution	Filter	Mass	Million Asbestos s/		Counts		Area	Dilution	Filter	Mass	Million Asl	pestos s/g				
Sample #	Chrysotil /	Amphibo	Analyzed mm	Factor	Area, mm	Used, g	Sensitivit	Concentratic	wt%	Chrysotil	Amphibo	Analyze	Factor	Area, mr	Used, g	Sensitivi	Concent	wt%	Chrysotile	Amphibo	Analyzeo	Factor	Area, mn	Used, g	Sensitivit	Concentr	wt%	
D08	0	0	0.08898	0.2	1452	0.0292	2.79	0	0	0	0	0.089	0.2	1452	0.0292	2.79	0	0		. <u> </u>								
D12	0	1	0.08898	0.1	1452	0.1714	0.95	0.95	3.86E-04										0	0	0.093	0,1	1452	0.1714	0.9	0	0	
D36	0	0	0.08898	0.05	1452	0.2009	1.62	0	0	0	1	0.178	0.05	1452	0.2014	0.81	0.81	#######	0	0	0.093	0.05	1452	0.2009	1.6	0	0	
D66	0	0	0.08898	0.1	1452	0.0229	7.13	0	0	0	0	0.089	0.1	1452	0.0229	7.13	0	0										
DA1	0	0	0.08898	0.05	1452	0.2005	1.63	0	0	Q	0	0.089	0.05	1452	0.2001	1.63	0	0	0	0	0.093	0.05	1452	0.2005	1.6	0	0	
					L					$\nabla$														-				
	Drew R. Van Orden: 15 x 0.3 cleavage						Drew R. Van Orden:																					
							6.5 x 0.25 tremolite																					
							cleavage	cleavage																				
						1																						
										_												-						
																			1									