### **Exceedances Locations and Levels**

On Sunday, July, 5 2015, an exceedance of the 8-hour average 75 ppb NAAQS for ozone was recorded at one (1) New Jersey station: Camden Spruce Street with a concentration of 78 ppb. The highest 1-hour average ozone concentration recorded on July 5, 2015 was 87 ppb, also at Camden Spruce Street, which is below the 1-hour NAAQS of 120 ppb. The Camden Spruce Street, NJ ozone level was the only exceedance in the 5 states that make up the Air Quality Control Region that includes New Jersey. Figure 1 shows the ozone AQI across the region for July 5.




Figure 1. Ozone Air Quality Index for July 5, 2015

Source: www.airnow.gov

For ozone terminology definitions see NJDEP Air Quality Planning's Glossary and Acronyms webpage: <a href="http://nj.gov/dep/baqp/glossary.html">http://nj.gov/dep/baqp/glossary.html</a>

### Weather


Meteorological data from Philadelphia International Airport shows temperatures reached 84° F, while winds were very light and from the south/southwest with an average wind speed of 5 mph. Skies were partly cloudy over New Jersey, but there was enough sunshine to promote ozone formation. Sufficient sunlight, combined with warmer temperatures are features commonly seen with an ozone exceedance.

### Where Did the Air Pollution that Caused Ozone Come From?

Figure 2 shows the back trajectories for the monitored exceedance for July 5. Figure 2 shows that low and mid-level winds (red and blue lines) were very light and variable over Camden after coming in off the shore and traveling across New Jersey where the winds picked up pollution from holiday weekend traffic. Higher level winds (green line) show that winds were also maritime in origin, which is not usually associated with a high ozone day. However, the wind travels across the Baltimore – Washington DC metro area and through central PA before turning back towards central New Jersey, and could possibly be bringing with it emissions from large industrial sources.

Figure 2. 48-hour Back Trajectories for July 5, 2015

# NOAA HYSPLIT MODEL Backward trajectories ending at 1800 UTC 05 Jul 15 NAM Meteorological Data



## **How is Smog Created?**

Ground-level ozone, also known as smog, is an air pollutant known to cause a number of health effects and negatively impact air quality and the environment in the state of New Jersey. Smog is formed when oxides of nitrogen (NOx) and volatile organic compounds (VOCs) react in the presence of sunlight. Smog can irritate any set of lungs, but those with lung-related deficiencies should take extra precautions on bad ozone days.

## **Find Out About Air Quality Every Day**

The What's Your Air Quality Today? page at <a href="http://www.nj.gov/dep/cleanairnj/">http://www.nj.gov/dep/cleanairnj/</a> tells you how to sign up to receive notifications and find out when your local air has reached unhealthy ozone levels.