

**New Jersey Department of Environmental Protection
Reason for Application**

Permit Being Modified

Permit Class: PCP **Number:** 190001

Description of Modifications: This application provides for the installation of a new Heidelberg Press -E70 along with Emission Point PT70 and PT71 along with the associated Operating Scenarios OS70 Press, OS71 Coater and OS72 Clean.

The fee that was paid for the withdrawn seven-day notice application should be applied to the new revision application.

**New Jersey Department of Environmental Protection
Facility Profile (General)**

Facility Name (AIMS): Rondo-Pak / Contemporary Graphics

Facility ID (AIMS): 52377

Street 1200 FERRY AVE
Address: CAMDEN, NJ 08104

Mailing 1200 FERRY AVE
Address: CAMDEN, NJ 08104

County: Camden
Location
Description:

State Plane Coordinates:	
X-Coordinate:	
Y-Coordinate:	
Units:	Long/Lat
Datum:	Unknown
Source Org.:	Other/Unknown
Source Type:	Other/Unknown

Industry:	
Primary SIC:	
Secondary SIC:	
NAICS:	323113

**New Jersey Department of Environmental Protection
Facility Profile (General)**

Contact Type: Owner (Current Primary)

Organization: Rondo-Pak

Org. Type: Commercial/Industry

Name: Tim Moreton

NJ EIN:

Title: Owner

Phone: (856) 663-7277 x

Mailing Address: 1200 Ferry Ave.

Fax: () - x

Camden, NJ 08104

Other: () - x

Type:

Email: tmoreton@rondopak.com

**New Jersey Department of Environmental Protection
Facility Profile (Permitting)**

- | | |
|--|----|
| 1. Is this facility classified as a small business by the USEPA? | No |
| 2. Is this facility subject to N.J.A.C. 7:27-22? | No |
| 3. Are you voluntarily subjecting this facility to the requirements of Subchapter 22? | No |
| 4. Has a copy of this application been sent to the USEPA? | No |
| 5. If not, has the EPA waived the requirement? | No |
| 6. Are you claiming any portion of this application to be confidential? | No |
| 7. Is the facility an existing major facility? | No |
| 8. Have you submitted a netting analysis? | No |
| 9. Are emissions of any pollutant above the SOTA threshold? | No |
| 10. Have you submitted a SOTA analysis? | No |
| 11. If you answered "Yes" to Question 9 and "No" to Question 10, explain why a SOTA analysis was not required | |
| | |
| 12. Have you provided, or are you planning to provide air contaminant modeling? | No |

**New Jersey Department of Environmental Protection
Equipment Inventory**

Equip. NJID	Facility's Designation	Equipment Description	Equipment Type	Certificate Number	Install Date	Grand- Fathered	Last Mod. (Since 1968)	Equip. Set ID
E70	XL106-10	Heidelberg 10 color Press Model XL106-10 with Pre-Coater	Printing Press (Graphic Arts)		11/1/2021	No		

**New Jersey Department of Environmental Protection
Emission Points Inventory**

PT NJID	Facility's Designation	Description	Config.	Equiv. Diam. (in.)	Height (ft.)	Dist. to Prop. Line (ft)	Exhaust Temp. (deg. F)			Exhaust Vol. (acfm)			Discharge Direction	PT Set ID
							Avg.	Min.	Max.	Avg.	Min.	Max.		
PT70	XL106-10	XL106-10 Ceiling Vent	Round	12	18	495	70.0	65.0	90.0	1,652.0	1,652.0	1,905.0	Up	
PT71	XL106-10	XL106-10 Ceiling Vent	Round	12	18	495	70.0	65.0	90.0	1,091.0	1,091.0	1,091.0	Up	

New Jersey Department of Environmental Protection
Emission Unit/Batch Process Inventory

U 1 Color Press Color Printing Press

UOS NJID	Facility's Designation	UOS Description	Operation Type	Signif. Equip.	Control Device(s)	Emission Point(s)	SCC(s)	Annual Oper. Hours		VOC Range	Flow (acfm)		Temp. (deg F)	
								Min.	Max.		Min.	Max.	Min.	Max.

000000 E70 (Printing Press (Graphic Arts))
Print Date: 11/16/2021

Make:	
Manufacturer:	Heidelberg
Model:	XL106-10
Type of Press:	lithographic
Does this Press use Fountain Solution?	<input checked="" type="radio"/> Yes <input type="radio"/> No
Maximum Consumption of Fountain Solution (gals/year):	850.00
Density of VOC in the Fountain Solution (lbs/gal):	6.88
Maximum % Volume of VOC as Applied in the Fountain Solution:	5.00
Maximum % Volume of Water in the Fountain Solution:	
Maximum Temperature of the Fountain Solution (°F):	
Solution used for Cleaning the Press:	7800 Presswash, Ultra Glaze Presswash
Maximum Cleaning Solution used in any one hour (gal/hr):	0.37
Maximum Cleaning Solution used in any one year (gal/yr):	1,900.00
Density of VOC in the Cleaning Solution (lbs/gal):	6.72
Have you Attached the MSDS for the Fountain and Cleaning Solutions?	<input checked="" type="radio"/> Yes <input type="radio"/> No
Comments:	