State of New Jersey Department of Environmental Protection Air Quality Permitting

General Permit (GP-021B) for

Outdoor Fumigation Operations of Containerized Commodities

This General Permit allows for the construction, installation, reconstruction, modification and operation of:

Fumigation Operations at a single industrial complex, limited to outdoor containers for methyl bromide, phosphine, and/or sulfuryl fluoride for fumigation of various commodities.

No other type of fumigation activity is allowed. This General Permit allows fumigation to occur only at the facility where it is issued.

Each facility may possess only one GP-021B at any time. If a facility wants to add additional fumigation units, or make changes to existing GP-021B, then a new General Permit registration is required. This new General Permit registration will supersede the existing General Permit.

I. <u>DEFINITIONS</u>

The terms and phrases used in this document shall have the same meaning as in N.J.A.C. 7:27-8, and/or as listed below:

"Aeration" means that a fumigant is being released from a container into the atmosphere.

"Aeration Time" means the total amount of time allotted to release the fumigant from the container after the fumigation has concluded.

"Air Pollution Control Apparatus" means any device which prevents or controls the emission of any air contaminant directly or indirectly into the outdoor atmosphere.

"Buffer Zone" is an area maintained, extending outward in all directions from the enclosure (i.e., container), at a specified distance, during the Fumigation. Only persons supervising and performing Fumigation activities are permitted. All other people, including unaffiliated workers, must be excluded from this zone, except for people in transit.

"Commodity" means a product that can be bought and sold, including but not limited to agricultural products, produce, logs, vehicles, and clothing.

"Container" for the purpose of this General Permit means the fumigation chamber under a tarp in which fumigation occurs as a significant source operation (N.J.A.C. 7:27-8.2(c)22). Containers can be trailers, box trucks, rail cars, or cargo containers. "Container" does not include drums, boxes, private residences, commercial offices and buildings, or warehouses.

"Department" means the New Jersey Department of Environmental Protection.

"FIFRA" means the Federal Insecticide, Fungicide, and Rodenticide Act, which is the Federal statute that governs the registration, distribution, sale, and use of pesticides in the United States.

"Fumigation Management Plan" or **"Fumigation Log Report"** means a sitespecific plan including the safety plan and site plot plan, consulted prior to any fumigation activity and in agreement with the fumigant's label.

"Fumigation" or "Fumigation operation" for the purpose of this General Permit means the use of a fumigant in a sealed, enclosed space to prevent, control, or eliminate pests in stored commodities by treating the commodity. This includes all activities related to the fumigation operation prior to the application of fumigant(s),

the fumigation period, and post fumigation activities related to the fumigation operation.

"HAP" or "Hazardous Air Pollutant" means an air contaminant listed in or pursuant to 42 U.S.C. §7412(b).

"Label" or "labeling" means the instructions and all supplemental documents provided on the EPA label of the fumigant. This includes the specimen label and applicator manual located on the canister of fumigant.

"Mechanical aeration" means the active emission of a fumigant from the container to the atmosphere by use of a blower capable of meeting the required stack exit velocity.

"Methyl Bromide" means the inorganic compound with chemical formula CH₃Br that is used in fumigation operations. The CAS number for this compound is 74-83-9.

"Modify" or "Modification" means any physical change in, or change in the method of operation of, existing equipment or control apparatus that increases the amount of actual emissions of any air contaminant emitted by that equipment or control apparatus or that results in the emission of any air contaminant not previously emitted. This term shall not include normal repair and maintenance.

"NJBPC" means New Jersey Bureau of Pesticide Control.

"**Phosphine**" means the inorganic compound with chemical formula PH_3 that is used in fumigation operations. The CAS number for this compound is 7803-51-2.

"Reporting Threshold" means the threshold for reporting emissions of air contaminants in accordance with <u>N.J.A.C. 7:27-8</u>, and <u>N.J.A.C. 7:27-17</u>, as applicable.

"Safety Plan" means the set of instructions and guidelines to protect the applicators and any nearby person from harm due to the use of the fumigant. The safety plan should include all site-specific safety information provided in the fumigant label. The safety plan is a component of the Fumigation Management Plan or Fumigation Log Report.

"Significant source operation" or "significant source" means a source that is classified as a significant source pursuant to N.J.A.C. 7:27-8.2(c) and that is not exempted from being a significant source pursuant to N.J.A.C. 7:27-8.2(d) or (e).

"Site Plot Plan" means a drawing reflecting the discharge direction, distance to property line from each potential emission point, respective stack heights and diameter, and rated fan capacity or flow rate. The site plot plan is a component of the Fumigation Management Plan.

"Sulfuryl Fluoride" means the inorganic compound with chemical formula SO₂F₂ that is used in fumigation operations. The CAS number for this compound is 2699-79-8.

"USDA" means United States Department of Agriculture.

"USA EPA" means the Environmental Protection Agency of the United States federal government whose mission is to protect human and environmental health.

II. <u>AUTHORITY</u>

This General Permit is issued under the authority of N.J.S.A. 26:2C-9.2. This General Permit shall allow for inspection and evaluation to assure conformance with all provisions of N.J.A.C. 7:27 et seq. An opportunity for public comment on this General Permit was provided on April 14, 2024.

III. <u>APPLICABILITY</u>

This General Permit allows for the construction, installation, reconstruction, modification and operation of:

Fumigation Operations at a single industrial complex, limited to outdoor containers for methyl bromide, phosphine, and/or sulfuryl fluoride for fumigation of various commodities.

No other type of fumigation activity is allowed. This General Permit allows fumigation to occur only at the facility where it is issued.

Each facility may possess only one GP-021B at any time. If a facility wants to add additional fumigation units, or make changes to existing GP-021B, then a new General Permit registration is required. This new General Permit registration will supersede the existing General Permit.

IV. <u>EXCLUSIONS</u>

This General Permit shall not be used for the following:

- 1. Any equipment for which another specific General Permit has been established pursuant to N.J.A.C. 7:27-8.8;
- 2. Any equipment subject to NSPS, MACT, or NESHAP requirements;
- 3. Any indoors fumigation operations;
- 4. Any fumigation operations meeting SOTA reporting thresholds;
- 5. Any facility that possesses both GP-021A for Indoors Fumigation Operations of Cocoa Bean Products and GP-021B for Outdoor Fumigation Operations of Containerized Commodities fumigating simultaneously using Sulfuryl Fluoride in any 24-hour period.

V. EQUIPMENT (LOCATION) / CONTROL / OPERATION SPECIFICATIONS

- All fumigations must be done following applicable guidelines issued by the United States Environmental Protection Agency (USEPA) Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and United States Department of Agriculture (USDA), and New Jersey Bureau of Pesticide Control (NJBPC).
- Upon request of the Department, the Permittee shall have available a Fumigation Management Plan or Fumigation Log Report including the instructions on how to address all elements prior to any fumigation activity, as well as the safety plan and site plot plan, in accordance with the fumigant's label.
- The Permittee shall submit a Site plot plan at the time of registration showing the discharge direction, the horizontal distance to property line from each potential emission point, respective vertical distance of the stack heights and diameter, and rated fan capacity or flow rate according to the only two conditions/scenarios established in the compliance plan and listed in Table A.

	Table A				
Scenario	Stack Height (ft)	Stack Diameter (in)	Minimum flow (ACFM)		
#1	Greater than or equal to 18 ft	18	3,500		
#2	Greater than or equal to 18 ft	22	9,200		

• The Methyl Bromide usage shall not exceed 14 pounds (3.5 pounds per hour aerated for a minimum of 4 hours); and 1,600 pounds per year. The Permittee shall maintain calculations and recordkeeping as it is required in the compliance plan.

- The Phosphine usage shall not exceed 16.32 pounds per day; and 80 pounds per year. The Permittee shall maintain calculations and recordkeeping as it is required in the compliance plan.
- The Sulfuryl Fluoride usage shall not exceed 984 pounds per day; and 9,000 pounds per year. The Permittee shall maintain calculations and recordkeeping as it is required in the compliance plan.
- The Permittee shall maintain records of the manufacturer's specifications for each piece of equipment, if available.
- If there is any control device, this shall be operated and maintained in accordance with the manufacturer's specifications and recommendations.

VI. <u>POTENTIAL TO EMIT</u>

The Potential to Emit (PTE) for all fumigation operations covered under this General Permit shall be **below than or equal to**:

Fumigant	Pounds per Hour	Pounds per Day	Pounds per Year (Tons per Year)
Methyl Bromide	14 lbs (3.5 lb/hr aerated for a minimum of 4 hours)		1,600 (0.80)
Phosphine		16.32	80 (0.04)
Sulfuryl Fluoride		984	9,000 (4.5)

VII. <u>SUBMITTAL / CONTACT INFORMATION</u>

For assistance or contact information, please go to the following resources:

- 1. Air Compliance and Enforcement at: http://www.nj.gov/dep/enforcement/air.html
- 2. Bureau of Stationary Sources at: http://dep.nj.gov/boss
- 3. Small Business Assistance Program at: <u>https://dep.nj.gov/sustainability/sbap</u>

VIII. <u>COMPLIANCE PLAN</u>

The Equipment covered by this General Permit is subject to the applicable requirements listed on the following page.

COMPLIANCE PLAN: <u>Outdoor Fumigation C</u>	Operations of Containerized Commodities
---	--

Ref. #	Applicable Requirement	Monitoring Requirement	Recordkeeping Requirement	Submittal/Action Requirement
	In addition to this Compliance Plan, all conditions contained in the document "General Procedures for General Permits" posted on the web page <u>https://dep.nj.gov/boss/general-</u> <u>permits/gp-minor/#how-to-obtain-a-</u> <u>general-permit</u> are enforceable.	None.	None.	None.
	[N.J.A.C.7:27-8.13(a)]			
2	The Permittee shall not operate any fumigation activity in a manner which will cause visible emissions, exclusive of visible condensed water vapor, except for a period of no more than 3 minutes in any consecutive 30-minute period. [N.J.A.C. 7:27-8.13(a)]	None.	None.	Notify by phone: Upon occurrence of event. If visible emissions are observed, refer to operator manual for corrective action. If corrective action fails to correct visible emissions within 24 hours of observation, the Permittee shall immediately report the incident to the Department by calling the Environmental Action Hotline at (877) 927- 6337. [N.J.S.A. 26:2C-19(e)]

3	This fumigation activity shall not cause	None.	None.	Notify by phone: Upon occurrence of
	any air contaminant, including an air			event.
	contaminant detectable by the sense of smell, to be present in the outdoor atmosphere in such quantity and duration which is, or tends to be, injurious to human health or welfare, animal or plant life or property, or would unreasonably interfere with the enjoyment of life or property, except in areas over which the owner or operator has exclusive use or occupancy. [N.J.A.C. 7:27-5]			Any operation of the equipment which may cause a release of air contaminants in a quantity or concentration which poses a potential threat to public health, welfare, or the environment or which might result in citizen complaints shall be reported by the Permittee as required by the Air Pollution Control Act. The Permittee shall immediately notify the Department of any non-compliance by calling the Environmental Action Hotline at (877) 927-6337. [N.J.S.A. 26:2C-19(e)]

4	Maximum No. of Billable Compliance Inspections <= 4 inspections. The equipment covered by this permit will be subject to inspection fees for the maximum periodic compliance inspections (as defined in N.J.A.C 7:27-8.1) over the life of the Certificate, after it receives final approval. The Permittee will be invoiced for a service fee per inspection pursuant to N.J.A.C. 7:27- 8.6 after the periodic compliance inspection is conducted. [N.J.A.C. 7:27-8.13(e)]	None.	None.	None.

5	Prepare and implement a site-specific	Monitored by visual	Printed copies of the fumigant's	None.
		determination once	Applicators Manual, label, FMP or FLR	
	a Fumigation Log Report (FLR)	initially prior to the release of	must be maintained and available onsite	
	preceding a treatment for each location	fumigant.	during all fumigation related activities.	
	where container fumigations are to be		These above documents must be made	
	conducted. Both should include, at a	[N.J.A.C. 7:27-8.13(d)]	easily retrievable and available to the	
	minimum, the following information:		Department immediately upon request.	
	1. Fumigation company conducting	r,		
	the treatment, along with		[N.J.A.C. 7:27-8.13(d)]	
	Pesticide Business License,			
	address and other information.			
	2. Site plot plan with the			
	location(s) where fumigation			
	will occur, with identification of			
	where emission stacks will be			
	located.			
	3. Safety criteria in place for each			
	treatment location such as wind			
	direction checks, equipment			
	reviews and processes to			
	determine treatment can occur.			
	4. Checklist of each aspect of the			
	Compliance Plan.			
	5. Monitoring plan information such as equipment to be used,			
	process for monitoring, and final			
	clearance concentration to be			
	reached.			
	reached.			
	[N.J.A.C. 7:27-8.13(a)]			

 6 The Permittee shall ensure the minimum 10' buffer zone arour containers intended for fumigat and the emission stack. This but zone must be enforced from the immediately prior to connection fumigant to the containers and emission stack until the fumigat concentration in the buffer zone the container(s) is verified at or labeling standards as referenced Reference #22. The outdoor fumigation area is identifiable by clear and conspite signs. The area shall be docume in the facility's Site Plot Plan. [N.J.A.C. 7:27-8.13(a)] 	ion ffer time n of the e, and below l in easily cuous	Recording by manual logging of parameter or storing data in a computer data system per application. Record the areas of fumigation for each application. See Reference #17 Recordkeeping Requirement. [N.J.A.C. 7:27-8.13(d)]	None.
--	---	--	-------

7	The container(s) shall be placarded with approved fumigation warning signs as required by the product labeling, federal and state regulations. [N.J.A.C. 7:27-8.13(a)]	Monitored by visual determination prior to each fumigation event. [N.J.A.C. 7:27-8.13(d)]	None.	None.
8	Designate emission point(s) at the facility on a site plot plan. Provide the distance to the nearest property line relative to emission points. The facility shall direct all aeration streams through the designated emission point of that fumigation event. [N.J.A.C. 7:27-8.13(a)]	None.	Maintain the site plot plan with the property line and emission point(s). Include distances in feet. [N.J.A.C. 7:27-8.13(d)]	The Permittee shall submit a site plot plan drawing reflecting the distance to property line from the emission point. Label the shortest distance from the property line to each emission point. This drawing shall be attached along with the registration. [N.J.A.C. 7:27-8.13(d)]
9	The discharge for each fumigation and aeration event shall be vertical and through a single discharge stack with a Height = > 18 ft above ground level and a Distance to Property Line = > 20 ft. Mechanical Aeration shall assist the discharge once the treatment period has ended. [N.J.A.C 7:27-8.13(a)]	None.	 Maintain and have available onsite during all fumigation related activities the following ventilation specifications. Stack height (ft) above ground level. Stack diameter (in). Rated fan capacity or flow rate (cfm). 	None.

10	Scenario #1: For an 18-inch stack diameter, Fan Volume Flow = > 3,500 ACFM. Scenario#2:	None.	Recording by manual logging of parameter or storing data in a computer data system at least once at the start of mechanical aeration.	None.
	For a 22-inch stack diameter, Fan Volume Flow = > 9,200 ACFM.		Record fan volume flow rate at least once at the start of each mechanical aeration.	
	[N.J.A.C. 7:27-8.13(h)]		Each fumigation shall have its own record. See Reference #17 Recordkeeping Requirement. [N.J.A.C. 7:27-8.13(d)]	
11	Monitoring equipment shall be maintained, operated, and calibrated in accordance with the manufacturer's recommendations. [N.J.A.C. 7:27-8.13(a)]	Monitored by visual determination prior to each fumigation event. [N.J.A.C. 7:27-8.13(d)]	Calibration records shall be maintained	Calibrations shall be conducted at least once per year. [N.J.A.C. 7:27-8.13(d)]

		-		
12	All tarps shall be made of a material	Monitored by visual	Recording by manual logging of	Notify by phone: Upon occurrence of
	such as vinyl, polyethylene plastic or	determination, per	parameter or storing data in a computer	event.
	coated nylon. Tarps shall be a	application.	data system per application.	The Permittee shall immediately notify
	minimum of 4-mils thick.			the Department of any non-compliance
		The tarp used for each	For each fumigation event, the person	of the tarp condition by calling the
	Tarps are only approved for one (1)	fumigation event shall be	inspecting the tarp should record tarp	
	usage.	inspected before each	condition as part of the FMP/FLR	Environmental Action Hotline at (877)
		fumigation to assure tarp	checklist (See Reference #17	927-6337.
	Tarps shall be maintained in good	integrity and effectiveness is	Recordkeeping Requirement).	
	condition, free of visible punctures.	maintained.		[N.J.S.A. 26: 2C-19(e)]
	The tarps shall be inspected before		Purchase orders shall be made available	
	each fumigation event to ensure	[N.J.A.C. 7:27-8.13(d)]	for review immediately upon request to	
	effectiveness. If the tarp has been		demonstrate the specifications of the	
	compromised, it shall be repaired to		tarp and repair material.	
	ensure functionality or be replaced.			
			[N.J.A.C. 7:27-8.13(d)]	
	Tarps shall be allowed one repair event			
	after placement over the containers.			
	Repairs shall be performed according			
	to the following:			
	1. Use tape with a thickness greater			
	or equal to tarp thickness.			
	2. Tape material shall be consistent			
	with approved tarp materials			
	listed herein.			
	3. Tape and spray adhesive shall be			
	applied to both sides of the tarp to			
	address all tears.			
	[N.J.A.C. 7:27-8.13(a)]			

13	The container fumigation shall be placed outdoors on an impervious surface such as asphalt, concrete, or tight wooden surface, not soil or gravel, or other porous surfaces. If you must fumigate on a porous surface, cover the surface with plastic tarpaulins, and cover it with a fumigation tarp. The edge of the tarp on the ground must be sealed by sand snakes. Sand snakes must be inspected for integrity and repaired or replaced as needed. [N.J.A.C. 7:27-8.13(a)]	fumigant event. [N.J.A.C. 7:27-8.13(d)]	Recording by manual logging of parameter or storing data in a computer data system per application. For each fumigation event, records shall be kept of: • Any seal malfunctions (if applicable) • Any seal repairs (if applicable) [N.J.A.C. 7:27-8.13(d)]	Notify by phone: Upon occurrence of event. The Permittee shall immediately notify the Department of any non-compliance of the sealing measures by calling the Environmental Action Hotline at (877) 927-6337. [N.J.S.A. 26: 2C-19(e)]
14	The amount of Methyl Bromide used shall not exceed 1,600 pounds annually (0.80 tons/year). [N.J.A.C 7:27-8.13(h)]	Monitored by material balance over a 12-month rolling period, calculated monthly. [N.J.A.C. 7:27-8.13(d)]	Recording by manual logging of parameter or storing data in a computer data system monthly. Once a month the permittee shall confirm that the amount of Methyl Bromide recorded in each fumigation as required in Reference #17 Recordkeeping Requirement does not exceed this annual limit. [N.J.A.C. 7:27-8.13(d)]	 Submit a report: Annually by March 1 of each year for the preceding calendar year to NJDEP, Bureau of Stationary Sources at pcpnotices@dep.nj.gov. The annual report shall include: (1) The total amount of fumigant emitted; (2) The total number of fumigation events; (3) Any instance where additional fumigant was introduced; and (4) Any instance where the concentration reading inside the tarp exceeded 5 ppm after mechanical aeration (minimum of 4 hours). [N.J.A.C. 7:27-8.13(d)]

15	The amount of Phosphine used shall not exceed 80 pounds annually (0.04 tons/year). [N.J.A.C 7:27-8.13(h)]	Monitored by material balance over a 12-month rolling period, calculated monthly. [N.J.A.C. 7:27-8.13(d)]	Recording by manual logging of parameter or storing data in a computer data system monthly. Once a month the permittee shall confirm that the amount of Phosphine recorded in each fumigation as required in Ref #17 Recordkeeping Requirement does not exceed this annual limit. [N.J.A.C. 7:27-8.13(d)]	 Submit a report: Annually. See Reference #14 Submittal Requirement for instructions. The annual report shall include: The total amount of fumigant emitted; The total number of fumigation events; Any instance where additional fumigant was introduced; and Any instance where the concentration reading inside the tarp
16	The amount of Sulfuryl Fluoride used shall not exceed 9,000 pounds annually (4.5 tons/year). [N.J.A.C 7:27-8.13(h)]	Monitored by material balance over a 12-month rolling period, calculated monthly. [N.J.A.C. 7:27-8.13(d)]	Recording by manual logging of parameter or storing data in a computer data system monthly. Once a month the permittee shall confirm that the amount of Sulfuryl Fluoride recorded in each fumigation as required in Ref #17 Recordkeeping Requirement does not exceed this annual limit. [N.J.A.C. 7:27-8.13(d)]	 concentration reading inside the tarp exceeded 0.3 ppm after mechanical aeration. [N.J.A.C. 7:27-8.13(d)] Submit a report: Annually. See Reference #14 Submittal Requirement for instructions. The annual report shall include: (1) The total amount of fumigant emitted; (2) The total number of fumigation events; (3) Any instance where additional fumigant was introduced; and (4) Any instance where the concentration reading inside the tarp exceeded 1 ppm after mechanical aeration.
				[N.J.A.C. 7:27-8.13(d)]

17	Methyl Bromide <=14 lbs (3.5 lb/hr aerated for a minimum of 4 hours) [N.J.A.C. 7:27-8.13(h)]	Monitored by material balance per application over a 1-hour rolling period, calculated per application. [N.J.A.C. 7:27-8.13(d)]	 Recording by manual logging of parameter or storing data in a computer data system daily. The Permittee must record the following: Date of fumigation initiation. Name of certified applicator and license number. Tarp Inspection Personnel Name Name of fumigant & EPA Registration Number. Commodity Location of treatment area and Equipment NJID. Container type; cargo container, box trucks, rail cars truck trailers. Emission Point NJID. If operated in the respective fumigation, any Control Device NJID. Volume of commodity to be fumigated in cubic feet. Amount of fumigant is introduced. Time fumigant is introduced. Time fumigant is introduced. Flow rate of exhaust fan in ACFM Any fumigant concentration reading greater than labeling requirement at the end of aeration. (see Ref #22). 	None.
----	--	---	---	-------

18	Phosphine <= 16.32 lbs/day. [N.J.A.C. 7:27-8.13(h)]	Monitored by material balance per application over a 24-hour rolling period, calculated per application. [N.J.A.C. 7:27-8.13(d)]	Recording by manual logging of parameter or storing data in a computer data system daily. See #17 Recordkeeping Requirement. [N.J.A.C. 7:27-8.13(d)]	None.
19	Sulfuryl fluoride <=984 lbs/day. [N.J.A.C. 7:27-8.13(h)]	Monitored by material balance per application over a 24-hour rolling period, calculated per application. [N.J.A.C. 7:27-8.13(d)]	Recording by manual logging of parameter or storing data in a computer data system daily. See #17 Recordkeeping Requirement. [N.J.A.C. 7:27-8.13(d)]	None.
20	If fumigation is occurring in multiple containers (as defined in this general permit), and they are being aerated simultaneously, they must all vent to the same emissions stack which shall not exceed the emission limit in lbs/day. [N.J.A.C. 7:27-8.13(a)]	Monitor the number of fumigations daily. [N.J.A.C. 7:27-8.13(d)]	Record the number of fumigations daily. Each fumigation shall have its own record. See Reference #17 Recordkeeping Requirement. [N.J.A.C. 7:27-8.13(d)]	None.
21.	Methyl Bromide minimum total aeration time => 4 consecutive hours. [N.J.A.C. 7:27-8.13(h)]	Monitored by hour/time monitor. [N.J.A.C. 7:27-8.13(d)]	Record the total aeration time. Each fumigation shall have its own record. [N.J.A.C. 7:27-8.13(d)]	None.

22		Monitored by fumigant's label or USDA recommended instrumentation. Monitoring will consist of 2 consecutive measurements, conducted no less than 15		Submit any exceedances in the annual report. See Reference #14, Submittal Requirement for instructions. [N.J.A.C. 7:27-8.13(d)]
	 bromide. 0.3 ppm or below for two consecutive measurements using Phosphine. 1 ppm or below for two consecutive measurements using Sulfuryl Eluoride 	cycle. Monitoring will be performed	If there is an exceedance above the allowable concentration value after mechanical aeration is complete, the permittee shall record the measured value, date and time, the fumigation event associated with the exceedance, and the actions taken to lower the concentration.	
	After the minimum required labeling aeration time, mechanical aeration shall stop and remain stopped until all required measurements are completed. If the concentration of fumigant is greater than the above allowable concentrations, mechanical aeration shall resume until subsequent enclosure fumigant measurements show a concentration(s) below the allowable concentration.	[N.J.A.C. 7:27-8.13(d)]	[N.J.A.C. 7:27-8.13(d)]	
	[N.J.A.C. 7:27-8.13(a)]			

23	Any facility that possesses both GP- 021A for Indoors Fumigation Operations	Monitor the number of ALL fumigations daily.	daily	Notify by phone: Upon occurrence of event.
	of Cocoa Bean Products and GP-021B for Outdoor Fumigation Operations of Containerized Commodities shall not fumigate simultaneously using Sulfuryl Fluoride in any 24-hour period	[N.J.A.C. 7:27-8.13(d)]	record. See GP-021B, Reference #17 Recordkeeping Requirement; and	The Permittee shall immediately notify the Department of any non-compliance of fumigation operations by calling the Environmental Action Hotline at (877) 927-6337. [N.J.S.A. 26: 2C-19(e)]
	[N.J.A.C. 7:27-8.13(a)]		[N.J.A.C. 7:27-8.13(d)]	