



DEP Bulletin

July 19, 2023

Volume 47 Issue 14

| | |
|---|---------|
| General Application Milestone Codes | Pg. 2 |
| Specific Decision Application Codes Permit Descriptions | Pg. 2 |
| <u>General Information</u> | Pg. 3 |
| DEP Public Notices and Hearings and Events of Interest | Pg. 3 |
| Water Quality | Pg. 7 |
| Public Notice of Proposed Permit Actions | |
| Minor Modifications Issued | |
| Administrative Permit Revocations Issued | |
| General Permit Authorization Issued | |
| Environmental Impact Statements and Assessments | Pg. 13 |
| Permit Applications Filed or Acted Upon: | |
| Division of Land Resource Protection (by county) | |
| CAFRA Permit Application | Pg. 15 |
| Atlantic | Pg. 15 |
| Bergen | Pg. 20 |
| Burlington | Pg. 37 |
| Camden | Pg. 42 |
| Cape May | Pg. 45 |
| Cumberland | Pg. 50 |
| Essex | Pg. 52 |
| Gloucester | Pg. 56 |
| Hudson | Pg. 61 |
| Hunterdon | Pg. 63 |
| Mercer | Pg. 66 |
| Middlesex | Pg. 68 |
| Monmouth | Pg. 80 |
| Morris | Pg. 92 |
| Ocean | Pg. 101 |
| Passaic | Pg. 117 |
| Salem | Pg. 119 |
| Somerset | Pg. 121 |
| Sussex | Pg. 127 |
| Warren | Pg. 131 |
| Treatment Works Approval (TWA) Permit Application | Pg. 132 |
| DEP Permit Liaisons and Other Governmental Contacts | Pg. 141 |

Governor Phil Murphy

New Jersey Department of Environmental Protection

Shawn M. LaTourette, Commissioner

General Application Milestone Codes

Application Approved
Application Denied
Application Withdrawal
A= Approved
C = Cancelled
D= Denied

F = Complete for Filing
H = Public Hearing Date
I = Additional Information Requested
IS = Issued
L = Legal Appeal of Permit Decision
M = Permit Modification

P = Permit Decision Date
R = Complete for Review
T = Additional Information Received
W= Withdrawn

Specific Decision Application Codes

O = Other

REG = HMDC/Pinelands Exemption

Permit Descriptions

CAFRA - A Coastal Area Facility Act permit is required to construct residential, commercial, public, transportation, utility and energy-related facilities in the coastal area as defined by the Act.

Coastal Permit: A permit or an authorization issued under this chapter pursuant to CAFRA, the Wetlands Act of 1970, N.J.S.A. 13:9A-1 et seq., or the Waterfront Development Law, N.J.S.A. 12:5-3.

Coastal Wetlands: A permit authorizing disturbances to Mapped Tidal Wetlands under the Wetlands Act of 1970, N.J.S.A. 13:9A”

Federal Consistency Activity: Certain federal permits, not limited to the U.S. Army Corps of Engineers Dredge and Fill Permits, require certification by the DEP prior to the issuance of the permit by the federal agency.

Flood Hazard Area: A Flood Hazard permit or verification is required for disturbances within the floodway, floodplain or riparian zone in areas regulated under the Flood Hazard Area Control Act.

Freshwater Wetlands: A Permit (Letters of Exemption, Letters of Interpretation, Statewide General Permit, Open Water Fill, Individual, Transition Area Waiver, Water Quality Certificate) is needed prior to engaging in a regulated activity in or around freshwater wetlands and associated transition areas.

General Groundwater Petroleum Products Cleanup: This general permit authorizes the surface water discharge of treated groundwater previously contaminated with petroleum products.

NJPDES permits: A permit is required for the discharge of pollutants to surface and groundwater, a discharge from an indirect user or the land application of municipal and/or industrial residuals. (A more comprehensive definition of activities, which require a permit, may be found at N.J.A.C. 7:14A-2.4)

Solid Waste Facility: A permit is required to conduct or operate any solid waste facility as defined under the Solid Waste Management Act, N.J.S.A. 13:1E-1 et seq., and N.J.A.C. 7:26-1 et seq.

Highlands Resource: A Highland Preservation Area Approval is required for regulated activities within the Highland Preservation Area as defined in the Highlands Water Protection & Planning Act Preservation Area Rules. Highlands Applicability Determinations verifies certain exemptions allowed by the regulations.

Tidal Wetlands: A Coastal Wetlands Permit is needed to excavate, dredge, fill or erect structures on coastal wetlands.

Treatment Works Approval: A TWA permit is required for the construction, modification or operation of a treatment works, including sanitary/industrial sewage pretreatment or treatment systems, sewage conveyance systems, sewer extensions and subsurface sewage disposal systems.

**NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF SETTLEMENT**

CAFRA INDIVIDUAL PERMIT

TAKE NOTICE THAT THE DEPARTMENT OF ENVIRONMENTAL PROTECTION has issued a Coastal Area Facility Review Act (CAFRA) Individual Permit (Authorization) that resolves the appeal of CAFRA Individual permit #1325-16-0007.1, LUP210001. Said Authorization permits the construction of a high-rise building consisting of 8 residential floors and 109 residential units and 234 garage parking spaces. The Authorization was issued pursuant to the Coastal Zone Management Rules (N.J.A.C. 7:7-1.1 et seq.). The Project is as shown on plans in eighteen (18) sheets collectively entitled “Preliminary & Final Major Site Plan For 290 Ocean Avenue Block 216, Lots 11, 12 & 24 Tax Map Sheet #24 290 Ocean Avenue, City of Long Branch, Monmouth County, NJ” dated December 11, 2020, last revised November 11, 2022, and prepared by InSite Engineering, LLC. Notice of the final permit decision will appear in the DEP Bulletin under the section entitled Division of Land Resource Protection.

IN THE MATTER OF: 290 Ocean, LLC
 File No. 1325-16-0007.1 APL210001
 Block: 216 Lot: 11, 12 & 24
 City of Long Branch, Monmouth County

Comments regarding this settlement should be sent to: Janet Stewart, Manager, Bureau of Coastal Permitting, at Division of Land Resource Protection, NJDEP, P.O. Box 420, Mail Code 501-02A, Trenton, NJ 08625-0420, or by email care of janet.stewart@dep.nj.gov or the office may be reached by telephone: (609) 633-2289.

Requests for information or submissions by the applicant regarding this action should be submitted via email to janet.stewart@dep.nj.gov with return email address provided.

**NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF RECEIPT OF AN APPLICATION FOR A FRESHWATER WETLANDS INDIVIDUAL
PERMIT, WATERFRONT DEVELOPMENT INDIVIDUAL IN WATER PERMIT, WATERFRONT
DEVELOPMENT UPLAND INDIVIDUAL PERMIT,
COASTAL WETLANDS PERMIT, FLOOD HAZARD AREA INDIVIDUAL PERMIT, and FLOOD
HAZARD AREA VERIFICATION**

TAKE NOTICE THAT THE DEPARTMENT OF ENVIRONMENTAL PROTECTION has received an application (DLRP File# 1700-23-0001.1 LUP230001) for the above referenced permits from Atlantic City Electric to construct 11.25-mile-long single circuit 69 kV transmission line within Lower Alloway's Creek Township and Quinton Township, Salem County. The new 69 kV transmission line will consist of a total of 283 steel structures and 3 wooden structures ranging in heights from 47' to 105', situated largely within existing Atlantic City Electric or roadway Right(s)-of-way. The new 69 kV transmission line will extend from the existing Atlantic City Electric Quinton Substation located in Quinton Township, Salem County and end at the authorized, but yet to be constructed customer owned New Jersey Wind Port 69 kV substation located adjacent to the Hope Creek Nuclear Generating Station in Lower Alloway's Creek Township, Salem County. The new 69 kV transmission line will supply power to the New Jersey Wind Port 69 kV substation to support mobilization and construction of offshore wind components.

The application can be reviewed by appointment at the Department's Trenton Office or by requesting an electronic copy of the application by contacting <https://www.nj.gov/dep/opra/opraform.html> as part of an OPRA request submitted to the Department's Trenton Office.

Project information is available to review at: www.nj.gov/dep/offshorewind/outreach.html#comment

The Department of Environmental Protection welcomes comments and any information that you may provide concerning the proposed project. The Department encourages the submission of written comments electronically at www.nj.gov/dep/offshorewind/comments.html. However, written comments may also be submitted to the New Jersey Department of Environmental Protection, Division of Land Resource Protection, P.O. Box 420, Code 501-02A, Trenton, New Jersey 08625, attn: Janet Stewart, Bureau Chief.

There is no need for duplicate electronic and hard copy submissions. All comments submitted will be maintained by the Department.

**NOTICE OF PUBLIC COMMENT PERIOD
REGARDING A SOLID WASTE TRANSFER STATION/MATERIAL RECOVERY FACILITY PERMIT RENEWAL**

The New Jersey Department of Environmental Protection, Division of Sustainable Waste Management hereby gives notice that it has tentatively approved a Solid Waste Facility Permit renewal application regarding the operation of the existing City of Plainfield – Rock Avenue Transfer Station/Material Recovery Facility located at 87-95 Rock Avenue in the City of Plainfield, Union County.

The application for a Solid Waste Facility Permit renewal was submitted in accordance with the requirements established at N.J.A.C. 7:26-2. The facility is currently permitted to accept a maximum of 280 tons per day of solid waste types 10 (Municipal waste), 13 (Bulky waste), 13C (Construction and demolition waste), 23 (Vegetative waste), and 27 (Dry industrial waste) for processing and transfer. The application proposes no changes to currently permitted operations.

The public comment period on the draft permit action begins on the date of the publication of this notice and will close within thirty (30) days of this publication. During this period, any interested person may submit written comments concerning the draft permit action to:

Anthony Fontana, Chief
New Jersey Department of Environmental Protection
Division of Sustainable Waste Management
Bureau of Solid Waste Permitting
Mail Code 401-02C
401 E. State Street, P.O. Box 420
Trenton, New Jersey 08625-0420
(609) 292-9880

Upon written request of any interested party, which raises the issues of fact relevant to the proposed agency action within thirty (30) days of this publication, a public hearing will be scheduled regarding the proposed agency action.

The application and all other supporting documents, as well as the draft Solid Waste Facility Permit and fact sheet are available for inspection at the above noted office of the Department's Division of Sustainable Waste Management, the office the Plainfield City Clerk, and the office of the Union County Clerk.

Anyone who would like to obtain copies of the draft permit and a fact sheet for the facility should notify Kimberly Beccia at the above address or contact her at (609) 984-2104.

Public Notice of Proposed Permit Actions (NJPDES Permits)

7/19/23 DEP Bulletin

| <u>Permit:</u> | <u>Facility Location:</u> | <u>NJDEP</u> | <u>Receiving Discharge:</u> | <u>Executive Summary</u> |
|--|---|--|--|--|
| <ul style="list-style-type: none"> • Name • NJPDES No. • Type | <ul style="list-style-type: none"> • Address • County | <ul style="list-style-type: none"> • Case Manager • Bureau • Phone No | <ul style="list-style-type: none"> • Stream or GW Formation or POTW • Stream or GW Classification • Watershed | |
| OAKLAND OPERATOR LLC DBA NJ0029858 DSW Minor | OAKLAND REHABILITATION AND Oakland, NJ 07436 Bergen County | Vincent Spino Bureau of Surface Water and Pretreatment Permitting (609) 292-4860 | Hoppers Lake FW2-NT(C2) Ramapo River | Surface Water Renewal Permit Action - This renewal is for a NJPDES permit to discharge 0.03 MGD of treated, disinfected domestic wastewater with no industrial contribution via outfall DSN001A to Hopper's Lake. The sanitary wastewater is treated through a comminutor, equalization tank, splitter box, aeration tank (addition of aluminum sulfate), multi-media filter, chlorine contact tank (addition of sodium hypochlorite), dechlorination tank (addition of sodium bisulfite), and post aeration channel. The facility is a non-delegated facility with a NJPDES flow value of 0.03 MGD. |
| CEDT DREDGED MATERIAL RECYCLING FACILITY NJ0134015 DSW Minor | 1 LINDEN AVE EAST Jersey City, NJ 07305 Hudson County | Jonathan Hanuschik Bureau of Surface Water and Pretreatment Permitting (609) 292-4860 | Claremont Channel/Upper NY Bay SE2(C2) Newark Bay / Kill Van Kull / Upr NY Bay | Surface Water Renewal Permit Action - This permit action is for a minor modification to address the following typographical errors. 1. Change the units for "Total Flow" from million gallons per day (MGD) to million gallons per month (MGAL/MON). 2. Change the schedule for DMRs from semiannually to monthly. |

The following minor modifications were recently issued. These actions are listed for informational purposes only and are not open for public comment.

| <i>Minor Modifications Issued (NJPDES Permits)</i> | | |
|---|---|---------------------------------|
| | | |
| <u>Permit</u> • <i>Name</i> • <i>NJPDES Number</i> | <u>Facility Location:</u> • <i>Address</i> • <i>County</i> | <u>Executive Summary</u> |
| None at this time. | | |

The following minor modifications were recently issued. These actions are listed for informational purposes only and are not open

The following administrative permit revocations were recently issued. These actions are listed for informational purposes only and are not open for public comment.

| <i>Administrative Permit Revocations Issued (NJPDES Permits)</i> | | |
|---|---|---------------------------------|
| | | |
| <u>Permit</u> • <i>Name</i> • <i>NJPDES Number</i> | <u>Facility Location:</u> • <i>Address</i> • <i>County</i> | <u>Executive Summary</u> |
| None at this time. | | |

purposes only and is not subject to public comment.

| <i>General Permit Authorizations Issued (NJPDES Permits)</i> | | | | |
|---|----------------------------|---------------------------------|--------------------------|---|
| | | | | |
| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> | <i>Discharge Category Code</i> |
| None at this time. | | | | |

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
Environmental Impact Statements and Assessments

| LOCATION COUNTY | PROJECT SPONSOR | REVIEW TYPE | DATE FILED | REVIEW PERIOD | ACTION TAKEN |
|------------------------------------|---|----------------|---------------|------------------|------------------------------|
| New Brunswick Middlesex County | HELIX Bldg. H-1 New Jersey Department of Education 100 Riverview Plaza PO Box 500 | EO-215 | 6/23/23 | 30 Days | Under Review |
| Newark Essex County | Newark City University Charter School New Jersey Department of Education 100 Riverview Plaza PO Box 500 | EO-215 | 6/23/23 | 30 Days | Under Review |
| JBMDL Burlington & Ocean | Electrical Vehicle Charge Facilities Program (EVCF) US Air Force 1690 Air Force Pentagon Washington, DC 20330-1670 | NEPA | 6/26/2023 | 30 Days | Comments Issued 7/19/2023 |
| South Brunswick Monmouth County | South Brunswick Cell Tower EBI #6123002231 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 6/29/2023 | 30 Days | Comments Issued 7/12/2023 |
| Howell Monmouth County | Larrabee Substation Site No. NJ053 DEA No. 22109042 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 7/12/2023 | 30 Days | Under Review |
| Seaside Park Ocean County | Seaside Park Cell Tower #727514 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 7/12/2023 | 30 Days | Under Review |
| Parsippany Morris County | Parsippany Cell Tower EBI #6123004680 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 7/18/2023 | 30 Days | Under Review |
| Hoboken Hudson County | Hudson & Manhattan Railroad Repair Shop Demo | EO-215 | 7/19/2023 | 30 Days | Under Review |

REVIEW TYPE

| | |
|--------|---|
| NEPA | (National Environmental Policy Act) |
| DEIS | (Draft Environmental Impact Statement) |
| EA | (Environmental Assessment) |
| EO-215 | (NJ Executive Order 215) |
| ESR | (Environmental Screen Report) |
| NRR | (Natural Resources Review) |
| PA/SI | (Preliminary Assessment/Site Investigation) |
| SCP | (Scoping Document) |
| APP | Notice of Application |

New Jersey Department of Environmental Protection
Permit Application Submitted to the Division of Land Resource Protection
Changes in the Status Submitted of the Period 06/28/2023 to 07/11/2023

Start of 30 day Public Comment Period

| County - Municipality | PI Number Activity Number | Project Location | Project Description | Applicant Name | Project Manager | Date Received |
|------------------------------|----------------------------------|------------------------------|--|---|----------------------------------|---------------|
| Cape May - Middle Twp | 0506-23-0009.1 - LUP - 230001 | DELSEA DRIVE | Horizontal directional drilling of natural gas main sections in CAFRA area and beneath the tidally flowed Dias Creek necessitating a Waterfront Development Individual Permit. | SOUTH JERSEY GAS @ DELSEA DR | Kip LeWam, Todd Stueber | 05/25/2023 |
| Cape May - Ocean City | 0508-23-0005.1 - LUP - 230001 | FOURTH STREET & HAVEN AVENUE | Ocean City Housing Authority requests a CAFRA Individual Permit for a 60-unit affordable housing project, proposed to replace the flood-prone Pecks Beach Village housing complex. | OCEAN CITY HOUSING @ 4TH ST & HAVEN AVE | Kathleen Preston, Todd Stueber | 04/27/2023 |
| Ocean - Berkeley Twp | 1505-10-0044.7 - LUP - 130001 | 34 DOYLE DR | individual permit ; it is proposed to redevelopment the property to remove 3 existing homes and construct 15 residential single family dwellings | RPM MARINA | Dhruv Patel Vivian Fanelli | 2/11/2013 |
| Ocean - Manchester Twp | 1518-05-0011.1 - LUP - 230001 | RT 70 | Construction of a Renewable Natural Gas Facility | OCEAN ENERGY HOLDING LLC | Andre Thompson, Vivian Fanelli | 04/27/2023 |
| Ocean - Seaside Heights Boro | 1526-23-0002.1 - LUP - 230001 | 419 BOULEVARD | The applicant is proposing to completely demolish the vacant Karma Bar and associated improvements in order to construct a five-story, 20,670 square feet mixed-use (commercial/residential) building and accessory development within the subject property. | 419 BOULEVARD | Andre Thompson, Carlene Purzycki | 03/22/2023 |

Atlantic

Atlantic - Atlantic City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|-------------|---------------------------------|
| 0102-04-0024.2 - LUP - 230001 | 129 SOUTH NEWTON AVENUE | THE APPLICANT PROPOSES TO CONSTRUCT AN EXPANSION TO AN EXISTING SINGLE FAMILY RESIDENCE TO INCLUDE A POOL, POOL HOUSE, DECKS, WALKS, LANDSCAPING AND OTHER RELATED SITE IMPROVEMENTS. SITE PREPARATION IS NEEDED AS LOT 7 OF THE APPLICATION IS CURRENTLY VACANT. | RAAB MARVIN | Michael Sheehan, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/20/2023 | | |
| Application Administratively Complete | | 03/20/2023 | | |
| Approved | | 07/11/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------------|---|-----------------------------------|-----------------------------|
| 0103-04-0005.2 - LUP - 230001 | 4705 ATLANTIC BRIGANTINE BOULEVARD | Construction of two single family dwelling, two recreational docks, and associated site improvements. | 4705 ATLANTIC BRIGANTINE BULKHEAD | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-SFH/Duplex | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------------|---|---------------------------------------|-----------------|
| 0103-23-0005.1 - LUP - 230001 | 4616-4618 ATLANTIC-BRIGANTINE BLVD | The Project is for the Installation of a Recreational Dock consisting of an Aluminum Pier, Ramp, Floating Dock, Jet-ski Dock and a Boat Lift along with associated piles and mooring piles. | 4616-4618 ATL-BRIG BLVD PROPOSED PIER | Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/05/2023 | | |
| Application Administratively Complete | | 04/05/2023 | | |
| Approved | | 06/28/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------------------|----------------------------|
| 0103-23-0007.1 - LUP - 230001 | 307 DOLPHIN DRIVE | Reconstruction of a three story single family dwelling, pool, driveway, and associated improvements. | 307 DOLPHIN DRIVE SINGLE FAMILY | Bryan Carter, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---------------------------|-------------------------------|-----------------|
| 0103-23-0008.1 - LGP - 230001 | 476 WEST SHORE DRIVE | GP10 - Bulkheads | 476 WEST SHORE DRIVE BULKHEAD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |
| Approved | | 06/28/2023 | | |

Atlantic - Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|------------------------------------|-----------------|
| 0108-23-0005.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Maintenance dredging of Patcong Creek (State Navigation Channel #179), Egg Harbor Township, Atlantic County. Placement in geotextile bags at Beesley's Point CDF, Upper Township, Cape May County. Total volume dredged will be 68,820 cy. Authorized depth is -5' below MLW with 1' of over dredge. Minor repairs to CDF's existing berm required to facilitate dredged material management and dewatering. This is a Super Storm Sandy safe navigation project. | PATCONG CREEK MAINTENANCE DREDGING | Gary Nickerson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/09/2023 | | |
| Application Administratively Complete | | 07/06/2023 | | |

Atlantic - Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|------------------------------|-----------------|-----------------|
| 0108-23-0006.1 - LGP - 230001 | 116 MORRIS AVENUE | GP24 - Malfunctioning Septic | PERICLES THOMAS | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2023 | | |
| Application Administratively Complete | | 07/06/2023 | | |
| Approved | | 07/06/2023 | | |

Atlantic - Folsom Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|------------------------|------------------------------|
| 0110-13-0003.1 - LUP - 220001 | EIGHTH ST | Replacement of the existing bridge which is currently closed to traffic | ATLANTIC CNTY @ 8TH ST | Brett Kosowski, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/29/2022 | | |
| Application Administratively Complete | | 08/29/2022 | | |
| Technical Information Requested | | 09/26/2022 | | |
| Technical Deficiency Information Received | | 03/03/2023 | | |
| Approved | | 06/30/2023 | | |

Atlantic - Somers Point City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|--|------------------------|-----------------|
| 0121-21-0002.3 - LUP - 230001 | 137 & 139 GIBBS AVENUE | Proposed Mechanical Dredging | 137 & 139 GIBBS AVENUE | Kip LeWarn |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Atlantic - Ventnor City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|--------------------|--------------------------------|
| 0122-09-0010.2 - LUP - 230001 | 5400 EDGEWATER AVENUE | The project requires a Waterfront Development Permit for the proposed bulkhead reconstruction: A portion of the bulkhead will be reconstructed in place(21.5 L.F +/-) & a portion of will be reconstructed 24 outshore(55 L.F +/-) with a proposed 5-foot Return. The project also requires a Coastal General Permit Number No.5 for the proposed addition and the proposed pool to be constructed upland of the bulkhead. | 5400 EDGEWATER AVE | Stephen Mitchell, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2023 | | |
| Application Administratively Complete | | 07/05/2023 | | |

Atlantic - Ventnor City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|-----------------------------|--------------------|-----------------|
| 0122-22-0011.1 - LUP - 230001 | 804 NORTH HARVARD AVENUE | COASTAL WETLANDS PERMIT | 804 N. HARVARD AVE | Allyson Rooke |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/06/2023 | | |
| Application Administratively Complete | | 04/06/2023 | | |
| Approved | | 06/29/2023 | | |

Bergen - Allendale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|--------------------------|---|--|-------------------------------|
| 0201-10-0005.2 - LUP - 230001 | 664 WEST CRESCENT AVENUE | Elevated levels of per- and polyfluoroalkyl substances (PFAS) have been detected in the groundwater supplying the Allendale Well No. 11. With long term treatment to be evaluated under a future project, Veolia Water New Jersey (VWNJ) proposes to construct a temporary treatment system at the Allendale Well No. 11 site. The installation of a temporary treatment system at the existing site is necessary to treat PFAS in accordance with NJDEP Safe Drinking Water regulations. | VEOLIA WATER NJ INC@ ALLENDALE WELL 11 | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/22/2023 | | |
| Application Administratively Complete | | 05/22/2023 | | |
| Technical Information Requested | | 06/20/2023 | | |
| Technical Deficiency Information Received | | 06/30/2023 | | |

Bergen - Carlstadt Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-----------------------|---|-------------------------------|-------------------------------|
| 0205-22-0003.1 - LUP - 230001 | 333 WASHINGTON AVENUE | The proposed project includes the construction of a warehouse building and parking lot with associated site improvements. | GIC CARLSTADT WASHINGTON, LLC | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/28/2023 | | |
| Application Administratively Complete | | 04/06/2023 | | |
| Technical Information Requested | | 05/04/2023 | | |
| Technical Deficiency Information Received | | 05/30/2023 | | |
| Technical Information Requested | | 06/13/2023 | | |
| Technical Deficiency Information Received | | 06/28/2023 | | |

Bergen - Carlstadt Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|----------------------|-------------------------------|
| 0205-23-0003.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The site is within the tidal flood hazard area and therefore requires an Individual Flood Hazard Area Permit. | 130 MOONACHIE AVENUE | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/11/2023 | | |
| Application Administratively Complete | | 04/11/2023 | | |
| Approved | | 07/07/2023 | | |

Bergen - Carlstadt Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|--------------|---------------------------|
| 0205-23-0004.1 - LUP - 230001 | 640 GOTHAM PARKWAY | Proposed parking lot expansion for an existing warehouse facility. | PROLOGIS, LP | Cindy Rivera, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Bergen - Closter Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-----------------------------------|-----------------|--------------------------------|
| 0207-23-0001.1 - LUP - 230001 | 38 WILSON PLACE | PROPOSED POOL AND PATIO IN FHA RZ | 38 WILSON PLACE | Adam Fallone, Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/08/2023 | | |
| Application Administratively Complete | | 03/08/2023 | | |
| Approved | | 07/05/2023 | | |

Bergen - Demarest Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---------------------------|--------------------|-----------------|
| 0209-23-0003.1 - FHC - 230001 | 56 GLENWOOD AVENUE | FHGPC8 Building Addition | 56 GLENWOOD AVENUE | |
| Permit Category | | Permit/Authorization Type | | |
| FHA Permit by Certification | | FHGPC8 Building Addition | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |
| Approved | | 07/11/2023 | | |

Bergen - East Rutherford Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|--|--|-------------------------------|
| 0212-23-0001.1 - LUP - 230001 | 880 PATERSON PLANK ROAD | Modify existing warehouse development, demolish an existing structure, and propose a trailer storage lot | RLF IV PATERSON PLANK SPE LLC- EAST RUTHERFORD | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/06/2023 | | |
| Application Administratively Complete | | 03/06/2023 | | |
| Technical Information Requested | | 03/30/2023 | | |
| Amended Application Received | | 06/30/2023 | | |

Bergen - Edgewater Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|---|-----------------------------------|---------------------------|
| 0213-23-0001.1 - LUP - 230001 | 163 & 135 OLD RIVER ROAD | MULTI USE DEVELOPMENT INCLUDING 194 RESIDENTIAL UNITS, 143 ROOM HOTEL AND 230 SEAT RESTAURANT | THREE Y LLC MULTI USE DEVELOPMENT | Andrew Mazza, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Bergen - Fair Lawn Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|-----------------|
| 0217-23-0003.1 - FHC - 230001 | 18-50 RIVER RD | FHGPC5 Bldg Reconstruction, Relocation, Expansion/Elevation | MPB REALTY LLC | |
| Permit Category | | Permit/Authorization Type | | |
| FHA Permit by Certification | | FHGPC5 Bldg Reconstruction, Relocation, Expansion/Elevation | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/07/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |
| Approved | | 07/07/2023 | | |

Bergen - Franklin Lakes Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------|-------------------------------|
| 0220-23-0004.1 - LUP - 230001 | 870 CIRCLE AVENUE | FHA Method 5 verification of Allerman Brook. Just the extent of the FHA. A floodway verification is not pursued. | 870 CIRCLE AVE | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/07/2023 | | |
| Application Administratively Complete | | 06/12/2023 | | |
| Technical Information Requested | | 07/11/2023 | | |

Bergen - Hackensack City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|----------------------------------|------------------|
| 0223-23-0004.1 - LLI - 230001 | 278 RIVER STREET | FWLI4 - Verification over an acre | CITY OF HACKENSACK FOSCHINI PARK | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Bergen - Hackensack City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|-------------------------------------|-------------------------|
| 0223-23-0004.1 - LUP - 230001 | 278 RIVER STREET | The proposed improvements to Foschini Park include new natural grass and synthetic athletic fields, sports lighting, parking lots, playgrounds, fieldhouses and other recreational amenities. | CITY OF HACKENSACK FOSCHINI PARK | Dhruv Patel, Kip LeWarn |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP21 Above Ground Utility Lines | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Bergen - Hillsdale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---|--|--------------------------------|-------------------------------|
| 0227-22-0002.1 - LUP - 220001 | 60-77 BROOKSIDE PL & 131-145 PATTERSON ST | The project proposes roadway widening, the construction of a four-story multi-family residential building and four-story parking structure, and the revegetation of a portion of the riparian zone. A total of 16,870 SF of disturbance is proposed within the riparian zone. An area of fill is proposed within the flood hazard area for construction of the building above the flood hazard area elevation as required for multi-family residential developments. | PATTERSON ST URBAN RENEWAL LLC | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/15/2022 | | |
| Application Administratively Complete | | 08/15/2022 | | |
| Technical Information Requested | | 09/09/2022 | | |
| Technical Deficiency Information Received | | 11/04/2022 | | |
| Technical Information Requested | | 11/16/2022 | | |
| Technical Deficiency Information Received | | 02/22/2023 | | |
| Technical Information Requested | | 03/08/2023 | | |
| Technical Deficiency Information Received | | 04/10/2023 | | |
| Approved | | 07/06/2023 | | |

Bergen - Lodi Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|----------------------|---|----------------------------------|-------------------------------|
| 0231-22-0002.1 - LUP - 220001 | 199 GARIBALDI AVENUE | The Applicant is proposing the construction of a multi-building mixed-use redevelopment within the flood hazard area and riparian zone. The redevelopment will consist of the construction of three mixed-use buildings and a fourth building that will serve as a parking deck for a total building coverage of 179,425 SF. Additional site improvements include surface off-street parking, landscaping, lighting, utilities, and a stormwater conveyance system. | PROPOSED MIXED-USE REDEVELOPMENT | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/10/2022 | | |
| Application Administratively Complete | | 06/10/2022 | | |
| Technical Information Requested | | 07/11/2022 | | |
| Technical Deficiency Information Received | | 06/16/2023 | | |
| Technical Information Requested | | 06/30/2023 | | |

Bergen - Lyndhurst Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|------------------------|------------------------|
| 0232-09-0002.2 - LUP - 230001 | 525 RIVERSIDE AVENUE | This WDIP application is an ex-post facto application being submitted for fill that was placed along the shoreline of the Passaic River around 1979. This application is also a precursor to a NJDEP Bureau of Tidelands application to be developed subsequently. The NJDEP File number for this Site is 0232-09-0002.1 TDI090001. | CARLA DEVELOPMENT CORP | Dhruv Patel, Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Bergen - Mahwah Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|----------------------|--|---|----------------------------------|
| 0233-23-0003.1 - LUP - 230001 | 147 CATHERINE AVENUE | Reconstruction of an existing single-family dwelling in the floodway of the Ramapo River. Applying for a GP#5 Permit | RECONSTRUCTIO N OF SINGLE FAMILY DWELLING | Ashleigh Windawi, Danielle Jones |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP5 Reconstructr/Elevate Building in Floodway | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/02/2023 | | |
| Application Administratively Complete | | 02/02/2023 | | |
| Technical Information Requested | | 02/22/2023 | | |
| Amended Application Received | | 04/06/2023 | | |
| Technical Deficiency Information Received | | 04/06/2023 | | |
| Approved | | 06/29/2023 | | |

Bergen - Midland Park Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|---|--------------------|-------------------------------|
| 0235-23-0001.1 - LUP - 230001 | 90 MIDLAND AVENUE | The proposed development will consist of the demolition of the existing one-story masonry building, to construct a new 30,915 SF three- story multi-family residential building containing 24 units and 50 parking spaces. Supporting improvements are inclusive of new driveways, landscaping, utilities, site lighting and stormwater management measure. | ZUIDEMA REALTY LLC | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/16/2023 | | |
| Application Administratively Complete | | 03/16/2023 | | |
| Technical Information Requested | | 04/12/2023 | | |
| Technical Deficiency Information Received | | 06/16/2023 | | |
| Technical Information Requested | | 06/30/2023 | | |

Bergen - Montvale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------|----------------------------------|
| 0236-18-0001.1 - LUP - 230001 | MIDDLETOWN RD | Construction of 3 new single-family dwellings. | ELIZABETH ST | Ashleigh Windawi, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/03/2023 | | |
| Application Administratively Complete | | 07/03/2023 | | |

Bergen - Moonachie Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|---|---------------------------------|-------------------------------|
| 0237-23-0001.1 - LUP - 230001 | 10 EMPIRE BOULEVARD | The proposed project includes the demolition of the existing building, and modifications to the existing parking, access drives, and utilities for the construction of a 102,632 square-foot warehouse building having a finished floor elevation of approximately 10.6 feet. The project also includes the construction of loading docks, car parking and a stormwater management system that includes a bioretention basin and stormwater outfalls. | BLPF NJ 10 EMPIRE BOULEVARD LLC | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| No Match | | Meadowlands District Water Quality Certificate | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/01/2023 | | |
| Application Administratively Complete | | 03/01/2023 | | |
| Technical Information Requested | | 03/28/2023 | | |
| Technical Deficiency Information Received | | 04/11/2023 | | |
| Approved | | 07/06/2023 | | |

Bergen - New Milford Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------------|-----------------------------|
| 0238-23-0001.1 - LUP - 230002 | STEUBEN AVENUE | The proposed project involves placing a liner within the existing culvert beneath Steuben Avenue in the Borough of New Milford, Bergen County, NJ. | NEW MILFORD BORO @ STEUBEN AVE | Dhruv Patel, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/17/2023 | | |
| Application Administratively Complete | | 03/07/2023 | | |
| Technical Information Requested | | 03/31/2023 | | |
| Withdrawn | | 06/30/2023 | | |

Bergen - Norwood Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------------------|--------------------------------|
| 0241-23-0001.1 - LUP - 230001 | HEMLOCK COURT | The Borough of Norwood intends to construct a 5'-wide asphalt sidewalk along Hemlock Court. In addition, the Borough will construct a decorative fence to prevent residents from entering the adjacent wetlands and a retaining wall along the asphalt walkway to allow the walkway to be constructed at the existing ground elevation. Hemlock Court is a dead-end road with no access for pedestrians other than the existing roadway. The proposed asphalt sidewalk will provide the residents of Hemlock Court w | 2022 MUNICIPAL ROAD PROGRAM | Adam Fallone, Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP13 Trails/Boardwalks | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/03/2023 | | |
| Application Administratively Complete | | 03/03/2023 | | |
| Approved | | 06/29/2023 | | |

Bergen - Oakland Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---|------------------|
| 0242-23-0002.1 - FWW - 230001 | 66 SPRUCE STREET | THE PROJECT PROPOSES TO INSTALL A GRANULAR ACTIVATED CARBON(GAC) WATER TREATMENT SYSTEM WHICH CONSISTS OF CONSTRUCTION OF A CONCRETE PAD FOR THE PLACEMENT OF TWO(2) CARBON STEEL TANKS. | OAKLAND WATER TREATMENT SYSTEMS WELL 10 | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/21/2023 | | |
| Application Administratively Complete | | 02/21/2023 | | |
| Issued | | 06/29/2023 | | |

Bergen - Oakland Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------------|---|------------------|
| 0242-23-0002.1 - LLI - 230001 | 66 SPRUCE STREET | LOI FOOTPRINT | OAKLAND WATER TREATMENT SYSTEMS WELL 10 | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI2 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/09/2023 | | |
| Application Administratively Complete | | 03/07/2023 | | |
| Withdrawn | | 06/29/2023 | | |

Bergen - Oakland Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|---|------------------|
| 0242-23-0002.1 - LUP - 230001 | 66 SPRUCE STREET | THE PROJECT PROPOSES TO INSTALL A GRANULAR ACTIVATED CARBON(GAC) WATER TREATMENT SYSTEM WHICH CONSISTS OF CONSTRUCTION OF A CONCRETE PAD FOR THE PLACEMENT OF TWO(2) CARBON STEEL TANKS. | OAKLAND WATER TREATMENT SYSTEMS WELL 10 | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/13/2023 | | |
| Application Administratively Complete | | 02/13/2023 | | |
| Approved | | 06/29/2023 | | |

Bergen - Paramus Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|--|--------------------------|-------------------------------|
| 0246-23-0001.1 - LUP - 230001 | 299-319 ROUTE 17 SOUTH | The project proposes to redevelop an existing parking lot to include the construction of a three- story self-storage facility with site improvements within a previously developed site. | PARAMUS INVESTORS II LLC | Ashleigh Windawi, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/06/2023 | | |
| Application Administratively Complete | | 03/06/2023 | | |
| Approved | | 06/29/2023 | | |

Bergen - Paramus Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|----------------------|-------------------------------|
| 0246-23-0002.1 - LUP - 230001 | 630-650 FROM ROAD | The Applicant is seeking to procure a Flood Hazard Area Verification and Individual Permit for a proposed mixed-use development and associated site improvements. | VERMELLA PARAMUS III | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/03/2023 | | |
| Application Administratively Complete | | 07/03/2023 | | |

Bergen - Park Ridge Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|----------------------------|-------------------------------|
| 0200-22-0008.1 - LUP - 220001 | 1 SONY DRIVE | PROPOSED GRADING ACTIVITIES IN FLOOD HAZARD AREA, PROPOSED STRUCTURE IN FLOOD HAZARD AREA, PROPOSED RIPARIAN ZONE DISTURBANCE | AR LANDMARK PARK RIDGE LLC | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/21/2022 | | |
| Application Administratively Complete | | 06/21/2022 | | |
| Technical Information Requested | | 07/18/2022 | | |
| Technical Deficiency Information Received | | 08/17/2022 | | |
| Technical Information Requested | | 08/30/2022 | | |
| Technical Deficiency Information Received | | 09/29/2022 | | |
| Technical Information Requested | | 10/11/2022 | | |
| Technical Deficiency Information Received | | 12/16/2022 | | |
| Technical Information Requested | | 12/27/2022 | | |
| Technical Deficiency Information Received | | 01/20/2023 | | |
| Technical Information Requested | | 02/03/2023 | | |
| Technical Deficiency Information Received | | 03/13/2023 | | |
| Approved | | 07/07/2023 | | |

Bergen - Park Ridge Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|----------------------------|-------------------------------|
| 0200-22-0008.1 - LUP - 220002 | 1 SONY DRIVE | The General Permit Number 6 is requested to disturb an isolated wetland for multi-family residential buildings, parking, and associated improvements. The General Permit Number 11 is requested to disturb a wetland for the construction of a stormwater outfall. The Transition Area Waiver Averaging Plan is requested to modify the overall shape but not size of the transition area. | AR LANDMARK PARK RIDGE LLC | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/21/2022 | | |
| Application Administratively Complete | | 11/03/2022 | | |
| Approved | | 07/07/2023 | | |

Bergen - Rockleigh Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-------------------|---|--------------------|-------------------------------|
| 0255-18-0002.1 - LUP - 230001 | 16 & 18 PARIS AVE | Construction of a 6-building residential complex which will require the following activities: Filling of non-tributary wetlands; intermediate resource value wetland transition area waiver compensation; construction of a walking trail and footbridge within wetlands transition area, flood fringe, and riparian buffer; displacement on-site of flood storage; and construction of a stormwater outfall within a regulated area. | MAXIM REALTY TRUST | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/28/2023 | | |
| Application Administratively Complete | | 04/28/2023 | | |
| Technical Information Requested | | 05/24/2023 | | |
| Technical Deficiency Information Received | | 06/26/2023 | | |
| Amended Application Received | | 07/03/2023 | | |
| Technical Information Requested | | 07/07/2023 | | |

Bergen - Rutherford Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|---|-------------------------------|
| 0200-02-0005.14 - LUP - 230001 | ROUTE 3 SERVICE ROAD | The project consists of the redevelopment of a former landfill site with one warehouse building with a total footprint of approximately 300,100 square feet with associated loading and parking areas, improvements to an existing haul/access road, and construction of a stormwater management system, landscaping, and utilities. The project will serve as the final landfill cap for the Rutherford West Landfill. | KINGSLAND DEVELOPMENT URBAN RENEWAL LLC | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| No Match | | Meadowlands District Water Quality Certificate | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/22/2023 | | |
| Application Administratively Complete | | 05/31/2023 | | |
| Technical Information Requested | | 06/28/2023 | | |

Bergen - Saddle River Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-----------------|-------------------------------|
| 0258-23-0004.1 - LUP - 230001 | 10 FOX HEDGE ROAD | FWW LOI line verification and flood hazard area verification method 5. | 10 FOX HEDGE RD | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/31/2023 | | |
| Application Administratively Complete | | 03/31/2023 | | |
| Approved | | 06/28/2023 | | |

Bergen - Tenaflly Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|----------------------------|--|---------------------|-------------------------------|
| 0261-23-0001.1 - LUP - 230001 | 4.5-5 WEST RAILROAD AVENUE | Applicant is seeking a hardship exception to allow the issuance of a permit for the Project, as the building to be reconstructed on the Property and partially converted to multi-residence use exists above a previously constructed and existing culvert that contains a floodway. | BERGEN PRO BUILDERS | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/12/2023 | | |
| Application Administratively Complete | | 04/12/2023 | | |
| Technical Information Requested | | 05/09/2023 | | |
| Technical Deficiency Information Received | | 06/16/2023 | | |
| Technical Information Requested | | 06/30/2023 | | |

Bergen - Waldwick Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|-------------------------------------|------------------------------|------------------|
| 0264-22-0004.1 - FWW - 220001 | 37-39 MALCOM STREET | Line Verification | WALDWICK WELL 4 IMPROVEMENTS | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2022 | | |
| Application Administratively Complete | | 09/21/2022 | | |
| Issued | | 07/07/2023 | | |

Bergen - Westwood Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|------------------|
| 0267-07-0006.1 - FWW - 230001 | BROADWAY | As shown on the Site Plan, the project includes the 26,835+/- sq. ft. expansion of an existing retail store (K-Mart building). As shown on the NJDEP Permitting Plan, the project will occur in the flood hazard area, the 300 ft. riparian zone and 150 ft. wetland transition area. | WESTWOOD BORO | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2023 | | |
| Application Administratively Complete | | 07/06/2023 | | |

Bergen - Westwood Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|---------------|-------------------------------|
| 0267-07-0006.1 - LUP - 230001 | BROADWAY | As shown on the Site Plan, the project includes the 26,835+/- sq. ft. expansion of an existing retail store (K-Mart building). As shown on the NJDEP Permitting Plan, the project will occur in the flood hazard area, the 300 ft. riparian zone and 150 ft. wetland transition area. | WESTWOOD BORO | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2023 | | |
| Application Administratively Complete | | 07/06/2023 | | |

Bergen - Woodcliff Lake Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------|-------------------------------------|
| 0268-18-0002.1 - FHA - 230001 | 223 WOODCLIFF AVE | The Borough of Woodcliff Lake recently purchased this property to convert it into a future park use. The site was formerly a plant nursery. The site contains soil impacted by nursery use, such as pesticides, fertilizers, etc. As such the Borough will be remediating the soil to comply with NJDEP residential soil standards. The remediation activities involve soil disturbance below grade, partially within the Flood Hazard Area of the adjacent Marquesan Brook. | WOODCLIFF LAKE | Ashleigh Windawi, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Bergen - Wyckoff Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|------------------------|-------------------------------------|
| 0270-22-0001.1 - LUP - 220001 | 204 MAPLE DRIVE | CONSTRUCTION OF A 61-UNIT APARTMENT BUILDING WITH PARKING UNDERNEATH AND THE CONSTRUCTION OF AN ABOVE GROUND DETENTION BASIN AND UNDERGROUND INFILTRATION BASIN.. | CANTERBURY DEVELOPMENT | Ashleigh Windawi, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/09/2022 | | |
| Application Administratively Complete | | 06/09/2022 | | |
| Technical Information Requested | | 06/30/2022 | | |
| Technical Deficiency Information Received | | 07/05/2023 | | |
| Technical Information Requested | | 07/13/2023 | | |

Bergen - Wyckoff Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|-------------------------------------|--------------------|------------------|
| 0270-22-0003.1 - FWW - 220001 | 94 MIDLAND AVENUE | FWLI 4 Line Verification | 94 MIDLAND AVE,LLC | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/14/2022 | | |
| Application Administratively Complete | | 12/21/2022 | | |
| Issued | | 07/03/2023 | | |

Bergen - Wyckoff Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-------------------|---|--------------------|------------------|
| 0270-22-0003.1 - LUP - 220001 | 94 MIDLAND AVENUE | Residential redevelopment and expansion in the FW Wetland Transition Area | 94 MIDLAND AVE,LLC | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP8 House Additions | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/22/2022 | | |
| Application Administratively Complete | | 12/21/2022 | | |
| Approved | | 07/03/2023 | | |

Burlington - Bordentown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-----------------------|---|------------------------------------|--------------------------------------|
| 0300-13-0004.6 - LUP - 220001 | 2540-2496 OLD YORK RD | The project consists of the construction of one warehouse building with a footprint of approximately 301,470 square feet and associated parking, access roads, stormwater management facilities and other necessary infrastructure improvements including widening and other improvements to Old York Road. Access to the project will consist of access roadways to and from Route 206 to the west and Old York Road to the south. | OLD YORK INDUSTRIAL PROPERTIES LLC | Ariana Tsiattalos, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/22/2022 | | |
| Application Administratively Complete | | 04/22/2022 | | |
| Technical Information Requested | | 05/19/2022 | | |
| Technical Deficiency Information Received | | 06/10/2022 | | |
| Technical Information Requested | | 11/23/2022 | | |
| Technical Deficiency Information Received | | 12/06/2022 | | |
| Technical Information Requested | | 12/20/2022 | | |
| Technical Deficiency Information Received | | 03/10/2023 | | |
| Approved | | 07/07/2023 | | |

Burlington - Burlington City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------------------|-----------------|
| 0305-13-0005.3 - FWW - 230001 | E RT 130 | The applicant is seeking a permit extension of a transition area waiver associated with a levee improvements project. | BURLINGTON CITY ASSISCUNK CREEK LEVEE | Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | TAWEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/25/2023 | | |
| Application Administratively Complete | | 01/25/2023 | | |
| Withdrawn | | 07/07/2023 | | |

Burlington - Burlington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|---------------------|-----------------|
| 0306-02-0012.1 - FWW - 220001 | RANCOCAS RD | LOI Line Verification | SJK PPROPERTIES LLC | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/01/2022 | | |
| Application Administratively Complete | | 07/01/2022 | | |
| Issued | | 06/29/2023 | | |

Burlington - Burlington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|-----------------------|----------------------------------|
| 0306-21-0001.1 - LUP - 230001 | FOUNTAIN AVE | Multi-permit application for Freshwater Wetlands General Permit 11 and transition area waiver and Flood Hazard Area individual permit. Project proposed the construction of four (4) three-story residential apartment buildings consisting of 140 units along with 32 garages and 246 off-street parking spaces. | KINGS AT FOUNTAIN AVE | Dominick Cardella, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/09/2023 | | |
| Application Administratively Complete | | 03/09/2023 | | |
| Approved | | 07/06/2023 | | |

Burlington - Chesterfield Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-------------------|--|----------------------------|----------------------------------|
| 0300-20-0002.3 - LUP - 230001 | 228 OLD YORK ROAD | The subject application is for a Flood Hazard Area Individual Permit and Freshwater Wetland Special Activity Transition Area Waiver - Redevelopment. | ACTIVE ACQUISITIONS OY LLC | Dominick Cardella, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2023 | | |
| Application Administratively Complete | | 07/05/2023 | | |

Burlington - Evesham Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------------|-----------------|
| 0313-22-0001.1 - FWW - 220001 | 901 RT 73 SOUTH | Applicant seeks a letter of interpretation absence determination for the above referenced property. | RARITIAN REALTY PARTNERS LLC | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/20/2022 | | |
| Application Administratively Complete | | 07/19/2022 | | |
| Issued | | 07/11/2023 | | |

Burlington - Mount Laurel Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------------|---|--------------------------------------|-----------------|
| 0324-23-0008.1 - LUP - 230001 | PATRICIA LANE & MOUNT LAUREL ROAD | The project is replacement of an existing sanitary sewer force main in a municipal utility easement that will result in wetland and transition areas and requires a Freshwater Wetland General Permit #2. | MOUNT LAUREL TWP MUNICIPAL UTILITIES | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2023 | | |
| Application Administratively Complete | | 07/05/2023 | | |

Burlington - New Hanover Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------------|-----------------|
| 0325-09-0001.1 - LUP - 220001 | 4390 TEXAS AVE | dredging of McGuire airfield infield triangle. The drainage ditches are overgrown and causing standing water. the dredging is required to keep the ditches functioning as intended. | US AIR FORCE/787 CES/CENMP | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/18/2022 | | |
| Application Administratively Complete | | 07/28/2022 | | |
| Approved | | 07/11/2023 | | |

Burlington - Pemberton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------------|--|---|-----------------------------------|
| 0300-22-0001.2 - LUP - 230001 | 396 NORTH PEMBERTON RD | The project includes the construction of a 350,000 square foot warehouse building with 73 loading docks, 90 trailer parking spaces, and 192 vehicle parking spaces, as well as other infrastructure improvements including interior roadways and access drives, utilities, lighting, landscaping and stormwater management facilities. | 206 LOGISTICS HUB - PDC NORTHEAST LPIV JH/IM, | Brett Kosowski, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands General Permit | | FWW GP6A TA Adjacent to Non-Tributary Wetlands | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Burlington - Pemberton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|----------------------|--|-----------------------------------|-----------------------------------|
| 0329-21-0003.2 - LUP - 230001 | NORTH PEMBERTON ROAD | Wetlands and FHA Permits associated with a proposed residential development including wetland GPs. | K HOVNANIAN AT RANCOCAS CREEK LLC | Brett Kosowski, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/12/2023 | | |
| Application Administratively Complete | | 04/12/2023 | | |
| Technical Information Requested | | 05/09/2023 | | |
| Amended Application Received | | 06/30/2023 | | |

Burlington - Pemberton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|-------------------------------|-----------------------------------|
| 0329-22-0001.1 - LUP - 230001 | NORTH PEMBERTON RD | Construction of a 200,200 SF building with 214 car spaces, 46 loading docks, 39 trailer parking spaces, and 6 stormwater outfalls. | PANATTONI DEVELOPMENT CO. INC | Brett Kosowski, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Camden - Camden City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-----------------------------------|---------------------------------------|
| 0400-23-0001.1 - LUP - 230001 | VARIOUS LOCATIONS | Proposed installation of interpretative signage along the 13 mile stretch of Cooper River known as the Camden Water Trail. The signs will consist of various types & designs that will provide information ranging from trail mile markers to identification of historic locations, historic features, habitat, and wildlife found along the water trail. | CAMDEN WATER TRAIL (COOPER RIVER) | Dominick Cardella, Katherine Todoroff |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP13 Recreational Facility at Public Park | | |
| Flood Hazard General Permit | | FHA GP13 Trails/Boardwalks | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/20/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |

Camden - Clementon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------------------|----------------------------------|
| 0411-23-0002.1 - LUP - 230001 | 7 GARFIELD AVENUE | The project is replacement of an existing County bridge structure that will result in minimal impacts to a State open, riparian zone and flood hazard area pursuant to a Freshwater Wetland General Permit #10A and Flood Hazard Area Individual Permit. | CAMDEN COUNTY DEPT PUBLIC WORKS | Chris Squazzo, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Camden - Gloucester Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|----------------------|---|----------------|-------------------------------------|
| 0415-03-0010.3 - LUP - 230001 | 2751 SICKLERVILLE RD | The approximate 2.63-acre Site is designated as Block 14005, Lots 5 and 6 (aka 2751 Sicklerville Road) on the official Tax Maps of Gloucester Township. The project consists of developing the Site to commercial use. A 4,290-square foot cannabis dispensary is proposed. Site amenities including parking, lighting, and landscaping are also proposed to be provided. Transition Area Averaging and a FWW GP11 for a stormwater outfall are required. | LEE MAIMON INC | Chris Squazzo, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Camden - Somerdale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---|-----------------|
| 0431-04-0001.4 - FWW - 230001 | EVESHAM AVE | Extension of an existing LOI line verification. Redevelopment site for self-storage facility and associated site improvements. Reference FHA Individual Permit/ Verification and FWW general permit/ taw averaging plan for current proposed redevelopment. | KENNEDY MANAGEMENT & CONSULTING GROUP LLC | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Camden - Winslow Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|--------------------|-----------------|
| 0436-22-0003.1 - FWW - 220001 | 304 ERIAL RD | LOI Line verification. | WESTOVER COMPANIES | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/19/2022 | | |
| Application Administratively Complete | | 12/19/2022 | | |
| Issued | | 07/11/2023 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|--------------------------|------------------------------|
| 0501-02-0020.2 - CZM - 230001 | 91 NORTH INLET DRIVE | Proposed change to the project authorized under the general permit authorization or individual permit. | ALWAYS LOOKING 2 BUY LLC | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | Permit Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/13/2023 | | |
| Application Administratively Complete | | 04/13/2023 | | |
| Approved | | 06/28/2023 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|-------------|------------------------------|
| 0501-04-0037.6 - LUP - 230001 | AVALON AVE & 28TH ST | NEW STORMSEWER INFRASTRUCTURE WITH AN OUTFALL AT TOWNSENDS INLET. SECONDARY SANITARY SEWER MAIN TO SERVE EXISTING LATERALS IN AVALON AVENUE. | AVALON BORO | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/09/2023 | | |
| Application Administratively Complete | | 03/10/2023 | | |
| Complete for Final Review | | 06/15/2023 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|-------------|------------------------------|
| 0501-04-0037.6 - LUP - 230002 | AVALON AVE & 28TH ST | NEW STORMSEWER INFRASTRUCTURE WITH AN OUTFALL AT TOWNSENDS INLET. SECONDARY SANITARY SEWER MAIN TO SERVE EXISTING LATERALS IN AVALON AVENUE. | AVALON BORO | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/09/2023 | | |
| Application Administratively Complete | | 03/10/2023 | | |
| Withdrawn | | 07/07/2023 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------------|--|------------------------------|-----------------------------|
| 0506-04-0010.1 - LUP - 230001 | 500 PERSHING & 500 N WILDWOOD RD | The proposed development includes the construction of a 31,500 SF one-story self storage building on Lots 4 & 5, as well as the conversion of the existing building on Lot 1 into a self-storage use. Associated site improvements include proposed driveways, stormwater management facilities, utilities, lighting, and landscaping. | N. WILDWOOD BLVD ACQ CO. LLC | Ryan Anderson, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/02/2023 | | |
| Application Administratively Complete | | 03/06/2023 | | |
| Approved | | 07/03/2023 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------------------|-----------------|
| 0506-08-0030.5 - CSW - 230001 | 33 SEABREEZE LN | modification to authorize the existing fixed pier, the existing open boat lit and the existing float with ramp | O'HARA FAMILY LIMITED PARTNERSHIP | Becky Mazzei |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands | | Permit Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/13/2023 | | |
| Application Administratively Complete | | 01/13/2023 | | |
| Approved | | 07/07/2023 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------|-----------------|
| 0506-14-0017.1 - LUP - 230001 | 1199 RT 9 S | The applicant proposes to construct an office/ workshop building and associated infrastructure which involves the disturbance of a non-tributary isolated freshwater wetlands. | BUDD BEN | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Cape May - Sea Isle City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|--|----------------|--------------------------------|
| 0509-21-0005.1 - LUP - 230002 | 2700-2706 LANDIS AVENUE | Construction of a single family dwelling | PFISTER ROBERT | Kathleen Preston, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/08/2023 | | |
| Application Administratively Complete | | 03/08/2023 | | |
| Withdrawn | | 07/05/2023 | | |

Cape May - Sea Isle City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------|------------------|
| 0509-23-0008.1 - LUP - 230001 | 325 45TH PLACE | Waterfront Development Permit Application - Bulkhead Reconstruction (outshore) and Proposed Docking Facility | 325 45TH PLACE | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2023 | | |
| Application Administratively Complete | | 07/06/2023 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------------------|--------------------------------|
| 0510-03-0001.1 - LUP - 230001 | STONE HARBOR PT | Emergency beach access repair. Modification of the 127th Street rock groin to mitigate structural failures. | STONE HARBOR BORO@ STONE HARBOR PT | Kathleen Preston, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/31/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|---------------------|--------------------------------|
| 0510-05-0005.1 - LUP - 230001 | 10602 CORINTHIAN DR | Coastal General Permit No. 5 Application - Proposed Covered Deck | 10602 CORINTHIAN DR | Kathleen Preston, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/05/2023 | | |
| Application Administratively Complete | | 04/05/2023 | | |
| Approved | | 07/03/2023 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---|--------------------------|------------------|
| 0510-23-0002.1 - LUP - 230001 | 10020 CORINTHIAN DRIVE | The application involves a Waterfront Development Individual Permit for the construction of a new vinyl bulkhead a maximum of 30" waterward of the existing timber bulkhead, confirmation of authorization of the grand- fathered dock structures, and the removal of unauthorized dock structures. | MURRAY ROBERT E & JOAN L | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/07/2023 | | |
| Application Administratively Complete | | 03/07/2023 | | |
| Approved | | 07/03/2023 | | |

Cape May - Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---|-------------------------------------|--------------------|-----------------|
| 0514-06-0020.2 - LLI - 230001 | 704-706 W. BURK AVENUE & 645 W. ANDREWS | FWLI4 - Verification over an acre | BURK AVENUE MARINA | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Cape May - Wildwood Crest Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|-------------------------|------------------|
| 0515-11-0003.2 - WFD - 210001 | 6400 6406 PARK BLVD | The applicant is applying for a Zane Letter to recognize the exemption of a portion of the existing waterfront structures. | FRANCO JOSEPH & ARLIEEN | Megan McCafferty |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Zane Letter | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/09/2021 | | |
| Application Administratively Complete | | 06/09/2021 | | |
| Issued | | 07/07/2023 | | |

[Cumberland](#)

Cumberland - Bridgeton City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|-------------------------------|----------------------------|
| 0600-21-0002.1 - LUP - 230002 | SOUTH AVE RT 609 N | The proposed project involves removal of the existing brick arch culvert and replacement with a 72-inch reinforced concrete pipe (RCP). The proposed improvements also involve relocating overhead communication lines. The communication lines will be temporarily relocated during construction and the permanent location of the lines will be slightly off-set from the existing locations. | CUMBERLAND CNTY DPW SOUTH AVE | Becky Mazzei, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/24/2023 | | |
| Application Administratively Complete | | 03/31/2023 | | |
| Complete for Final Review | | 06/29/2023 | | |

Cumberland - Downe Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|------------------------|-----------------|
| 0604-23-0002.1 - LGP - 230001 | 321 BAPTIST ROAD | GP24 - Malfunctioning Septic | NEWPORT BAPTIST CHURCH | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |
| Approved | | 06/30/2023 | | |

Cumberland - Millville City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|---|--------------------------------|
| 0610-23-0001.1 - LUP - 230001 | MAURICE RIVER BIKEWAY | This project involves the construction of approximately 0.75 miles of bicycle lanes along existing paved roadways. The bike path route will commence at the end of the existing Phase IV trail in Riverview Park and terminates at the Carmel Road (CR 667) School House Lane intersection. The new bike path continues the existing bike network within the City of Millville and will provide a continuous route from Riverview Park to the Mount Pleasant Elementary School. | NJDOT MAURICE RIVER BIKEWAY TRAIL MILLVILLE | Damian Friebe, Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/08/2023 | | |
| Application Administratively Complete | | 03/08/2023 | | |
| Approved | | 07/05/2023 | | |

Cumberland - Vineland City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|----------------------|-------------------------------|
| 0614-06-0027.1 - LUP - 230001 | 1107 E CHESTNUT AVE | Verification for riparian zone buffer width. | 1107 E. CHESTNUT AVE | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

[Essex](#)

Essex - Cedar Grove Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---|------------------------------|
| 0704-18-0001.1 - LUP - 230001 | WEST BRADFORD AVE | The applicant is proposing to construct an addition and associated site improvements to the subject property | CEDAR GROVE TWP BOA @ WEST BRADFORD AVE | Cindy Rivera, Danielle Jones |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |

Essex - Millburn Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------|----------------------------------|
| 0712-12-0002.1 - LUP - 230001 | 100 MAIN ST | The dredging and off-site disposal of approximately 750 cubic yards of accumulated sediment from Taylor Pond that will result in temporary disturbances to State-open waters and and/or the riparian zone. | MILLBURN TWP | Dennis Contois, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP13 Dredging-Lakes | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/10/2023 | | |
| Application Administratively Complete | | 03/10/2023 | | |
| Approved | | 06/02/2023 | | |

Essex - Montclair Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|--|----------------|------------------------------|
| 0713-23-0002.1 - LUP - 230001 | 6 OAKCROFT AVENUE | Construction of a single family dwelling on an existing single family lot. | 6 OAKCROFT AVE | Dennis Contois, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/28/2023 | | |
| Application Administratively Complete | | 02/28/2023 | | |
| Technical Information Requested | | 03/21/2023 | | |
| Technical Deficiency Information Received | | 04/12/2023 | | |
| Approved | | 07/06/2023 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|--------------------------------|----------------------------------|
| 0714-03-0002.2 - LUP - 220001 | 241 CALCUTTA ST | Port Newark Container Terminal (PNCT) in Port Newark, New Jersey (Lot: 35, Block: 6000); is proposing to expand Building 240 to the west for a Heavy Duty Straddle Carrier Shop (HDSS). The area is currently developed and used as a paved storage yard. An above-ground fuel storage tank will be relocated within the terminal. It is anticipated that this project will have 0.88 + 0.47 = 1.35 acres (58,806 sq. ft.) of disturbance which would take place during site clearance and construction of the build | PORT NEWARK CONTAINER TERMINAL | Chivon Kisic, Christian Zografos |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/28/2022 | | |
| Application Administratively Complete | | 03/29/2022 | | |
| Technical Information Requested | | 04/25/2022 | | |
| Amended Application Received | | 10/27/2022 | | |
| Technical Deficiency Information Received | | 04/26/2023 | | |
| Approved | | 06/29/2023 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---|--|
| 0714-09-0004.4 - LUP - 230001 | 600 WILSON AVE | The applicant is requesting a flood hazard area verification to verify the extent of regulated area on the subject property. | PASSAIC VALLEY SEWER COMM C/O MCKENNA BRIDGET | Christian Zografos, Magda Usarek-Witek |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|---|-----------------|
| 0714-23-0004.1 - FWW - 230001 | 102 RUTHERFORD STREET | The proposed redevelopment project includes the demolition of the existing building onsite, and construction of an outdoor storage facility with associated trailer and box truck parking. Associated site improvements include stormwater infrastructure, landscaping and lighting improvements. The existing site is covered entirely with impervious surface. The project will require work within the paved wetland transition area, riparian zone, and tidal FHA onsite. | CENTERPOINT 92-106 RUTHERFORD LLC | Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/03/2023 | | |
| Application Administratively Complete | | 04/03/2023 | | |
| Issued | | 06/30/2023 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-----------------------|--|---|-------------------------------------|
| 0714-23-0004.1 - LUP - 230001 | 102 RUTHERFORD STREET | The proposed redevelopment project includes the demolition of the existing building onsite, and construction of an outdoor storage facility with associated trailer and box truck parking. Associated site improvements include stormwater infrastructure, landscaping and lighting improvements. The existing site is covered entirely with impervious surface. The project will require work within the paved wetland transition area, riparian zone, and tidal FHA onsite. | CENTERPOINT 92-106 RUTHERFORD LLC | Christian Zografos, Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/03/2023 | | |
| Application Administratively Complete | | 04/03/2023 | | |
| Approved | | 07/06/2023 | | |

Essex - North Caldwell Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-----------------------|-------------------------------|
| 0715-22-0002.1 - LUP - 230001 | 242 GRANDVIEW AVE | Patio and planting bed improvements were constructed within the riparian zone associated with an unnamed tributary to the Passaic River | ELDAOUSHI ISLAM & MAI | Dennis Contois, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/12/2023 | | |
| Application Administratively Complete | | 03/12/2023 | | |
| Approved | | 06/29/2023 | | |

[Gloucester](#)

Gloucester - Deptford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------------|-----------------|
| 0802-06-0008.1 - FWW - 220001 | 345 FLORENCE AVE | Construction of residential development. | FLORENCE DEVELOPERS LLC | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/11/2022 | | |
| Application Administratively Complete | | 08/11/2022 | | |
| Issued | | 06/29/2023 | | |

Gloucester - East Greenwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|----------------------------|--------------------------------|
| 0803-06-0003.1 - LUP - 200001 | DEMOCRAT RD | Proposed warehouse and associated site improvements including drainage and landscaping | KNIGHTS OWL HOLDINGS V LLC | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/16/2020 | | |
| Application Administratively Complete | | 11/16/2020 | | |
| Approved | | 07/10/2023 | | |

Gloucester - Franklin Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|----------------------------------|---------------------|-----------------|
| 0805-23-0004.1 - LGP - 230001 | 336 TUCKAHOE ROAD | GP24 - Malfunctioning Septic | RAUP, VICTORIA GP24 | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/07/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |
| Approved | | 07/07/2023 | | |

Gloucester - Glassboro Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|---------------------|---|--------------------|-------------------------------|
| 0806-22-0004.1 - LUP - 220001 | 124-128 DELSEA DR S | Redevelopment of Block 427, Lot 10.03 (Formerly lots 10.03 and 10.04) at 124-128 Delsea Drive S, Glassboro, Gloucester County. The Project proposes to redevelop the Site into an enclosed self-storage facility, including the modification and expansion of the on-Site commercial bakery building onto existing developed areas, the removal of the retail storefront, and the construction of two stormwater management basins. A Line Delineation LOI Is included/Submitted Concurrently | DEVON SELF STORAGE | Chris Squazzo, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/01/2022 | | |
| Application Administratively Complete | | 08/25/2022 | | |
| Approved | | 07/06/2023 | | |

Gloucester - Greenwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-----------------------------|-----------------|
| 0807-16-0001.2 - FWW - 230001 | 200 N REPAUNO AVE | The applicant is seeking to extend existing freshwater wetlands permit. | DELAWARE RIVER PARTNERS LLC | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWIP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |

Gloucester - Greenwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-----------------------------|-----------------|
| 0807-16-0001.2 - FWW - 230002 | 200 N REPAUNO AVE | The applicant is seeking to extend existing freshwater wetlands permit. | DELAWARE RIVER PARTNERS LLC | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | TAWEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |

Gloucester - Logan Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|--|--------------------------------|-----------------------------|
| 0800-14-0001.3 - LUP - 230001 | RT 130 & NORTONVILLE RD | Flood hazard area verification of Oldmans Creek. | STALWART LOGAN HOLDING CO. LLC | Rebecca Grike, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/09/2023 | | |
| Application Administratively Complete | | 03/09/2023 | | |
| Approved | | 06/28/2023 | | |

Gloucester - Logan Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|-------------------------------|
| 0809-23-0001.1 - LUP - 230002 | 2799 RT 322 | Development of a light industrial building. | 2799 ROUTE 322 | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/03/2023 | | |
| Application Administratively Complete | | 07/03/2023 | | |

Gloucester - Monroe Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|---------------------------------------|-----------------|
| 0811-23-0003.1 - LGP - 230001 | 220 THOMAS AVE | GP24 - Malfunctioning Septic | SARATOGA SPRINGS REAL ESTATE LLC GP24 | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2023 | | |
| Application Administratively Complete | | 07/06/2023 | | |
| Approved | | 07/06/2023 | | |

Gloucester - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|---------------------------------------|-------------------------------|
| 0818-23-0002.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The Township of Washington is proposing to remove the one (1) 36 by 60 CMP and replace it with one (1) 40 by 65 reinforced concrete arch pipe (total of 83LF). The proposed improvement activities will also include the installation of new Type Double B inlets, new concrete headwalls, a concrete apron at each end of the pipe, a rip-rap scour hole on the westerly down-gradient side, concrete curbs, a sidewalk, and a chain link fence. | WHITE BIRCH ROAD CULVERT IMPROVEMENTS | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/28/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Gloucester - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|---------------------------|-----------------|
| 0818-23-0003.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The Township intends to extend the existing sidewalk on both sides of the roadway, construct one (1) retaining wall system on the southwest side of the roadway, install three (3) Type B inlets, one (1) 15 reinforced concrete pipe, 15 HDPE pipes, split rail fencing, four (4) doghouse manholes, concrete and granite curbs and gutter, and guide rails with associated terminals and anchorage, repair and parge existing inlets, and replace asphalt pavements/drives and replace/ upgrade existing driveways. | WASHINGTON TWP@ LAKE PARK | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Wetlands (not SFH/Duplex) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/13/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Gloucester - West Deptford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---|----------------------|-----------------|
| 0820-23-0002.1 - FWW - 230001 | 202 OGDEN STATION ROAD | Freshwater wetlands letter of interpretation line verification to verify on-site wetland resources. | 202 OGDEN STATION RD | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/23/2023 | | |
| Application Administratively Complete | | 06/23/2023 | | |

Gloucester - Woolwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|------------------------------|-------------------------------|
| 0824-13-0003.2 - LUP - 230002 | 242 OAK GROVE ROAD | The application is for a flood hazard area verification for a 28.14-acre site under the method 5-approximation method. | 2024 OAK GROVE WOOLWICH, LLC | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Gloucester - Woolwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------------------|---|---------------|-------------------------------|
| 0824-23-0001.1 - LUP - 230002 | KINGS HIGHWAY AND ASBURY STATION ROAD | The proposed development consists of a residential development consisting of 1065 residential units, comprised of active-adult, market-rate, and COAH units. The site will also contain active and passive recreation areas, open space, roadway/sidewalk networks, and County roadway improvements. The proposed site is designed in a manner that generally maintains the existing drainage patterns. | GALLO STEPHEN | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/10/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |

[Hudson](#)

Hudson - Hoboken City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|---|-----------------------------------|
| 0905-23-0006.1 - LUP - 230001 | 57 MARSHALL STREET | The proposed development consists of a playground, basketball and pickle ball courts, a splash-pad water feature play area, and landscaping. The park will include water resiliency features such as rain gardens, pervious pavers and an underground detention system, which will be designed to store water in the event of localized flooding. The project proposes regulated activities within the flood hazard area; therefore, a Flood Hazard Area Individual Permit and Verification are required. | HOBOKEN CITY@ SOUTHWEST RESILIENCY PARK | Ariana Tsiattalos, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/26/2023 | | |
| Application Administratively Complete | | 04/26/2023 | | |
| Approved | | 06/29/2023 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|---|------------------------------------|
| 0906-03-0007.2 - LUP - 220001 | 50 HUDSON STREET | Construction of a high-rise residential building and public plaza over an existing subterranean parking facility. | 50 HUDSON STREET LLC C/O TISHMAN SPEYER | Christian Zografos, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/08/2022 | | |
| Application Administratively Complete | | 01/17/2023 | | |
| Technical Information Requested | | 02/13/2023 | | |
| Technical Deficiency Information Received | | 03/08/2023 | | |
| Approved | | 07/05/2023 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------|------------------------------------|
| 0906-16-0008.3 - LUP - 230001 | 2 CHAPEL AVE | Renovation and vertical expansion of an existing restaurant with associated sidewalks and ADA access ramps. The subject facility is on property leased by the applicant. | NORTH RIVER HOUSE LLC | Christian Zografos, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/21/2023 | | |
| Application Administratively Complete | | 03/04/2023 | | |
| Approved | | 06/29/2023 | | |

Hudson - Secaucus Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|-----------------------------|-----------------------------------|
| 0909-09-0006.2 - FHA - 230001 | 35 MEADOWLANDS PKWY | 35 Meadowland Parkway LLC is proposing a 52,388sf hotel with 122 guest rooms, 5,869sf dual entrance convenience store, and fueling stations with 8 MPD. Additional improvements include parking, lighting, landscaping and stormwater management facilities. | 35 MEADOWLANDS HOLDINGS LLC | Ariana Tsiattalos, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Hudson - Secaucus Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|-----------------------------|-----------------------------------|
| 0909-09-0006.2 - FHA - 230002 | 35 MEADOWLANDS PKWY | 35 Meadowland Parkway LLC is proposing a 52,388sf hotel with 122 guest rooms, 5,869sf dual entrance convenience store, and fueling stations with 8 MPD. Additional improvements include parking, lighting, landscaping and stormwater management facilities. | 35 MEADOWLANDS HOLDINGS LLC | Ariana Tsiattalos, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Hunterdon - Clinton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--|-------------------|
| 1006-08-0008.2 - LUP - 230001 | 42 LILAC DRIVE | THE APPLICANT IS PROPOSING TO REHABILITATE THE ECHO HILL POND DAM TO BRING IT INTO COMPLIANCE WITH THE CURRENT NJ DAM SAFETY STANDARDS. | HUNTERDON COUNTY NJ - ECHO HILL POND DAM | Michael Tropicano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP18 Dam Repairs | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/01/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |
| Technical Information Requested | | 07/11/2023 | | |

Hunterdon - Clinton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|-------------------------------------|--------------|-------------------|
| 1006-22-0001.1 - FWW - 220001 | 95 PETTICOAT LANE | | ZANELLI JOHN | Michael Tropicano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/19/2022 | | |
| Application Administratively Complete | | 05/19/2022 | | |
| Technical Information Requested | | 07/29/2022 | | |
| Technical Deficiency Information Received | | 04/24/2023 | | |
| Issued | | 07/10/2023 | | |

Hunterdon - East Amwell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|----------------------------------|-----------------------|-----------------|
| 1008-06-0007.1 - LGP - 230001 | 91 WERTSVILLE RD | GP24 - Malfunctioning Septic | FOSTER ROBERT & CAROL | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |
| Approved | | 06/30/2023 | | |

Hunterdon - East Amwell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|------------|-----------------|
| 1008-23-0002.1 - LGP - 230001 | 67 LINVALE ROAD | GP24 - Malfunctioning Septic | ERIC PEARL | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |
| Approved | | 06/30/2023 | | |

Hunterdon - Flemington Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------------|------------------|
| 1009-18-0001.1 - FWW - 230001 | PARKER AVE | Construction of a new residential town house development. | WERTSVILLE RD PROPERTIES LLC | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2023 | | |
| Application Administratively Complete | | 07/05/2023 | | |

Hunterdon - Flemington Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------------------|----------------------------------|
| 1009-23-0001.1 - LUP - 230001 | 23 STANGL ROAD | The Hoboken Brownstone Company's assignee HBC Liberty Village LLC is undertaking the redevelopment of the former Liberty Village shopping center. Phase 1 will transform the shopping center, which is currently almost fully vacant, into residential housing. The focus area of this application is the portion of the LVR project area west of Stangl Road, currently a paved parking lot, which is within the 1% annual chance of flood hazard area of Walnut Brook. | LIBERTY VILLAGE REDEVELOPMENT | Danielle Jones, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 4 (FEMA Hydraulic Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/13/2023 | | |
| Application Administratively Complete | | 06/13/2023 | | |
| Technical Information Requested | | 07/11/2023 | | |

Hunterdon - Readington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|-------------------------------------|-----------------|------------------|
| 1022-15-0004.2 - FWW - 210001 | 649 & 631 RT 22 | LOI | COUSSOULE STEVE | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2021 | | |
| Application Administratively Complete | | 09/14/2021 | | |
| Technical Information Requested | | 04/06/2022 | | |
| Technical Deficiency Information Received | | 07/10/2023 | | |

Hunterdon - Readington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|------------------------|-------------------------------|
| 1022-23-0008.1 - LUP - 230001 | 648 OLD YORK ROAD | EXTEND EXISTING DRIVEWAY CULVERT USED AS ACCESS FOR SINGLE-FAMILY-DWELLING ACCESS AND PSE&G ROW ACCESS. | PSEG @ 648 OLD YORK RD | Erin Signor, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/05/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |

Mercer - Ewing Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---|--------------------------------|
| 1102-07-0005.2 - LUP - 230001 | PIPELINE ROW | Transco is proposing to install two (2) new permanent tapping valves on its two Mainline A pipeline crossings of the Delaware River in order to allow Transco to utilize in-pipeline crawler technology, in lieu of hydrostatic testing, for future pipeline integrity testing as mandated by the U.S. Department of Transportation (USDOT) Pipeline and Hazardous Materials Safety Administration (PHMSA). The addition of these two valves will require an expansion of the existing fenced facility by 0.02 | TRANSCO MLA DELAWARE RIVER VALVES PROJECT | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/09/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |

Mercer - Hopewell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------|--------------------------------|
| 1106-19-0005.1 - LUP - 230001 | RT 31 | This project involves the installation of a dry hydrant and access driveway next to Hiohela Pond to be utilized by local fire departments as an emergency water source. Repairs to exiting dam included. | HOPEWELL TWP | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP18 Dam Repairs | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Mercer - Hopewell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------------------|---|--|-------------------|
| 1106-23-0007.1 - FWW - 230001 | 130 WASHINGTON CROSSING PENNINGTON RD | Flood hazard area verification & wetlands LOI | 130 WASHINGTON CROSSING PENNINGTON LLC | Ariana Tsiattalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Mercer - Hopewell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------------------|---|--|--------------------------------|
| 1106-23-0007.1 - LUP - 230001 | 130 WASHINGTON CROSSING PENNINGTON RD | Flood hazard area verification & wetlands LOI | 130 WASHINGTON CROSSING PENNINGTON LLC | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Mercer - West Windsor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|-------------|-------------------|
| 1113-22-0007.1 - FWW - 220001 | 1341 EDINBURG ROAD | The proposed activates on the subject property includes the subdivision of a single property into two separate properties, which will front Edinburg Rd and require no extension to public improvements. | RAWAL MANIK | Ariana Tsiattalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/21/2022 | | |
| Application Administratively Complete | | 11/21/2022 | | |
| Issued | | 06/29/2023 | | |

Middlesex - Dunellen Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|----------------------|----------------------------|
| 1203-23-0001.1 - LUP - 230001 | 501 NORTH AVENUE | Estates at North, LLC is proposing to redevelop Block 65, Lot 1 and Block 50, Lots 2 & 3 of Dunellen, NJ, commonly known as 501 North Avenue, located at the southern corner of the Madison Avenue and North Avenue (N.J.S.H. Route 28) intersection to accommodate a three- story mixed-use building with 47 residential units, approximately 4,200 SF of retail space, and ground floor parking. Additional improvements include an outdoor courtyard amenity space, lighting, landscaping, utility services, and s | ESTATES AT NORTH LLC | Adam Fallone, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/06/2023 | | |
| Application Administratively Complete | | 06/06/2023 | | |
| Technical Information Requested | | 07/05/2023 | | |
| Technical Deficiency Information Received | | 07/13/2023 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--|-----------------------------------|
| 1205-23-0007.1 - LUP - 230001 | WEST PATROL ROAD | Fill of headwater ditches and swales, outfalls to wetlands, transition area and riparian zone, verification of FHA, fill and compensation in FHA (zero net fill) in support of improvements to facilities at Thomas A. Edison county park in Edison Township. | MIDDLESEX CNTY ENG TA EDISON PARK IMPROVEMENT | Chris Squazzo, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/12/2023 | | |
| Application Administratively Complete | | 06/12/2023 | | |
| Technical Information Requested | | 07/11/2023 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------|--------------------------------|
| 1205-23-0009.1 - LUP - 230001 | 3 BRUNSWICK AVE | Proposed Mixed-Use Building with associated Site Improvements similar to those previously approved | LINCE SPORTS, LLC | Chris Squazzo, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2023 | | |
| Application Administratively Complete | | 07/06/2023 | | |

Middlesex - Middlesex Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|---|---------------------------------|-----------------|
| 1200-14-0004.4 - LUP - 220001 | 144-199 BAEKELAND AVENUE | The project is a 2,400 SF warehouse/office building with parking area and stormwater management features that resulted in filling of two (2) man-made wetland ditch/swale features. This application is for a freshwater wetland General Permit #7 to authorize these activities. | WEMALAGA PROPERTY MIDDLESEX LLC | Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/18/2022 | | |
| Application Administratively Complete | | 11/18/2022 | | |
| Approved | | 07/07/2023 | | |

Middlesex - Middlesex Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|--|--------------------------------|
| 1211-03-0008.8 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Installation of a gabion basket wall to will provide stabilization of the eroded bank and pipe. Flowable fill will be poured into the voids of the gabion baskets as well as the eroded areas and the space between the bank and the wall. Large rip rap stone will be placed upstream of the pipe for erosion protection, similar to the existing stone that lines portions of the bank. The new structures would provide protection of the undermined areas. | PARSA @NEW OUTFALL SEWER STABILIZATION | Adam Fallone, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/10/2023 | | |
| Application Administratively Complete | | 03/10/2023 | | |
| Approved | | 07/06/2023 | | |

Middlesex - Middlesex Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------|--------------------|
| 1211-05-0005.1 - FWW - 230001 | 750 SOUTH AVE | Letter of Interpretation, Presence or Absence | UNION FOUNDRY CO INC | Magda Usarek-Witek |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL11 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/03/2023 | | |
| Application Administratively Complete | | 01/03/2023 | | |
| Withdrawn | | 06/30/2023 | | |

Middlesex - Middlesex Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-----------------------------------|--------------------------|
| 1211-11-0002.1 - LUP - 230001 | 172 BAEKELAND AVE | On behalf of our client, Messer LLC (Client), GHD Services, Inc. (GHD) is submitting an application for the issuance of a NJDEP Freshwater Wetland General Permit 4 (GP-4) and Flood Hazard Area Individual Permit (IP). Our Client is proposing an environmental remediation project at the Former BOC Gases Site, located on Block 341 Lot 1 in the Borough of Middlesex, Middlesex County, New Jersey. The project includes limited excavation of historic fill / impacted soil within a wetland transition area | VEOLIA ES TECHNICAL SOLUTIONS LLC | Adam Fallone, Jeff Thein |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP4 Hazardous Site Investigation/Cleanup | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Middlesex - Milltown Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|-----------------------------|-----------------|
| 1212-22-0001.1 - LUP - 220001 | 300 RYDER LANE | The project involves proposed redevelopment of a lawfully existing commercial property to residential apartments, which requires a Transition Area Waiver Averaging Plan and Special Activity Waiver for redevelopment. A Letter of Interpretation has been submitted concurrently. | ARISA URBAN RENEWAL CO, LLC | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/12/2023 | | |
| Application Administratively Complete | | 04/12/2023 | | |
| Approved | | 06/30/2023 | | |

Middlesex - Monroe Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|-----------------|
| 1213-02-0040.4 - FWW - 230001 | MOUNTS MILLS RD | Application for a letter of interpretation verification to verify wetlands limits and wetlands resource value. | JSM @ MONROE LLC | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/03/2023 | | |
| Application Administratively Complete | | 07/03/2023 | | |

Middlesex - Monroe Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---|--------------------|-----------------|
| 1213-18-0002.1 - FWW - 230001 | 45 LOWER MATCHPONIX RD | Application for wetlands LOI Reissuances. | DIPASQUALE LUCILLE | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Middlesex - Monroe Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------------------|--|-----------|--------------------------|
| 1213-20-0003.1 - LUP - 230001 | 538 SPOTSWOOD ENGLISHTOWN RD | A single family dwelling and Pole Barn will be constructed on a 6 Acre Site. A FHAIP, Verification of FHA and Riparian Zone is needed. | HYE LINDA | Adam Fallone, Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/10/2023 | | |
| Application Administratively Complete | | 04/10/2023 | | |
| Technical Information Requested | | 05/04/2023 | | |
| Technical Deficiency Information Received | | 06/30/2023 | | |

Middlesex - Monroe Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|--------------------------------|---|---------------------------------|-----------------------------------|
| 1213-22-0001.1 - LUP - 220001 | PERRINEVILLE ROAD AND ROUTE 33 | The applicant is proposing the reconstruction of the jug handle at the intersection of Perrineville Road and New Jersey State Highway Route 33. The existing jug handle is currently undersized and not in compliance with the NJDOT Design Manual Section 6.8. This noncompliant design is creating queuing issues at the Perrineville signal. The jug handle will be reconstructed in accordance with State regulations and will include the construction of a new slip ramp. | MIDDLESEX CNTY@ PERRINEVILLE RD | Ariana Tsiattalos, Danielle Jones |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Wetlands (not SFH/Duplex) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/28/2022 | | |
| Application Administratively Complete | | 01/31/2022 | | |
| Technical Information Requested | | 02/28/2022 | | |
| Technical Deficiency Information Received | | 04/13/2022 | | |
| Approved | | 07/11/2023 | | |

Middlesex - New Brunswick City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------------|-----------------|
| 1214-23-0003.1 - FWW - 230001 | 703 JERSEY AVENUE | Freshwater wetlands letter of interpretation line verification. | AMAR US HOLDING INC | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Middlesex - North Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|---------------------|---|-------------------------------------|-------------------------------|
| 1215-22-0001.1 - LUP - 230001 | 2 KING ARTHUR COURT | The proposed redevelopment activities include the demolition of existing office buildings and construction of a 163,610 square foot warehouse with 93 loading docks, 19 trailer parking spaces, and 98 vehicle parking spaces, as well as other improvements including utilities, roadway modifications, lighting, landscaping, and stormwater management facilities. | THE SILVERMAN GROUP / HOLDEN SABATO | Chris Squazzo, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Reduction | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Middlesex - North Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|-----------------|
| 1215-23-0004.1 - FWW - 230001 | 1211 AARON ROAD | Application for wetland LOI. Line verification | 1211 AARON RD | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------------|---|-----------------------|-----------------|
| 1209-09-0012.2 - LUP - 230001 | N.J.S.H. ROUTE 9 & JAKE BROWN ROAD | A section of Jake Brown Road west of its intersection with U.S. Highway 9 is proposed to be realigned, improved, and widened. | OLD BRIDGE TWP @ RT 9 | Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/23/2023 | | |
| Application Administratively Complete | | 02/23/2023 | | |
| Approved | | 06/29/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|-----------------------|---------------------------|
| 1209-21-0004.1 - LUP - 210001 | ENGLISHTOWN RD | The applicant is requesting a flood hazard area individual permit with verification (method 1 & 6) for a project involving six roadway crossings and one stormwater discharge point within FHA- regulated areas. | WOODHAVEN VILLAGE INC | Damian Friebe, Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/01/2021 | | |
| Application Administratively Complete | | 06/01/2021 | | |
| Technical Information Requested | | 06/29/2021 | | |
| Amended Application Received | | 03/13/2023 | | |
| Technical Deficiency Information Received | | 03/13/2023 | | |
| Approved | | 07/07/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------|-----------------------------|
| 1209-22-0012.1 - LUP - 230001 | WATER WORKS RD | FHA verification. | HB WAREHOUSING LLC | Adam Fallone, Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---|--|-----------------------------------|-----------------|
| 1209-22-0013.1 - FWW - 220001 | OLD WATER WORKS ROAD & CHEESEQUAKE ROAD | Wetlands letter of interpretation line verification for a 30.9-acre site | OLD BRIDGE-WATER WORKS REALTY LLC | Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/07/2022 | | |
| Application Administratively Complete | | 12/20/2022 | | |
| Issued | | 07/11/2023 | | |

Middlesex - Piscataway Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---|------------------------------------|-----------------|
| 1217-23-0009.1 - FWW - 230001 | 1650 WASHINGTON AVENUE | The applicant is applying for a letter of interpretation line verification for a 3.7-acre site. | ASSEST REALTY & CONSTRUCTION GROUP | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Middlesex - Sayreville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------------|-----------------|
| 1219-08-0004.1 - FWW - 220001 | JERNEE MILL RD | Freshwater Wetlands letter of interpretation line verification. | MARCH DEVELOPMENT LLC | Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/06/2022 | | |
| Application Administratively Complete | | 10/06/2022 | | |
| Issued | | 06/29/2023 | | |

Middlesex - Sayreville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|-----------------------------|---------------------------------|
| 1219-15-0002.1 - LUP - 230001 | JERNEES MILL RD | The proposed redevelopment will consist of up to two (2) cold storage warehouse buildings with assembled trailer storage areas and associated site improvements. | MIDDLESEX ENERGY CENTER LLC | Matthew Resnick, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP5 Landfill Closures | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/15/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |

Middlesex - South Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|-------------|-----------------|
| 1221-03-0023.3 - FWW - 230001 | 836 & 840 RIDGE RD | Owner is applying for a LOI to determine the impact of any wetlands on the site. | THAI KHUONG | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/20/2023 | | |
| Application Administratively Complete | | 01/20/2023 | | |
| Issued | | 07/11/2023 | | |

Middlesex - South Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|------------|-----------------|
| 1221-23-0007.1 - LGP - 230001 | ADDA COURT | GP8 - House Addition | ADDA COURT | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP8 - House Addition | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |
| Approved | | 06/29/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|---|-------------------------|----------------------------|
| 1222-02-0003.1 - LUP - 230001 | 1213 NEW MARKET AVE | The proposed development will consist of a 50,000 SF warehouse building, with a 20,000 SF second floor (office/storage), along with all other associated site improvements. | 12-13 NEW MARKET ST LLC | Adam Fallone, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/10/2023 | | |
| Application Administratively Complete | | 04/10/2023 | | |
| Technical Information Requested | | 05/03/2023 | | |
| Technical Deficiency Information Received | | 05/31/2023 | | |
| Technical Information Requested | | 06/14/2023 | | |
| Technical Deficiency Information Received | | 06/29/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|-------------------------------------|---------------------------------|
| 1222-02-0010.1 - LUP - 230001 | 80 METUCHEN RD | CEMC will remediate impacted soil at the Site as part of ISRA Case No. E88205. Approximately 2.96 acres on-Site will be excavated up to 5 feet bgs, resulting in approximately 4,260 cubic yards (cy) of impacted soil to be consolidated at the location of the former concrete building slab. After consolidation, impacted soil will be capped with an impermeable cover (i.e., liner system with 18 of certified clean fill/licensed quarry material and 6 of topsoil) to prevent direct contact. | CHEVRON ENVIRONMENTAL MANAGEMENT CO | Erin Signor, Magda Usarek-Witek |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Freshwater Wetlands General Permit | | FWW GP4 Hazardous Site Investigation/Cleanup | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/03/2023 | | |
| Application Administratively Complete | | 05/03/2023 | | |
| Technical Information Requested | | 05/26/2023 | | |
| Technical Deficiency Information Received | | 06/26/2023 | | |
| Technical Information Requested | | 07/07/2023 | | |
| Amended Application Received | | 07/13/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------|--------------------------------|
| 1225-04-0003.1 - LUP - 230001 | INDUSTRIAL AVE | The proposed project consists of up to seven deep saprolite soil borings to approximately 60 feet below ground surface (bgs), up to four shallow soil borings to approximately 15 feet bgs, and abandonment of one monitoring well. A deep saprolite soil boring will be installed in place of the monitoring well, for a total of up to eight deep saprolite borings. Temporary access paths will be used by equipment to access the boring locations. The access paths will be approximately 8 feet wide | PRAXAIR DISTRIBUTION INC | Dennis Contois, Gary Nickerson |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP11 Hazardous Site Investigation/Cleanup | | |
| Freshwater Wetlands General Permit | | FWW GP12 Surveying/Investigating | | |
| Freshwater Wetlands General Permit | | FWW GP4 Hazardous Site Investigation/Cleanup | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/05/2023 | | |
| Application Administratively Complete | | 05/05/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------------|-----------------|
| 1225-22-0002.2 - LUP - 230001 | 398 SMITH ST | The applicant, SEI Keasby Urban Renewal, LLC., proposes the closer/capping of the 17.61- acre Keasby Landfill/ Gentempo Landfill site consisting of Block 47, Lots 1.011 and 1.012 in the Township of Woodbridge, Middlesex County, New Jersey. | SEI KEASBEY URBAN RENEWAL LLC | Gary Nickerson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP5 Landfill Closures | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|-------------------------------------|--------------------------|
| 1225-23-0002.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Project will include replacement of stormwater piping on Stafford Road and installation of new storm inlets as well as replacement of existing headwall. | STAFFORD ROAD - WOODBRIDGE DRAINAGE | Adam Fallone, Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/11/2023 | | |
| Application Administratively Complete | | 01/11/2023 | | |
| Approved | | 07/06/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|-------------------------------------|--------------------------|
| 1225-23-0002.1 - LUP - 230003 | STREET ADDRESS NOT IDENTIFIED | Replacing under-sized existing stormwater pipe and deteriorated headwall | STAFFORD ROAD - WOODBRIDGE DRAINAGE | Adam Fallone, Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/03/2023 | | |
| Application Administratively Complete | | 04/10/2023 | | |
| Approved | | 07/06/2023 | | |

Monmouth - Colts Neck Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|--------------------------------|------------------------------------|
| 1309-18-0002.1 - FHA - 230001 | RT 537 COLTS NCK RD | The project consists of the replacement of the brick culvert portion of Bridge A-55 with a reinforced concrete elliptical pipe, plus constructing additional pipe to replace a failed headwall. The project is located along County Rt 537 approximately 50' west of Creamery Rd | MONMOUTH CNTY @ BRIDGE A-55 | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Monmouth - Colts Neck Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|--------------------------------|-----------------|
| 1309-18-0002.1 - FWW - 230001 | RT 537 COLTS NCK RD | The project consists of the replacement of the brick culvert portion of Bridge A-55 with a reinforced concrete elliptical pipe, plus constructing additional pipe to replace a failed headwall. The project is located along County Rt 537 approximately 50' west of Creamery Rd | MONMOUTH CNTY @ BRIDGE A-55 | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Monmouth - Deal Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|-----------------|-----------------|
| 1310-13-0003.2 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The Borough of Deal proposes standard beach grooming of its oceanfront beach including overall beach and sand management, raking of sand, trash clean up and removal, pre-storm preparations and post storm damage repairs as required. | BOROUGH OF DEAL | Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP2 Beach/Dune Maintenance Activities | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/07/2023 | | |
| Application Administratively Complete | | 03/07/2023 | | |
| Approved | | 06/30/2023 | | |

Monmouth - Fair Haven Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|--------------------------------------|-----------------|
| 1313-23-0003.1 - LGP - 230001 | GRANGE AVENUE | GP10 - Bulkheads | FAIR HAVEN BORO BULKHEAD REPLACEMENT | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |
| Approved | | 06/29/2023 | | |

Monmouth - Highlands Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------|---------------------------------|
| 1317-23-0002.1 - LUP - 230001 | 289 BAY AVENUE | 3 story mixed use building (residential and commercial | ARJKA PROPERTY INC. | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/02/2023 | | |
| Application Administratively Complete | | 06/02/2023 | | |
| Technical Information Requested | | 06/30/2023 | | |

Monmouth - Holmdel Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|------------------------------------|
| 1318-23-0002.1 - LUP - 230001 | 832 HOLMDEL RD. | Reconstruction of an existing driveway. Installation of utility service lines. Reconstruction of an existing single family home on an existing foundation. | 832 HOLMDEL RD. | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Monmouth - Howell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|--|------------------------------|-----------------|
| 1319-04-0005.1 - FW - 230001 | LAKWOOD & FARMINGDALE RD | The applicant is seeking a letter of interpretation line verification and fha verification method 6. | 494 LAKWOOD & FARMINGDALE RD | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/07/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |

Monmouth - Little Silver Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|-----------------------------|-----------------|
| 1323-02-0001.1 - WFD - 220001 | 15 CARIAGE HOUSE LN | Waterfront development major modification legalize portions of the waterfront structures. | DIXON KENNETH S & MELISSA D | Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/25/2022 | | |
| Application Administratively Complete | | 11/25/2022 | | |
| Approved | | 07/03/2023 | | |

Monmouth - Manasquan Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------------|-----------------|
| 1327-06-0006.1 - WFD - 230001 | 90 OCEAN AVE | To modify waterfront development to legalize an existing 5’x13’ floating PWC ramp and to install an 8’x22’ floating boat port. | IRWIN CHRIS & CANGELOSI YVONNE | Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2034 | | |

Monmouth - Marlboro Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|-----------------|
| 1328-22-0007.1 - FWW - 220001 | CRINE RD | the applicant would like to establish the official wetlands limit line on the above referenced property. | MOSESMAN FRED | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/17/2022 | | |
| Application Administratively Complete | | 11/17/2022 | | |
| Issued | | 07/07/2023 | | |

Monmouth - Marlboro Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|---------------------------------|---------------------------------|
| 1328-23-0004.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | This project is proposing to replace a culvert in-kind and the construction of a water conveyance system under a driveway. Additionally, the road will be milled and paved. | MARLBORO TOWNSHIP @ HARBOR ROAD | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/21/2023 | | |
| Application Administratively Complete | | 06/21/2023 | | |

Monmouth - Matawan Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|--|---------------------------------|
| 1329-23-0002.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The applicant, the Borough of Matawan, proposes to rehabilitate and stabilize the existing viaduct support system and replace the outfall between Spring Street and Fountain Avenue located in the Borough of Matawan adjacent to Lake Lefferts. | SPRING STREET DRAINAGE IMPROVEMENT PROJECT | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|--------------------|-----------------|
| 1331-06-0012.1 - FWW - 230001 | US RT 35 & KINGS HWY | Extension of effective line verification letter of interpretation. | CIRCUS LIQUORS INC | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2023 | | |
| Application Administratively Complete | | 07/05/2023 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|--|---|---------------------------------|
| 1331-17-0011.2 - LUP - 230001 | WALADA AVENUE & BARTON PLACE | Subdividing 3 existing lots into 4 single family residential dwelling lots | MILANO 4-LOT SUBDIVISION - BARTON PLACE | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|---|-----------------|------------------------------|
| 1331-22-0018.1 - LUP - 230001 | 259 BAYSIDE PARKWAY | Demolish and remove existing dwelling and construct new dwelling in its place | RICCA SALVATORE | Bryan Carter, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/17/2023 | | |
| Application Administratively Complete | | 06/06/2023 | | |
| Technical Information Requested | | 07/05/2023 | | |
| Technical Deficiency Information Received | | 07/11/2023 | | |

Monmouth - Neptune Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------------|---|--|----------------------------------|
| 1334-22-0002.1 - LUP - 220001 | 611 OLD CORLIES AVENUE | The project is proposing to construct an outbuilding and stormwater management facilities. Portions of these proposed facilities will be within the 50 foot transition area. Associated underground utility pipes will be installed. Additionally, the project is proposing to construct drainage outfalls into Jumping Brook. | NJ AMERICAN WATER CO @ OLD CORLIES AVE | Michael Sheehan, Monica Zabroski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/29/2022 | | |
| Application Administratively Complete | | 08/29/2022 | | |
| Technical Information Requested | | 09/26/2022 | | |
| Technical Deficiency Information Received | | 06/30/2023 | | |

Monmouth - Oceanport Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 1338-09-0017.2 - LUP - 230001 | 80 SENECA PLACE | reduction of the existing pier to 4 feet in width; extension of the existing floating dock by the addition of an 8 by 20 floating dock and a second 8 20 floating dock added perpendicular to the end of new floating dock; the replacement of the existing 10 by 11 boatlift with a new 12 by 30 boat lift on the southwest side of the floating docks; installation of a 6 by 10 jet ski lift on the inside of the new 8 by 20 floating dock that is perpendicular to the end of the dock. | 80 SENECA PLACE | Bryan Carter |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/28/2023 | | |
| Application Administratively Complete | | 04/28/2023 | | |
| Approved | | 07/10/2023 | | |

Monmouth - Oceanport Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|------------------------------|
| 1338-09-0039.1 - LUP - 230001 | 44 SENECA PL | Waterfront Development Permit Application - Authorization of Existing Bulkhead & Boat Ramp, Extension and Authorization of Existing Floating Dock, Proposed Boat Lift - Coastal General Permit No. 5 Application - Authorization of Existing Shed | 44 SENECA PL | Bryan Carter, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP10 Reconstruction of Existing Bulkhead | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/05/2023 | | |
| Application Administratively Complete | | 05/10/2023 | | |
| Amended Application Received | | 07/06/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|----------------------|---------------------------------|
| 1337-15-0007.2 - LUP - 220001 | 451 BROOKSIDE | The applicants are proposing additions to an existing home, the construction of a swimming pool, driveway, patio and a covered porch. | SALAMA JOSEPH & RUTH | Chingwah Liang, Monica Zabroski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/09/2022 | | |
| Application Administratively Complete | | 06/06/2022 | | |
| Technical Information Requested | | 07/07/2022 | | |
| Technical Deficiency Information Received | | 07/01/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|----------------|-----------------|
| 1337-21-0004.1 - FWW - 210001 | 912 STATE ROUTE 35 | The applicant seeks to pipe a portion of the on- site drainage ditch and construct a parking lot addition for 22 additional parking spaces for an existing commercial building. The new parking area will be provided with a stormwater management basin. | 912 HIGHWAY 35 | Monica Zabroski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2021 | | |
| Application Administratively Complete | | 07/06/2021 | | |
| Issued | | 06/30/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|----------------|---------------------------------|
| 1337-21-0004.1 - LUP - 210001 | 912 STATE ROUTE 35 | The applicant seeks to pipe a portion of the on- site drainage ditch and construct a parking lot addition for 22 additional parking spaces for an existing commercial building. The new parking area will be provided with a stormwater management basin. | 912 HIGHWAY 35 | Chingwah Liang, Monica Zabroski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2021 | | |
| Application Administratively Complete | | 07/06/2021 | | |
| Approved | | 06/30/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|----------------------|--------------------------------|
| 1337-23-0006.1 - LUP - 230001 | 445 BROOKSIDE AVENUE | Addition to existing single-family home. | 445 BROOKSIDE AVENUE | Brett Kosowski, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|------------|-----------------|
| 1337-23-0007.1 - FWW - 230001 | 741 ROSELD AVENUE | The applicant is requesting verification of the limits of state open water wetlands and transition areas. | 741 ROSELD | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI3 Less Than 1 Acre Delineation LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|------------|--------------------------------|
| 1337-23-0007.1 - LUP - 230001 | 741 ROSELD AVENUE | Reconstruction of one single family home. | 741 ROSELD | Brett Kosowski, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Freshwater Wetlands General Permit | | FWW GP8 House Additions | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 1337-23-0008.1 - FWW - 230001 | 1421 WALNUT AVE | Freshwater wetlands letter of interpretation line verification | 1421 WALNUT AVE | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|--------------------------|---------------------------------------|
| 1342-03-0025.7 - LUP - 230001 | 24 SAILERS WAY | Place fill within CAFRA zone | AJD DREDGE CAFRA FILL | Chingwah Liang, Katherine Todoroff |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit- SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/24/2023 | | |
| Application Administratively Complete | | 03/21/2023 | | |
| Amended Application Received | | 05/22/2023 | | |
| Complete for Final Review | | 06/30/2023 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|-----------------|
| 1342-08-0005.1 - FWW - 200001 | 172 BINGHAM AVE | The applicant is applying far a new Letter of Interpretation and Transition Area Waiver Averaging Plan in order to obtain an area to develop residential accessory structures in the back yard. Additionally, a Flood Hazard Area General Permit #6 is requested as the footprint from the originally approved footprint. | CJS INVESTMENTS INC | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/29/2020 | | |
| Application Administratively Complete | | 07/29/2020 | | |
| Issued | | 07/05/2023 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|--|------------------------------|-----------------------------|
| 1342-09-0028.1 - LUP - 220001 | 14 RIVERS EDGE DR | Proposed activities include the construction of a single-family residential dwelling, proposed driveway, and rear yard site amenities such as a pool, patio areas, and outdoor living areas. | LORENZO GREGG & CARRERA DANA | Chingwah Liang, Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2022 | | |
| Application Administratively Complete | | 08/04/2022 | | |
| Technical Information Requested | | 08/31/2022 | | |
| Technical Deficiency Information Received | | 04/11/2023 | | |
| Approved | | 07/07/2023 | | |

Monmouth - Shrewsbury Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|---------------|-----------------|
| 1345-23-0003.1 - FWW - 230001 | 73 STRAUSS DRIVE | proposed patio | 73 STRAUSS DR | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/03/2023 | | |
| Application Administratively Complete | | 07/03/2023 | | |

Monmouth - Tinton Falls Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------|---|-----------------------------|-----------------|
| 1336-23-0002.1 - FWW - 230001 | 371 A SWIMMING RIVER ROAD | The applicant would like to establish the official wetlands limit line for the above referenced property. | J. MILLETT CONSTRUCTION LLC | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Monmouth - Wall Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|----------------|----------------------------------|
| 1352-06-0013.1 - LUP - 220002 | HURLEY POND RD | The proposed project involves the construction of eight warehouses and two non-store retailer buildings along with associated site improvements. | WALL OWNER LLC | Chingwah Liang, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/13/2022 | | |
| Application Administratively Complete | | 06/13/2022 | | |
| Technical Information Requested | | 07/12/2022 | | |
| Technical Deficiency Information Received | | 03/03/2023 | | |
| Amended Application Received | | 04/14/2023 | | |

Monmouth - Wall Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|----------------|----------------------------------|
| 1352-06-0013.1 - LUP - 220003 | HURLEY POND RD | The proposed project involves the construction of eight warehouses and two non-store retailer buildings along with associated site improvements. | WALL OWNER LLC | Chingwah Liang, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/13/2022 | | |
| Application Administratively Complete | | 06/13/2022 | | |
| Technical Information Requested | | 07/12/2022 | | |
| Technical Deficiency Information Received | | 03/03/2023 | | |

[Morris](#)

Morris - Chatham Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-----------------|-------------------|
| 1405-08-0007.1 - FWW - 220001 | 494 SOUTHERN BLVD | LOI-Delineation: Reconstruction & expansion of a single-family dwelling in a wetland TA | MAGLEY GEORGE E | Ariana Tsiattalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI3 Less Than 1 Acre Delineation LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/14/2022 | | |
| Application Administratively Complete | | 05/10/2022 | | |
| Issued | | 06/29/2023 | | |

Morris - Chatham Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-------------------|--|-----------------|-------------------|
| 1405-08-0007.1 - LUP - 220001 | 494 SOUTHERN BLVD | Reconstruction & expansion of a single-family dwelling in a wetland TA | MAGLEY GEORGE E | Ariana Tsiattalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP8 House Additions | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/01/2022 | | |
| Application Administratively Complete | | 05/10/2022 | | |
| Approved | | 06/29/2023 | | |

Morris - Chester Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------------|-----------------|
| 1406-21-0001.1 - FWW - 210001 | 46 WEST MAIN ST | LOI Line verification to verify wetlands / waters boundaries and wetlands resource value. | GLOBAL ACQUISITIONS COMPANY LLC | Robert Helsel |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/18/2021 | | |
| Application Administratively Complete | | 10/18/2021 | | |
| Issued | | 06/28/2023 | | |

Morris - Dover Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------------|--|----------------------------------|------------------------------------|
| 1409-04-0006.2 - LUP - 210001 | 218 EAST BLACKWELL STREET | Construction of a multi-story residential building with flood storage beneath the ground floor | EAST BLACKWELL DOVER RESIDENTIAL | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/22/2021 | | |
| Application Administratively Complete | | 10/22/2021 | | |
| Technical Information Requested | | 11/19/2021 | | |
| Technical Deficiency Information Received | | 05/08/2023 | | |
| Technical Information Requested | | 05/19/2023 | | |
| Amended Application Received | | 06/27/2023 | | |
| Technical Deficiency Information Received | | 07/06/2023 | | |

Morris - Dover Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------|---|-----------------------|------------------------------------|
| 1409-07-0009.2 - LUP - 230001 | 333 EAST BLACKWELL STREET | Flood hazard area verification and individual permit for construction of apartment building and associated site improvements. | ALFA INVESTMENTS, LLC | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/06/2023 | | |
| Application Administratively Complete | | 03/06/2023 | | |
| Approved | | 06/28/2023 | | |

Morris - Harding Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|--------------------------|-----------------|
| 1413-20-0004.1 - LUP - 230001 | 129 JENKS RD | Construction of a single-family resident requiring proposed driveway of TA and utility Line crossing of wetlands & TA and encroachment for proposed house, patio and pool | ESTATE OF FREDRICK MEYER | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Hardship Reduction | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |

Morris - Lincoln Park Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|--------------------------------|---------------------------------|
| 1416-23-0005.1 - LUP - 230001 | 271 TWO BRINDGES ROAD | Interior renovation of an existing single family dwelling that is lawfully existing in a designated floodway. No changes proposed to the building footprint and the finished first floor is above the flood hazard elevation. | 271 TWO BRIDGES ROAD RESIDENCE | Neelofar Qureshi, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP5 Reconstructr/Elevate Building in Floodway | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/10/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |

Morris - Mine Hill Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|-----------------------------------|------------------------------------|
| 1420-23-0001.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Morris County is seeking to replace County Bridge (Structure No. 1400-992) carrying Indian Falls Road over Jackson Brook in the Township of Mine Hill, Morris County, New Jersey. The replacement is necessary due to the condition of the structure is fair due to the condition of the superstructure and substructure. | MORRIS COUNTY BRIDGE NO. 1400-992 | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |

Morris - Montville Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|--------------------------|---------------------------------|
| 1421-20-0004.1 - LUP - 220003 | 245 RT 202 | This application proposed the removal of all existing site improvements and the construction of an age restricted multi-family residential development. The development will contain 266 dwelling units within three (3) midrise apartment buildings and four (4) townhome buildings, a clubhouse, maintenance building, outdoor amenities areas and ancillary accessory structures, site lighting and landscaping. | DIVERSIFIED PROPERTY LLC | Neelofar Qureshi, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/08/2022 | | |
| Application Administratively Complete | | 06/08/2022 | | |
| Technical Information Requested | | 07/07/2022 | | |
| Technical Deficiency Information Received | | 07/12/2022 | | |
| Technical Information Requested | | 07/25/2022 | | |
| Technical Deficiency Information Received | | 01/26/2023 | | |
| Technical Information Requested | | 02/08/2023 | | |
| Technical Deficiency Information Received | | 03/14/2023 | | |
| Approved | | 07/11/2023 | | |

Morris - Mount Arlington Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|--|-------------------------|------------------------------------|
| 1426-23-0001.1 - LUP - 230001 | 15 BERTRAND ISLAND ROAD | Reconstruction of seawall and concrete steps on Lake Hopatcong | 15 BERTRAND ISLAND ROAD | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/23/2023 | | |
| Application Administratively Complete | | 06/23/2023 | | |

Morris - Parsippany-Troy Hills

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------|------------------|
| 1429-22-0009.1 - FWW - 220001 | 959 ROUTE 46 | FWW letter of interpretation regulatory line verification. | OUTFRONT MEDIA LLC | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2022 | | |
| Application Administratively Complete | | 10/03/2022 | | |
| Withdrawn | | 07/07/2023 | | |

Morris - Parsippany-Troy Hills

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|--------------------------|--|-------------------------------------|------------------------------------|
| 1429-23-0002.1 - LUP - 230001 | 879 SOUTH BEVERWYCK ROAD | Construction of a proposed apartment building over existing pavement area, restripe parking, associated site improvements. | ISLAMIC BURIAL SERVICES ASSOCIATION | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/27/2023 | | |
| Application Administratively Complete | | 03/27/2023 | | |
| Amended Application Received | | 07/10/2023 | | |

Morris - Parsippany-Troy Hills

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|------------------------------------|
| 1429-23-0004.1 - LUP - 230001 | 30 HOLMDEL ROAD | FHA Verification for future planning and development purposes | 30 HOLMDEL RD | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |

Morris - Pequannock Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|-----------------------------------|---------------|---------------------------------|
| 1431-23-0001.1 - LUP - 230001 | 23 MADISON STREET | House elevation | CELLABOS JOSE | Neelofar Qureshi, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/06/2023 | | |
| Application Administratively Complete | | 04/06/2023 | | |
| Approved | | 07/10/2023 | | |

Morris - Pequannock Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|------------------|---------------------------------|
| 1431-23-0006.1 - LUP - 230001 | 54 GREENWOOD AVENUE | RAISING OF AN EXISTING RESIDENTIAL DWELLING TO BE ABOVE NJFHADFE | 54 GREENWOOD AVE | Neelofar Qureshi, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP5 Reconstructr/Elevate Building in Floodway | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/06/2023 | | |
| Application Administratively Complete | | 04/06/2023 | | |
| Approved | | 06/30/2023 | | |

Morris - Randolph Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|-------------------------------|-------------------------------|
| 1432-23-0002.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Morris County is seeking to replace County Bridge 1400-709 carrying Combs Avenue over the Dawsons Brook in the Township of Randolph, Morris County, New Jersey. The replacement is necessary due to the fair condition of the bridge, which exhibits missing mortar joints and structural stones, as well as misalignment of the superstructure and substructure. The structure is classified as functionally obsolete due to inadequate deck geometry. | MORRIS COUNTY BRIDGE 1400-709 | Scarlett Simpson, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |

Morris - Rockaway Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------|----------------------------------|
| 1435-06-0010.2 - LUP - 230001 | 140 GREEN POND RD | TEMPORARY DISTURBANCE TO EXCAVATE AND REMEDIATE IMPACTED SOIL WITHIN FRESHWATER WETLANDS AND ASSOCIATED TRANSITION AREA | CHRIST CHURCH | Gary Nickerson, Neelofar Qureshi |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP4 Hazardous Site Investigation/Cleanup | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/03/2023 | | |
| Application Administratively Complete | | 03/03/2023 | | |
| Approved | | 06/28/2023 | | |

Morris - Rockaway Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 1435-23-0005.1 - APD - 230001 | 74 GREEN POND RD | Construction of 25,480s.f. to existing manufacturing facility to be used for storage and warehousing only. This addition will result in no net increase in impervious surface and in no increase in the number of employees. | POLYFIL USA INC | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/08/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |

Morris - Rockaway Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|-----------------|-----------------|
| 1435-23-0005.1 - LLI - 230001 | 74 GREEN POND RD | FWLI4 - Verification over an acre | POLYFIL USA INC | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Morris - Rockaway Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|-----------------|-------------------------------|
| 1435-23-0005.1 - LUP - 230001 | 74 GREEN POND RD | The applicant proposes a building expansion, associated driveways, parking, pedestrian access, drainage features, and improved landscaping. The new building expansion will be approximately 25,400 square feet (SF). and will primarily be used as storage for current operations. The building expansion is not located within the current FHA. No fill within the floodplain is proposed. | POLYFIL USA INC | Danielle Jones, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Morris - Roxbury Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------------|------------------|
| 1436-16-0002.1 - FWW - 230001 | 210 KINGS HWY | Letter of interpretation verification to verify wetlands boundaries and wetland resource value. | GENTILE RICHARD & ANN | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Morris - Roxbury Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|-----------------------|------------------|
| 1436-16-0002.1 - LUP - 230001 | 210 KINGS HWY | Redevelopment of previously disturbed wetland transition areas | GENTILE RICHARD & ANN | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Morris - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------------|-------------------|
| 1438-03-0010.2 - SHR - 210002 | DRAKESTOWN RD | Construct a well house and 1,200 linear feet of 12' water main from the new Smith Well (WTMUA designation SM-23) to a connection point on Naughtright Road. | WASHINGTON TWP MUA | Michael Tropicano |
| Permit Category | | Permit/Authorization Type | | |
| Special Highlands Resource | | Highlands Resource Area Determination Whole Site > 1 Acre | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/16/2021 | | |
| Application Administratively Complete | | 09/16/2021 | | |
| Issued | | 07/10/2023 | | |

Ocean - Barnegat Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------------|-----------------|
| 1533-04-0020.1 - LUP - 230001 | CLIFTON RD | Add small access platform to existing dock. Modify boat lift | MCLAREN MALCOLM G & DIANE R | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2023 | | |
| Application Administratively Complete | | 07/06/2023 | | |

Ocean - Barnegat Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-----------------------------------|---|-----------------|
| 1533-23-0002.1 - CDT - 230001 | VARIOUS | negative determination from USFWS | E FORSYTHE NATTIONAL WILDLIFE REFUGE BARNEGAT | Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| Consistency Determination | | FC Negative Determination | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/22/2023 | | |
| Application Administratively Complete | | 05/22/2023 | | |
| Issued | | 07/05/2023 | | |

Ocean - Bay Head Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------|--------------------------------|
| 1502-23-0003.1 - LUP - 230001 | 445 LAKE AVENUE | The applicants are seeking the approval of the Division of Land Resource Protection in order to demolish the existing dwelling to construct a new single-family dwelling and associated improvements at the subject property. | 445 LAKE AVENUE | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/21/2023 | | |
| Application Administratively Complete | | 06/21/2023 | | |

Ocean - Beach Haven Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|---------------------------|----------------------------------|
| 1503-04-0005.3 - LUP - 230001 | 116 NORTH WEST AVENUE | CAFRA IP FOR IMPROVEMENTS AND SECOND STORY EXPANSION TO LEGALLY EXISTING RESTAURANT IN BOROUGH OF BEACH HAVEN | PARKERS GARAGE RESTAURANT | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/15/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |

Ocean - Beach Haven Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------------|----------------------------------|
| 1503-23-0003.1 - LUP - 230002 | 425 FIFTH STREET | CAFRA GENERAL PERMIT 5 FOR RECONSTRUCTION OR EXPANSION OF SINGLE FAMILY HOME AND FWPA GENERAL PERMIT 20 FOR CONSTRUCTION OF SHORELINE PROTECTION REVETMENT JOINT APPICATION | D'AGOSTINO MARC AND ALISON | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/30/2023 | | |
| Application Administratively Complete | | 05/30/2023 | | |
| Withdrawn | | 06/28/2023 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---|-------------------------------|
| 1505-02-0069.1 - LUP - 230001 | CENTRAL AVE | The total extent of the project is approximately 325 linear feet, running along the Barnegat Bay shoreline of Block 1750, Lot 1. The total area of disturbance of the proposed project is 13,660SF. The proposed project includes the installation of approximately 670CY of armor stone, 116 CY of base stone and 34CY of choke stone. Approximately 3,121SF of a geogrid underlayer, and approximately 850CY of sand fill material. The proposed project includes approximately 9,225SF of native plantings. | NJDEP ISLAND BEACH STATE PARK @ CENTRAL AVE | Andre Thompson, Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP24 Habitat Creation/Restoration/Enhancement | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/23/2023 | | |
| Application Administratively Complete | | 03/02/2023 | | |
| Withdrawn | | 06/28/2023 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|------------------|---------------------------|
| 1505-20-0009.2 - LUP - 230001 | 19 LAUREL AVENUE | Waterfront Development Permit Application - Proposed Docking facility - Coastal General Permit No. 5 Application, Freshwater Wetlands Transition Area Waiver Application, Freshwater Wetlands General Permit No. 8 - Proposed Single-Family Dwelling & Associated Structures - Freshwater Wetlands General Permit No. 20 - Proposed Retaining Wall | 19 LAUREL AVENUE | Andre Thompson, Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Freshwater Wetlands General Permit | | FWW GP8 House Additions | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/07/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|---|----------------------------------|
| 1505-23-0004.2 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | These specific beach maintenance activities include debris removal and clean-up; mechanical sifting and raking; maintenance of access ways; removal of sand from street ends and residential properties for placement on the beach; and limited sand transfers from the lower beach to the upper beach. | BERKELEY TWP@ATLANTIC BARNEGAT BAY TOMS RIVER | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP2 Beach/Dune Maintenance Activities | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/14/2023 | | |
| Application Administratively Complete | | 04/06/2023 | | |
| Approved | | 07/01/2023 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------|-----------------|
| 1505-23-0027.1 - LUP - 230001 | 22 ELM STREET | permit for a new vinyl bulkhead within 24" of the timber bulkhead and a new dock and jet ski floats. | 22 ELM ST | Kip LeWarn |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/19/2023 | | |
| Application Administratively Complete | | 04/19/2023 | | |
| Approved | | 07/10/2023 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------------|----------------------------|
| 1505-23-0038.1 - LUP - 230001 | 217 MAPLE COURT | To construct an 830 sq.ft. addition to the existing dwelling and to expand the existing balcony by 60 sq.ft. | HUBERTO GUTARRA & OLGA RAMIREZ | Andre Thompson, Kip LeWarn |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------|-----------------|
| 1506-09-0045.1 - LUP - 230001 | 744 COMMUNITY DR | To construct a 5.2' x 106.1' pier extension with a 5.2' x 13' x 39' dock section, to install a 13' x 13' boat lift, and to legalize the existing 6' x 12' jet ski lift. | 744 COMMUNITY DR | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/10/2023 | | |
| Application Administratively Complete | | 04/10/2023 | | |
| Approved | | 07/07/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------|-----------------|
| 1506-10-0035.1 - LUP - 230001 | 29 ROBBINS ST | removal of an existing dock and the construction of a new dock | DICKMAN KEVIN & CONNIE | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2023 | | |
| Application Administratively Complete | | 07/05/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------|-----------------|
| 1506-13-0016.1 - LUP - 230001 | 250 NEPTUNE CIR | The applicant is applying for a WFD-in water IP to construct a dock in Miramar Lake. This activity was previously approved (File No. 1506-13-00016.1 WFD160001); however, it was not completed before the permit expired. | SMITH STEVEN & LAVDAS ANA | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/22/2023 | | |
| Application Administratively Complete | | 06/22/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|-----------------|
| 1506-21-0034.2 - LUP - 220001 | 782 NORTH DRIVE | Legalize all existing in-water structures | PATRICIA HARALAMPOUDIS | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/20/2023 | | |
| Application Administratively Complete | | 03/20/2023 | | |
| Approved | | 07/11/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|--------------------------------|
| 1506-21-0079.1 - LUP - 230001 | 27 ROCHESTER DR | The applicant proposes to construct a new single family dwelling with decks, porches, garages, swimming pool, driveway, hardscaping and landscaping. | 27 ROCHESTER DR | Andre Thompson, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/07/2023 | | |
| Application Administratively Complete | | 04/07/2023 | | |
| Approved | | 07/05/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------|-----------------|
| 1506-23-0037.1 - FWW - 230001 | SUMMIT AVE | Letter of interpretation line verification. | SUMMIT AVE | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Ocean - Eagleswood Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------|-----------------|
| 1508-03-0006.1 - LUP - 230001 | 364 DOCK RD | Legalize as-built docks and new jet ski float. | 364 DOCK RD | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/07/2023 | | |
| Application Administratively Complete | | 04/07/2023 | | |
| Amended Application Received | | 07/10/2023 | | |

Ocean - Harvey Cedars Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|----------------|------------------|
| 1509-09-0022.2 - LUP - 230002 | 5512 HOLLY AVENUE | An extension will be built from the end of the dock in the same orientation and width as the existing dock. The dock will be extended 100 linear feet to approximately match the length of neighboring docks. The dock construction will match the existing timber dock construction, utilizing 10 timber piles, timber pile caps, timber wave screen, and plastic deck planks. A new 30 linear feet finger dock will extend at the end to the south. | 5512 HOLLY AVE | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/13/2023 | | |
| Application Administratively Complete | | 03/27/2023 | | |
| Withdrawn | | 07/05/2023 | | |

Ocean - Lavallette Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|-----------------|
| 1515-08-0010.1 - CZM - 230001 | 902 OCEANFRONT | Reconstruction of single-family home destroyed by Hurricane Sandy. | GIANT REALTY LLC | Bryan Carter |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/10/2023 | | |
| Application Administratively Complete | | 02/10/2023 | | |
| Approved | | 06/28/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-------------------|--|-------------------|-----------------|
| 1516-19-0016.1 - LUP - 230001 | 52 & 54 KANSAS RD | Installation of a new bulkhead on a lagoon property. | 52 & 54 KANSAS RD | Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP6 New Bulkhead/Fill-Man-made Lagoon | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Individual Permit | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|-----------------|
| 1516-23-0025.1 - LUP - 230001 | 56 KANSAS ROAD | Installation of a new bulkhead along a man-made lagoon. | ROBINSON LEH | Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP6 New Bulkhead/Fill-Man-made Lagoon | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|--|----------------|-----------------|
| 1516-23-0026.1 - LGP - 230001 | 6 CRANBERRY LAKE DRIVE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | ESTENES KYLE J | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |
| Approved | | 07/11/2023 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------|--|-------------------------|-------------------------------|
| 1517-23-0010.1 - LUP - 230001 | 2903 SOUTH LONG BEACH BLVD | Reconstruction with expansion of a legally existing single-family dwelling | 2903 S. LONG BEACH BLVD | Andre Thompson, Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/04/2023 | | |
| Application Administratively Complete | | 04/04/2023 | | |
| Approved | | 06/30/2023 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------|-----------------|
| 1517-23-0018.1 - FWW - 230001 | WEST JEFFREY AVE | Applicant is seeking a Letter of Interpretation Line verification for the above referenced property to verify the extent of on-site wetlands, state open waters and their transition areas. | WEST JEFFREY AVE | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/03/2023 | | |
| Application Administratively Complete | | 07/03/2023 | | |

Ocean - Mantoloking Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|---|----------------------------------|----------------------------------|
| 1519-03-0003.3 - LUP - 220001 | 1067 OCEAN AVENUE | The applicant is requesting a CAFRA Individual Permit for the development of three (3) residential dwellings within 150 feet of the beach, dune and/or MHWL | MANTOLOKING SHORE PROPERTIES LLC | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA IP- Residential Development-not SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2022 | | |
| Application Administratively Complete | | 11/03/2022 | | |
| Technical Information Requested | | 02/02/2023 | | |
| Complete for Final Review | | 06/22/2023 | | |
| Technical Deficiency Information Received | | 06/22/2023 | | |

Ocean - Mantoloking Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|-----------------------------------|------------------|
| 1519-17-0002.1 - CAF - 230001 | 1201 OCEAN AVE | CAFRA exemption. | 1201 OCEAN AVENUE PARTNERSHIP LLC | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA | | Exemption | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |

Ocean - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|--|------------------|--------------------------------|
| 1520-04-0037.3 - LUP - 230001 | 466 RT 9, 15 & 17 CHAPEL ST | Verification of limits of freshwater wetlands and transition areas on the subject property. Verification of the base flood elevation and limits of the riparian zone. | PETTY MOTORWORKS | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/10/2023 | | |
| Application Administratively Complete | | 04/10/2023 | | |
| Approved | | 07/11/2023 | | |

Ocean - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|--------------------------|-----------------|
| 1520-23-0010.1 - FWW - 230001 | 12 PRIVATEER DR | | BAY VIEW DEVELOPMENT LLC | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |

Ocean - Plumsted Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--------------------------------------|----------------|--------------------------------|
| 1523-19-0006.1 - LUP - 230001 | 138 HEMLOCK DR | construction of a single family home | MDR DEVELOPERS | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/05/2023 | | |
| Application Administratively Complete | | 06/05/2023 | | |
| Technical Information Requested | | 06/28/2023 | | |

Ocean - Point Pleasant Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|--------------------------|--------------------------------|
| 1524-04-0015.1 - LUP - 230001 | 1714 BAY POINT PL | Single family dwelling addition | SCHNAPPAUF KEITH & LAURA | Andre Thompson, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/07/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |

Ocean - Point Pleasant Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------|-----------------|
| 1524-23-0010.1 - FHC - 230001 | 1644 EAST DRIVE | FHGPC6 Construct Single Family in Tidal | 1644 EAST DRIVE RESIDENCE | |
| Permit Category | | Permit/Authorization Type | | |
| FHA Permit by Certification | | FHGPC6 Construct Single Family in Tidal | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/07/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |
| Approved | | 07/07/2023 | | |

Ocean - Ship Bottom Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------|-------------------------------|
| 1528-19-0005.1 - LUP - 230001 | 274 WEST 27TH ST | Permit for a new larger single-family dwelling and in ground pool. | 274 W. 27TH ST | Andre Thompson, Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/19/2023 | | |
| Application Administratively Complete | | 04/19/2023 | | |
| Approved | | 07/07/2023 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|--------------------|-----------------|
| 1530-06-0095.1 - LUP - 230001 | 1807 MILL CREEK RD | Legalize the as-built dock and jet ski float. | 1807 MILL CREEK RD | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/14/2023 | | |
| Application Administratively Complete | | 04/14/2023 | | |
| Approved | | 07/10/2023 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|--------------------|-----------------|
| 1530-08-0015.1 - LUP - 230001 | 1579 MILL CREEK RD | Waterfront Development Individual Permit and SPGP-19 application for proposed reconstruction of the bulkhead and the installation of a recreational dock with boatlift, open mooring, and jet ski float at a single-family residential property on a tidal waterway. | 1579 MILL CREEK RD | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/14/2023 | | |
| Application Administratively Complete | | 04/14/2023 | | |
| Approved | | 07/10/2023 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|----------------------|---|------------------------|-----------------|
| 1530-10-0024.2 - LUP - 220001 | 1923 MILL CREEK ROAD | A Waterfront Development permit was previously issued for a residential dock on this property in 1987. Modifications were made to the previously approved dock. The applicant is proposing to remove a number of these modifications and request approval, through this application for the remaining improvements. | BAUSMITH DAVID & IRENE | Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2022 | | |
| Application Administratively Complete | | 12/11/2022 | | |
| Technical Information Requested | | 01/10/2023 | | |
| Technical Deficiency Information Received | | 04/12/2023 | | |
| Withdrawn | | 06/29/2023 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------------------|---|---------------------------------|--------------------------------|
| 1530-13-0005.2 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Flood hazard area individual permit for the expansion of Neptune Basin in Stafford Township, Ocean County | STAFFORD TOWNSHIP NEPTUNE BASIN | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/06/2023 | | |
| Application Administratively Complete | | 02/06/2023 | | |
| Technical Information Requested | | 03/06/2023 | | |
| Technical Deficiency Information Received | | 03/08/2023 | | |
| Approved | | 06/29/2023 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|---------------|-----------------|
| 1530-18-0031.1 - LGP - 230001 | 112 WILLIAM COOK BLVD | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | WYATT SHELLEY | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/10/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |
| Approved | | 07/10/2023 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|---|---------------------|----------------------------------|
| 1530-23-0001.1 - LUP - 230001 | 675 NJSH ROUTE 72 E | The proposed redevelopment consists of the construction of a four-story, 100,320 SF (25,080 SF footprint) self-storage facility, with driveways, parking areas, utilities, and other associated site improvements. This application is for a CAFRA Individual Permit as well as a FHA Individual Permit and Verification. | TFJ MANAHAWKIN, LLC | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/09/2023 | | |
| Application Administratively Complete | | 01/18/2023 | | |
| Technical Information Requested | | 02/13/2023 | | |
| Technical Deficiency Information Received | | 06/30/2023 | | |

Ocean - Surf City Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|-------------|----------------------------------|
| 1531-02-0003.4 - LUP - 230001 | 287 18TH STREET | Reconstruction with expansion of single family home | 287 18TH ST | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/01/2023 | | |
| Application Administratively Complete | | 05/01/2023 | | |
| Technical Information Requested | | 05/25/2023 | | |
| Technical Deficiency Information Received | | 07/03/2023 | | |

Ocean - Surf City Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|-------------|----------------------------------|
| 1531-02-0003.4 - LUP - 230002 | 287 18TH STREET | Reconstruction with expansion of single family home | 287 18TH ST | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/01/2023 | | |
| Application Administratively Complete | | 05/01/2023 | | |
| Technical Information Requested | | 05/25/2023 | | |
| Technical Deficiency Information Received | | 07/03/2023 | | |
| Withdrawn | | 07/05/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|-----------------------------------|----------------------------------|
| 1507-15-0081.1 - LUP - 230001 | 3226 ROUTE 37 EAST | Four-story hotel building with 72 rooms, 72 parking spaces, internal driveways, landscaping, and stormwater management facilities. | C SEASIDE HEIGHTS HOSPITALITY LLC | Andre Thompson, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|--|--------------|-----------------|
| 1507-22-0075.1 - FWW - 220001 | 1442 & 1450 LAKEWOOD RD | Verify the limits of regulated freshwater wetlands and flood hazard area riparian zone on the referenced property. | HERZOG JASON | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/14/2022 | | |
| Application Administratively Complete | | 11/14/2022 | | |
| Issued | | 06/29/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------|--|----------------|----------------------------------|
| 1507-23-0007.1 - LUP - 230001 | 1000 INDUSTRIAL WAY NORTH | 5,206 square foot addition | FRIED GROUP LP | Andre Thompson, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/02/2023 | | |
| Application Administratively Complete | | 03/02/2023 | | |
| Complete for Final Review | | 06/29/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|-----------------|------------------|
| 1507-23-0018.1 - LUP - 230001 | 1821 LOOKOUT DRIVE | Replacement of an existing bulkhead 24" waterward of the existing bulkhead and a new dock | 1821 LOOKOUT DR | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/18/2023 | | |
| Application Administratively Complete | | 04/18/2023 | | |
| Approved | | 07/10/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---------------------------|------------------|-----------------|
| 1507-23-0028.1 - LGP - 230001 | 343 SILVER LAGOON DRIVE | GP10 - Bulkheads | MONTICOLLO CHRIS | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |
| Approved | | 06/28/2023 | | |

Ocean - Tuckerton Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|---------------------------------|-----------------|
| 1532-23-0003.1 - LGP - 230001 | 25B CARROLL AVENUE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | FRANCIS E. & PATRICIA WULFF JR. | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |
| Approved | | 07/11/2023 | | |

[Passaic](#)

Passaic - Clifton City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------|--------------------------|
| 1602-15-0001.1 - LUP - 230001 | 101 RUTGERS PL | The proposed project will consist of rehabilitating the existing sanitary sewer main that runs adjacent to Weasel Brook. In addition, the project includes the construction of a new stabilized access road. | CLIFTON CITY | Mark Harris, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/01/2023 | | |
| Application Administratively Complete | | 03/01/2023 | | |
| Approved | | 06/28/2023 | | |

Passaic - Little Falls Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--|-----------------|
| 1605-17-0002.1 - FHA - 230001 | CEDAR GROVE RD | Construction of Pedestrian Bridge over the Peckman River with approach walkways. | LITTLE FALLS TWP@MORRIS CANAL GREENWAY | Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/23/2023 | | |
| Application Administratively Complete | | 05/23/2023 | | |
| Approved | | 07/10/2023 | | |

Passaic - Passaic City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------------|-------------------------|
| 1607-23-0001.1 - LUP - 230001 | 125 SOUTH STREET | Construction of 351-unit, 6-story apartment building with site improvements and waterfront walkway | SOUTH STREET APARTMENTS | Jeff Thein, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/27/2023 | | |
| Application Administratively Complete | | 03/14/2023 | | |
| Approved | | 07/10/2023 | | |

Passaic - Wayne Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|--------------------|-----------------|
| 1614-23-0010.1 - FWW - 230001 | 108 MAGNOLIA PLACE | Application for wetland LOI. Line verification | 108 MAGNOLIA PLACE | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |

Passaic - Woodland Park Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|--|------------|--------------------------|
| 1616-15-0002.2 - LUP - 230001 | 1130 MCBRIDE AVENUE | The project consists of renovating an existing three (3) story professional office building within the Borough of Woodland Park, Passaic County, New Jersey and converting it into a multi-family residential building with the existing structure remaining the same. | L.O.G.,LLC | Mark Harris, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/08/2023 | | |
| Application Administratively Complete | | 03/08/2023 | | |
| Technical Information Requested | | 04/03/2023 | | |
| Technical Deficiency Information Received | | 06/29/2023 | | |

Salem - Carneys Point Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|-------------------|------------------------------------|
| 1713-02-0001.2 - LUP - 230001 | 505 SHELL ROAD | The project for a warehouse development will result in filling of two (2) isolated wetlands under a freshwater wetland General Permit #6, road crossing over a ditch/State open water under a General Permit #10A, modification of the wetland buffer under a Transition Area Waiver - Averaging Plan, and development in a flood hazard area under a Flood Hazard Area Individual Permit. | CARNEY SHELL, LLC | Dominick Cardella, Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/10/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |

Salem - Carneys Point Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|-----------------|
| 1713-13-0001.1 - FWW - 220001 | 369 WILEY RD | Applicant seeks a letter of interpretation line verification for the above referenced site. | 369 WILEY RD | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/29/2022 | | |
| Application Administratively Complete | | 08/29/2022 | | |
| Issued | | 06/29/2023 | | |

Salem - Elsinboro Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|------------------|------------------------------|
| 1703-07-0001.2 - LUP - 210001 | 14 FRIENDSHIP DR | Installation of two floating docks via stiff arm connectors, stone parking area and upgrade existing boat ramp located along the Salem River. | ROCKY STRIKE LLC | Andre Thompson, Becky Mazzei |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/07/2021 | | |
| Application Administratively Complete | | 05/07/2021 | | |
| Technical Information Requested | | 06/04/2021 | | |
| Technical Deficiency Information Received | | 03/06/2023 | | |
| Approved | | 06/30/2023 | | |

Salem - Elsinboro Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|------------------|------------------------------|
| 1703-07-0001.2 - LUP - 220001 | 14 FRIENDSHIP DR | Construction of a stone parking lot, boat ramp upgrade and revetment | ROCKY STRIKE LLC | Andre Thompson, Becky Mazzei |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit- SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/12/2022 | | |
| Application Administratively Complete | | 10/28/2022 | | |
| Technical Information Requested | | 11/29/2022 | | |
| Technical Deficiency Information Received | | 03/06/2023 | | |
| Complete for Final Review | | 05/04/2023 | | |
| Approved | | 06/30/2023 | | |

Salem - Pilesgrove Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------------|--|------------------------------|--------------------------|
| 1709-02-0001.3 - LUP - 230001 | NJSH ROUTE 40 & POINTERS-AUBURN RD | The Applicant is seeking to procure a Flood Hazard Area Individual Permit for a stormwater discharge into the Salem River. | NP PILESGROVE INDUSTRIAL LLC | Mark Davis, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/08/2023 | | |
| Application Administratively Complete | | 03/08/2023 | | |
| Approved | | 07/03/2023 | | |

Somerset - Bernardsville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|------------------------|-----------------------------|
| 1803-21-0001.1 - LUP - 220001 | 55 CLAREMONT RD | This project proposes the construction of a two (2) story townhouse building over one (1) parking level. | EQUINET PROPERTIES LLC | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/06/2022 | | |
| Application Administratively Complete | | 06/06/2022 | | |
| Technical Information Requested | | 07/05/2022 | | |
| Technical Deficiency Information Received | | 03/10/2023 | | |
| Approved | | 07/06/2023 | | |

Somerset - Bernardsville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------|-----------------------------|
| 1803-21-0001.1 - LUP - 230001 | 55 CLAREMONT RD | The applicant proposes to construct an outfall structure in a regulated water. | EQUINET PROPERTIES LLC | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/14/2023 | | |
| Application Administratively Complete | | 03/14/2023 | | |
| Approved | | 07/07/2023 | | |

Somerset - Branchburg Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------|-----------------------------|
| 1805-22-0002.1 - LUP - 220001 | 50 MEISTER AVENUE | BUILDING, GRADING, SWM AND PARKING AREA IMPROVEMENTS WITHIN THE 150 FOOT RIPARIAN BUFFER | 50 MEISTER LLC | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/24/2022 | | |
| Application Administratively Complete | | 10/24/2022 | | |
| Technical Information Requested | | 11/15/2022 | | |
| Amended Application Received | | 07/11/2023 | | |

Somerset - Bridgewater Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|--|-----------------|
| 1800-23-0003.1 - LUP - 230001 | VARIOUS LOCATIONS | geotechnical borings within wetlands and associated transition areas. | HEADGATES DAM GEOTECHNICAL INVESTIGATION | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP12 Surveying/Investigating | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/10/2023 | | |
| Application Administratively Complete | | 07/10/2023 | | |

Somerset - Bridgewater Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|-----------------------------|-----------------|
| 1806-23-0003.1 - FWW - 230001 | 1210 & 1220 US ROUTE 22 | The application is for a letter of interpretation line verification for a 27.9-acre site. | 1200 RT 22 LAND HOLDING LLC | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/24/2023 | | |
| Application Administratively Complete | | 05/24/2023 | | |
| Issued | | 07/07/2023 | | |

Somerset - Bridgewater Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|--|-----------------------------|------------------------------|
| 1806-23-0003.1 - LUP - 230001 | 1210 & 1220 US ROUTE 22 | The proposed development consists of a 179,973 SF warehouse building being constructed towards the rear (southern) portion of the property. Overall, the development proposes a limit of disturbance of approximately 483,971 SF (11.110 AC) and a net increase of impervious surface of 285,691 SF. Proposed stormwater outfalls are located within portions of regulated flood hazard areas, riparian buffers and wetlands transition areas. | 1200 RT 22 LAND HOLDING LLC | Danielle Jones, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/14/2023 | | |
| Application Administratively Complete | | 04/14/2023 | | |
| Approved | | 07/10/2023 | | |

Somerset - Far Hills Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|-----------------|
| 1807-17-0001.1 - LUP - 230001 | 180 DOUGLAS RD | Applicant seeks Freshwater Wetland General Permits for the referenced property. | 180 DOUGLAS RD | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Somerset - Far Hills Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------------------|------------------------------|
| 1807-22-0002.1 - FWW - 230001 | MOORLAND FARM | Stream habitat enhancement under the supervision of United States Department of Agriculture Natural Resources Conservation Service. Project is funded through the U.S Environmental Quality Incentive Program. | FAR HILLS RACE MEETING ASSOCIATION | Dennis Contois, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPM general permit modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2023 | | |
| Application Administratively Complete | | 07/05/2023 | | |

Somerset - Hillsborough Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--|-----------------------------|
| 1810-06-0006.1 - LUP - 230001 | HAMILTON RD | Proposed development consisting of 174 single-family homes and associated improvements over a portion of the existing Royce Brook Golf Club property. Proposed activities within areas regulated by the DLUR include construction of two (2) roadway crossings and three (3) stormwater outfalls within a flood hazard area and/or riparian zone. | HILLSBOROUGH GOLF ASSOCIATES LP/ BELLEMEAD DEV | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Somerset - Hillsborough Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|--------------------|--|---------------|-----------------------------|
| 1810-22-0002.2 - LUP - 230001 | 189 HOMESTEAD ROAD | Two crossings of regulated water with access drives for proposed warehouse, two sanitary sewer lines in regulated areas, and three stormwater outfalls to regulated areas. | HOMESTEAD LLC | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/04/2023 | | |
| Application Administratively Complete | | 04/04/2023 | | |
| Technical Information Requested | | 05/02/2023 | | |
| Technical Deficiency Information Received | | 05/30/2023 | | |
| Technical Information Requested | | 06/14/2023 | | |
| Technical Deficiency Information Received | | 06/21/2023 | | |
| Technical Information Requested | | 07/05/2023 | | |

Somerset - Raritan Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------|-----------------------------|
| 1816-23-0001.1 - LUP - 230001 | 160 ORLANDO DRIVE | Proposed site redevelopment and construction of mixed-use building; Regrading of site within flood plain. | RARITAN LOFTS | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/06/2023 | | |
| Application Administratively Complete | | 03/06/2023 | | |
| Approved | | 06/30/2023 | | |

Somerset - Somerville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|--|--|-----------------------------|-----------------------------|
| 1818-23-0001.1 - LUP - 230001 | MEADOW ST./130-136, 144, 148, 158 E. MAI | Removal of all existing buildings within Flood Hazard Area and construction of new parking deck/retail/residential complex | GATEWAY EAST SOMERVILLE LLC | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/31/2023 | | |
| Application Administratively Complete | | 04/03/2023 | | |
| Technical Information Requested | | 05/01/2023 | | |
| Technical Deficiency Information Received | | 05/22/2023 | | |
| Technical Information Requested | | 06/06/2023 | | |
| Technical Deficiency Information Received | | 06/26/2023 | | |
| Technical Information Requested | | 07/10/2023 | | |
| Technical Deficiency Information Received | | 07/13/2023 | | |
| Technical Information Requested | | 07/13/2023 | | |

Somerset - Warren Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-----------------------|---|------------------------------------|------------------------------|
| 1820-14-0006.1 - LUP - 230001 | 144 LIBERTY CORNER RD | The applicant proposes a five (5) lot Major Subdivision which will include the construction of a cul-de-sac, homes and associated utility (Gas, Electric, Cable, Water, Sewer) improvements for the residences. | 144 LIBERTY CORNER REAL ESTATE LLC | Danielle Jones, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/25/2023 | | |
| Application Administratively Complete | | 05/25/2023 | | |
| Technical Information Requested | | 06/20/2023 | | |
| Technical Deficiency Information Received | | 06/29/2023 | | |

Somerset - Warren Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|--|---|-----------------|
| 1820-18-0001.1 - FWW - 230001 | 145 WASHINGTON VALLEY RD | Extension of letter of interpretation line verification. | ST AUGUSTINE & ST MONICA COPTIC ORTH CHURCH | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/06/2023 | | |
| Application Administratively Complete | | 02/06/2023 | | |
| Issued | | 06/28/2023 | | |

Somerset - Warren Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|--------------------------|--|---|-----------------|
| 1820-18-0001.1 - LUP - 230001 | 145 WASHINGTON VALLEY RD | Proposed construction of a multi-purpose church building and Nave. | ST AUGUSTINE & ST MONICA COPTIC ORTH CHURCH | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/07/2023 | | |
| Application Administratively Complete | | 02/07/2023 | | |
| Approved | | 06/28/2023 | | |

Sussex - Byram Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|----------------------------|
| 1904-23-0004.1 - LUP - 230001 | 151 LAKE DRIVE | Lakefront Bulkhead Replacement | 151 LAKE DRIVE | Erin Signor, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/01/2023 | | |
| Application Administratively Complete | | 06/01/2023 | | |
| Technical Information Requested | | 06/29/2023 | | |

Sussex - Frankford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|----------------------------|-----------------|
| 1905-23-0004.1 - LGP - 230001 | 203 US ROUTE 206 | GP24 - Malfunctioning Septic | 203 US ROUTE 206 FRANKFORD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |
| Approved | | 06/28/2023 | | |

Sussex - Hardyston Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|-------------|-------------------------------------|
| 1911-05-0008.2 - LUP - 220001 | 4 W SHORE TRAIL | Construction of new well water treatment facility. | AQUA NJ INC | Dennis Contois, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Individual Permit | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2022 | | |
| Application Administratively Complete | | 07/07/2022 | | |
| Technical Information Requested | | 07/29/2022 | | |
| Amended Application Received | | 07/01/2023 | | |
| Technical Deficiency Information Received | | 07/05/2023 | | |

Sussex - Hardyston Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|-------------|-------------------------------------|
| 1911-05-0008.2 - LUP - 220002 | 4 W SHORE TRAIL | Construction of new well water treatment facility. | AQUA NJ INC | Dennis Contois, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/06/2022 | | |
| Application Administratively Complete | | 07/07/2022 | | |
| Technical Information Requested | | 07/29/2022 | | |
| Technical Deficiency Information Received | | 07/01/2023 | | |
| Withdrawn | | 07/05/2023 | | |

Sussex - Hopatcong Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|-------------------------|----------------------------------|
| 1912-21-0005.1 - LUP - 230001 | 658 LAKESIDE AVENUE | CONSTRUCT A 933 SF DWELLING ADDITION WITHIN A RIPARIAN ZONE | SMITH SEPTIC ALTERATION | Dennis Contois, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

Sussex - Hopatcong Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---|----------------------|-------------------------------|
| 1912-23-0002.1 - LUP - 230001 | 1C POINT PLEASANT ROAD | Seawall replacement on Lake Hopatcong | 1C POINT PLEASANT RD | Dennis Contois, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/10/2023 | | |
| Application Administratively Complete | | 04/10/2023 | | |
| Approved | | 07/06/2023 | | |

Sussex - Lafayette Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------------------|-----------------|
| 1913-21-0002.1 - FWW - 210001 | 179 RT-94 | Request for LOI Line Verification to verify wetlands boundaries and wetlands resource value. | ROMAN CATHOLIC DIOCESE OF PATERSON | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/28/2021 | | |
| Application Administratively Complete | | 10/28/2021 | | |
| Issued | | 07/10/2023 | | |

Sussex - Montague Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|------------------------------|-------------|-----------------|
| 1914-23-0001.1 - LGP - 230001 | 8 BIRCHWOOD DRIVE | GP24 - Malfunctioning Septic | KNEIDL GP24 | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |
| Approved | | 06/28/2023 | | |

Sussex - Sparta Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|------------------|
| 1918-23-0002.1 - FWW - 230001 | 114 DEMAREST RD | Letter of interpretation verification to verify wetlands and wetlands resource value. | WT-SPARTA HOLDINGS LLC | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |

Sussex - Vernon Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|---------------------------|------------------|
| 1922-23-0002.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Mountain Creek Dam and Dike will be rehabilitated to bring both structures into compliance with the New Jersey Dam Safety Standards. This rehabilitation will include armoring the crests and downstream slopes of the dam and dike embankments using reinforced concrete slabs and grouted riprap aprons to protect the structures from overtopping and repairs to the existing spillway structure and downstream exit channel. | MOUNTAIN CREEK RESORT INC | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP18 Dam Repairs | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/26/2023 | | |
| Application Administratively Complete | | 01/27/2023 | | |
| Approved | | 07/10/2023 | | |

Sussex - Wantage Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|--|----------------------------|
| 1924-23-0009.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The existing bridge closed to traffic is to be replaced. The proposed activities in the regulated area include excavation to facilitate the bridge construction and a minor widening of the roadway to comply with structure deck geometry regulations. | REPLACEMENT OF SUSSEX COUNTY BRIDGE X-20 | Erin Signor, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/07/2023 | | |
| Application Administratively Complete | | 06/07/2023 | | |
| Technical Information Requested | | 07/06/2023 | | |

Sussex - Wantage Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|---------------------------|----------------------------|
| 1924-23-0011.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Sussex County is seeking to replace Sussex County Bridge X-43 carrying County Route 651 (Unionville Road) over Clove Brook in the Township of Wantage, Sussex County, New Jersey. The replacement is necessary due to the condition of the superstructure and substructure. | SUSSEX COUNTY BRIDGE X-43 | Stephen Dench, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |

[Warren](#)

Warren - Franklin Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|----------------------|-------------------------------|
| 2105-23-0002.1 - LUP - 230001 | 7 STEWARTSVILLE ROAD | Malfunctioning Septic Replacement within Flood hazard area and riparian zone. | 7 STEWARTSVILLE ROAD | Erin Signor, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/14/2023 | | |
| Application Administratively Complete | | 06/14/2023 | | |
| Withdrawn | | 07/11/2023 | | |

Warren - Hope Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|------------------------------|-------------------|-----------------|
| 2111-23-0004.1 - LGP - 230001 | STREET ADDRESS NOT IDENTIFIED | GP24 - Malfunctioning Septic | 502 DELAWARE ROAD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |
| Approved | | 07/11/2023 | | |

Warren - Oxford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------------|----------------------------------|
| 2117-07-0001.4 - LUP - 230001 | 11 FOUNDRY ST | The proposed project includes the construction of a solar farm. | OXFORD TEXTILE SOLAR FARM LLC | Dennis Contois, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |

New Jersey Department of Environmental Protection

Permit Applications Submitted to the Division of Water Quality

Treatment Works Approval (TWA) Permit Applications

Changes in the Status Submitted for the Period 06/07/2023 to 07/12/2023

| County | Project Number | Project Name | Applicant Name and/or Address | Application Received | Final Decision |
|-----------------------|------------------|----------------------------------|---|----------------------|----------------|
| Municipality | Project Manager | Project Location | | | |
| Atlantic | 23-0145 | Redwood Avenue | Prince Garden LLC 17 | 02/06/2023 | 06/23/2023 |
| Galloway Twp | Mustafa Hussain | Redwood Avenue | Hearbor Croff Egg Harbor Twp, NJ 08734 | | (Approved) |
| Bergen | 23-0226 | West Crescent Avenue | Hampshire Allendale | 04/19/2023 | 07/07/2023 |
| Allendale Boro | Hiba Higazi | 220-230 West Crescent | MF-20 21 South Street Morristown, NJ 07960 | | (Approved) |
| Bergen | 23-0320 | Hudson Terrace Redevelopment | Englewood Cliffs Urban Fa 2 | 06/19/2023 | |
| Englewood Cliffs Boro | Tulio Mancebo | Hudson Terrace between New St | Cooper St. 15th Floor Camden, NJ 08102 | | |
| Bergen | 23-0334 | 190 Bergen Blvd | Early Bird Fairview Inc 205 | 06/12/2023 | |
| Fairview Boro | | 190 Bergen Blvd | Bergen Turnpike Little Ferry, NJ 07643 | | |
| Bergen | 23-0122 | Little Ferry Seniors 250 | Regan Development Corp | 02/21/2023 | 06/09/2023 |
| Little Ferry Boro | Mustafa Hussain | Mehrhof Road | 1055 Saw Mill River Road #204 Ardsley, NY 10502 | | (Approved) |
| Bergen | 23-0169 | 112 LF of 8" sdr pvc Sewer and | Township of Mahwah 475 | 03/06/2023 | 06/28/2023 |
| Mahwah Twp | Lauren Kaminsky | Mountain Ave | Corporate Dr Mahwah, NJ 07430 | | (Approved) |
| Bergen | 23-0264 | 11 Silver Birch Avenue 11 | 11 Silver Birch Avenue | 04/26/2023 | 07/11/2023 |
| Oakland Boro | Samantha Howarth | Silver Birch Avenue | Oakland, NJ 07436 | | (Approved) |
| Bergen | 23-0312 | Barnstable Court - Old Packer | SR Barnstable LLC 505 | 06/08/2023 | |
| Saddle River Boro | Piyush Tilvawala | 71 E. Allendale Ave. & 148 W. | Main Street P.O. Box 667 Hackensack City, NJ 07602 | | |
| Bergen | 23-0336 | Northwest Bergen County Utilit | Northwest Bergen County U | 06/19/2023 | |
| Waldwick Boro | | 30 Wyckoff Avenue | 30 Wyckoff Ave Waldwick, NJ 07463 | | |
| Bergen | 23-0328 | 34 Maple Avenue, LLC | Township of Washington 350 | 06/29/2023 | |
| Washington Twp | | Gorga PLace | Hudson Avenue Washington Twp, NJ 07676 | | |

| County | Project Number | Project Name | Applicant Name and/or Address | Application Received | Final Decision |
|--------------------------------|------------------------------------|---|--|----------------------|---------------------------|
| Municipality | Project Manager | Project Location | | | |
| Bergen Wyckoff Twp | 21-0370a Sinan Abdulmunem | Barn Restaurant 359 Sicomac Avenue | Township of Wyckoff 340 Franklin Avenue Wyckoff, NJ 07481 | 06/08/2023 | |
| Burlington Burlington Twp | 23-0212 Lewis Coutts | Rancocas Pointe 2315 Rancocas Road | DR Horton NJ/PA 2040 Briggs Road Suite A Mount Laurel, NJ 08054 | 04/05/2023 | 06/15/2023 (Approved) |
| Burlington Hainesport Twp | 23-0326 Tulio Mancebo | Longbridge Farms Residential S 620 Hainesport-Mt Laurel Roa | 1 Park Dr PO Box 486 Mount Holly, NJ 08060 | 07/03/2023 | |
| Burlington Lumberton Twp | 23-0138 Nazia Mughis-Sohrawardy | Pump Station #24 79 County Route 641 | Mount Holly MUA 1 Park Drive PO Box 486 Mount Holly, NJ 08048 | 02/24/2023 | 06/21/2023 (Approved) |
| Burlington Mansfield Twp | 23-0253 Sinan Abdulmunem | Imperial Inn Septic 3312 Route 206 | Patel & Sons 3312 Route 206 Bordentown, NJ 08505 | 04/26/2023 | 07/12/2023 (Withdrawn) |
| Burlington Moorestown Twp | 23-0185 Lauren Kaminsky | Moorestown Family Apts, LLC Borton Landing Road | Moorestown Township 601 East Third Street Moorestown, NJ 08057 | 03/17/2023 | 06/14/2023 (Approved) |
| Burlington Mount Laurel Twp | 23-0330 Aidan Callahan | Laurel Green Apartments Phase 203 Ark Road | Mount Laurel MUA 1201 S. Church St Mount Laurel, NJ 08054 | 07/06/2023 | |
| Burlington Riverside Twp | 23-0104 Hiba Higazi | 200 Whittaker Street 200 Whittaker Street | Riverside Sewerage Auth. 300 Monroe St Riverside, NJ 08075 | 02/14/2023 | 06/28/2023 (Approved) |
| Burlington Shamong Twp | 23-0323 | Pic-A-Lilli Inn 866 Route 206 | Pic-A-Lilli Inn, Inc. 866 Route 206 Shamong, NJ 08088 | 06/22/2023 | |
| Camden Waterford Twp | 23-0206 Lewis Coutts | AASMWF Property llc C. William Haines Blvd | AASMWF Property llc 250 West Nyack Road Suite 104D West Nyack, NY 10994 | 04/17/2023 | 07/12/2023 (Approved) |
| Cape May Avalon Boro | 23-0309 Hiba Higazi | Avalon Ave Avalon Ave 8th St - 14th St | Borough of Avalon 3100 Dunn Drive Avalon, NJ 08202 | 06/21/2023 | |
| Cape May Middle Twp | 21-0179a | Stone Harbor Estates at the St Court House - South Dennis Roa | Apache Development, LLC 1 St. Andrews Drive Northfield, NJ 08225 | 06/13/2023 | |

Sussex - Wantage Twp

| County | Project Number | Project Name | Applicant Name and/or Address | Application Received | Final Decision |
|-------------------|------------------|----------------------------------|--|----------------------|-----------------------|
| Municipality | Project Manager | Project Location | | | |
| Cape May | 23-0204 | Merion Park Area Sanitary Sewer | New Jersey American Water 3215 Fire Road Egg Harbor City, NJ 08234 | 04/06/2023 | 06/09/2023 (Approved) |
| Ocean City | Hiba Higazi | Oxford Lane & Somerset Lane | | | |
| Cape May | 23-0137 | Heritage Acres Mobile Home Park | Heritage Acres Mobile 4015 Ocean Heights Ave Egg Harbor Twp, NJ 08234 | 03/03/2023 | 06/29/2023 (Approved) |
| Upper Twp | Sinan Abdulmunem | 550 Tuckahoe Road | | | |
| Essex | 23-0178 | Proposed Multifamily Development | Okner Pkwy Development Park 50 East Mount Pleasant Ave. Livingston, NJ 07039 | 03/24/2023 | 06/14/2023 (Approved) |
| Livingston Twp | Lauren Kaminsky | 51 Okner Parkway | | | |
| Essex | 23-0192 | Greenwich House | Greenwich House, LLC 418 Union Boulevard Totowa, NJ 07512 | 04/06/2023 | 07/12/2023 (Approved) |
| West Caldwell Twp | Aidan Callahan | 1089-1091 Bloomfield Ave., 204 | | | |
| Gloucester | 23-0310 | True North Church | True North Church 311 Richwood-Aura Road Mullica Hill, NJ 08062 | 06/08/2023 | |
| Harrison Twp | | 311 Richwood-Aura Rd | | | |
| Gloucester | 23-0324 | Building 1 - Commodore Business | 2001 Ross Ave Suite 3400 Dallas, TX 75201 | 06/21/2023 | |
| Logan Twp | Kevin Wolf | 250 Stone Meeting House Road | | | |
| Gloucester | 22-0230a | Proposed Warehouse Development | AQUA New Jersey 10 Black Forest Road Hamilton Twp, NJ 08691 | 02/24/2023 | 06/27/2023 (Approved) |
| Woolwich Twp | Grace Christ | Route US 322 | | | |
| Gloucester | 23-0191 | South Pointe At Weatherby | Aqua New Jersey 10 Black Forest Road Hamilton, NJ 08691 | 01/30/2023 | 06/15/2023 (Approved) |
| Woolwich Twp | Kevin Wolf | Auburn Road | | | |
| Gloucester | 23-0306 | The Village 2 at Weatherby | Aqua New Jersey 10 Black Forest Road Hamilton, NJ 08691 | 06/19/2023 | |
| Woolwich Twp | | Auburn Road | | | |
| Hudson | 23-0184 | Aquaview | Gauri Shankar Flagship Urban 2449 Kennedy Blvd Jersey City, NJ 07304 | 03/17/2023 | 07/05/2023 (Approved) |
| Bayonne City | Tulio Mancebo | 54 Flagship Street | | | |
| Hudson | 23-0208 | 1888 Studios, LLC Avenue A | 1888 Studios, LLC C/O Sil 1037 Raymond Boulevard, 13th Floor Newark City, NJ 07102 | 04/14/2023 | 07/06/2023 (Approved) |
| Bayonne City | Lauren Kaminsky | & West 1st St. | | | |
| Hudson | 23-0175 | Madison St. Area Improvements | North Hudson SA 1600 Adams St. Hoboken, NJ 07030 | 03/22/2023 | 06/15/2023 (Approved) |
| Hoboken City | Lewis Coutts | Madison From 9th to 11th | | | |

| County | Project Number | Project Name | Applicant Name and/or Address | Application Received | Final Decision |
|--------------------|------------------|---|--|----------------------|-----------------------|
| Municipality | Project Manager | Project Location | | | |
| Hudson | 22-0489 | 18th Street Netting Facility | Jersey City MUA | 12/07/2022 | 07/03/2023 (Approved) |
| Jersey City | Lewis Coutts | Southeast corner at the inters | 13-15 Linden Avenue East Jersey City, NJ 07605 | | |
| Hudson | 23-0030 | 129 Griffith Street | 129 Griffith Street Jersey City, NJ 07307 | 12/30/2022 | 06/07/2023 (Denied) |
| Jersey City | Piyush Tilwawala | 129 Griffith Street | | | |
| Hudson | 23-0165 | 61 Sip Avenue | 61-63 Sip Avenue LLC 100 Challenger Road Suite 401 Ridgefield Park, NJ 07660 | 03/13/2023 | 07/06/2023 (Approved) |
| Jersey City | Tulio Mancebo | 61 Sip Avenue | | | |
| Hudson | 23-0263 | Phase 2A Sewer Rehab Various | JCMUA 555 Rt 440 Jersey City, NJ 07305 | 05/17/2023 | 06/20/2023 (Approved) |
| Jersey City | Lewis Coutts | | | | |
| Hudson | 23-0293 | 46th Street Park | Township of North Bergen 4233 John F. Kennedy Blv North Bergen Twp, NJ 07047 | 06/08/2023 | |
| North Bergen Twp | Antoanela Chopan | 1223 46th Street | | | |
| Hunterdon | 23-0329 | Puleo International Warehouse | Town of Clinton 3614 Kennedy Plainfield, NJ 07080 | 06/30/2023 | |
| Clinton Town | Dipika Dabhi | 13 Moebus Place | | | |
| Hunterdon | 23-0307 | North Union Street Pum Station | Lambertville MUA 3 Bridge Street Lambertville, NJ 08530 | 06/21/2023 | |
| Lambertville City | Antoanela Chopan | 282 North Uniion Street | | | |
| Mercer | 22-0163a | Redevelopment former Naval Wel | 340 Scotch Road Suite 200 Ewing, NJ 08628 | 01/11/2023 | 06/21/2023 (Approved) |
| Ewing Twp | Kevin Wolf | | | | |
| Mercer | 23-0155 | Washongton Crossing State Park | NJDEP 275 Freeehold- Englishtown Road. Englishtown, NJ 07726 | 02/24/2023 | 06/23/2023 (Approved) |
| Hopewell Twp | Marcus Roorda | 355 Washington Crossing Road | | | |
| Mercer | 23-0321 | Princeton U. Hobson College | The trustees of Princeton MacMillan Building Princeton, NJ 08540 | 06/29/2023 | |
| Princeton | Joseph Finnegan | Goheen Walk / Elm Drive | | | |
| Middlesex | 23-0271 | Cranbury Commons | Cranbury Commerce, LLC 525 Milltown Rd Site 402 North Brunswick, NJ 08902 | 05/31/2023 | 07/07/2023 (Approved) |
| Cranbury Twp | Aidan Callahan | Old Cranbury Rd., Old Trenton | | | |
| Middlesex | 23-0299 | 566 &568 Ryders Lane 566 &568 Ryders Lane | East Brunswick Water & Se 25 Harts Lane East Brunswick Twp, NJ 08816 | 06/15/2023 | |
| East Brunswick Twp | Tulio Mancebo | | | | |

| County | Project Number | Project Name | Applicant Name and/or Address | Application Received | Final Decision |
|-----------------------|---------------------|--------------------------------|---|----------------------|--------------------------|
| Municipality | Project Manager | Project Location | | | |
| Middlesex | 23-0217 | Vermella New Brunswick | RTF NB Urban Renewal, LLC 570 Commerce Blvd. Carlstadt, NJ 07072 | 04/26/2023 | 06/29/2023 (Approved) |
| New Brunswick City | Lewis Coutts | 35 Labor Cente Way & 45-55 U.S | | | |
| Middlesex | 23-0319 | Proposed Mixed-Use Commerical | Jersey Ave NB Urban Renew 32 Cross St, Suite 301 Lakewood, NJ 08701 | 06/21/2023 | |
| New Brunswick City | | 90, 100, 120, & 200 Jersey Ave | | | |
| Middlesex | 23-0289 | CMC Steel New Jersey 1 | CMC Steel New Jersey 1 Crossman Road North Sayreville, NJ 08872 | 06/07/2023 | |
| Sayreville Boro | | Crossman Road North | | | |
| Middlesex | 23-0107 | Canterbury Estates | South Brunswick Township 540 Ridge Road Monmouth Junction, NJ 08852 | 02/06/2023 | 07/07/2023 (Approved) |
| South Brunswick Twp | Antoanela Chopan | 175-179 Old Beekman Road | | | |
| Middlesex | 23-0317 | Carnegie Crossing 913- | K. Hovnanian New Jersey 110 Fieldcrest Ave Edison, NJ 08837 | 06/07/2023 | |
| South Brunswick Twp | | 927 Ridge Road | | | |
| Middlesex | 23-0174 | Colonial Oaks | Colonial Oaks LLC 929 Route 202 Raritan, NJ 08869 | 03/21/2023 | 06/15/2023 (Approved) |
| South Plainfield Boro | Piyush Tilvawala | New Brunswick Ave/Tyler PI | | | |
| Middlesex | 23-0160 | Parkside Pump Stn 56 | Twp Of WoodBridge 1 Main Street Woodbridge, NJ 07095 | 03/13/2023 | 06/29/2023 (Approved) |
| Woodbridge Twp | Kirit Amin | West Side Ave | | | |
| Middlesex | 23-0318 | Kopper Koke Pump Station 800 | Township of Woodbridge 1 Main Street Woodbridge Twp, NJ 07095 | 06/19/2023 | |
| Woodbridge Twp | | Port Reading Avenue | | | |
| Monmouth | 23-0308 | Wilson Ave./County Mototpool | Eatontown Sewerage Author 47 Broad Street Eatontown, NJ 07724 | 06/22/2023 | |
| Eatontown Boro | Joseph Finnegan | | | | |
| Monmouth | 23-0296 | Proposed Warehouses | AAFRHW Property LLC 5 Tenafly Road Englewood, NJ 07631 | 06/15/2023 | |
| Howell Twp | Lauren Kaminsky | Fairfiel Road | | | |
| Monmouth | 23-0232 | 62 Oakland Mills Rd 62 | 62 Oakland Mills Rd Manalapan, NJ 07726 | 05/01/2023 | 07/11/2023 (Approved) |
| Manalapan Twp | Samantha Howarth | Oakland Mills Rd | | | |
| Monmouth | 23-0233 | 500 Gold Court | 500 Gold Court Manalapan, NJ 07726 | 05/01/2023 | 06/12/2023 (Approved) |
| Manalapan Twp | Christina Quagliato | 500 Gold Court | | | |

| | | | | | |
|------------------------|--------------------------|--|--|------------|--------------------------|
| Monmouth Red Bank Boro | 23-0129 Tulio Mancebo | Proposed Residential Building 13-29 Mechanic Street | One Globe Court, LLC 2 Hennessey Blvd, Suite 1A Atl Highlands Boro, NJ 07716 | 02/27/2023 | 06/10/2023 (Approved) |
|------------------------|--------------------------|--|--|------------|--------------------------|

| County Municipality | Project Number Project Manager | Project Name Project Location | Applicant Name and/or Address | Application Received | Final Decision |
|---------------------------------|-----------------------------------|---|--|-------------------------|--------------------------|
| Morris Boonton Twp | 23-0028a Aidan Callahan | Packard Lofts at Boonton 128 Monroe Street | Monroe Street Holdings, L 55 Westervelt Avenue Suite 100 Hawthorne, NJ 07506 | 06/15/2023 | 06/23/2023 (Approved) |
| Morris Boonton Twp | 23-0180 Hiba Higazi | TerrAscend NJ 130 Old Denville Road | TerrAscend NJ LLC 130 Old Denville Road Boonton, NJ 07005 | 03/06/2023 | 06/22/2023 (Approved) |
| Morris Montville Twp | 23-0215 Kerri Standowski | 67 Boonton Ave 67 Boonton Avenue | 67 Boonton Ave Montville, NJ 07005 | 04/03/2023 | 07/05/2023 (Approved) |
| Morris Mount Olive Twp | 23-0284 Kevin Wolf | ITC East Continental Crossing Continental Drive | Mount Olive Township 204 Flanders-Drakestown Road Budd Lake, NJ 07828 | 06/08/2023 | |
| Morris Parsippany-Troy Hills | 23-0197 Kevin Wolf | Ballantine Greens 1500 Littleton Road | Parsippany Littleton, LLC 820 Morris Turnpike Short Hills, NJ 07078 | 03/24/2023 | 06/07/2023 (Approved) |
| Morris Parsippany-Troy Hills | 23-0311 Lauren Kaminsky | Lake Hiawatha Pump Station Colony Court | Troy Hills Sewer Utility 1001 Parsippany Blvd Parsippany- Troy Hills Twp, NJ 07054 | 06/19/2023 | |
| Ocean Berkeley Twp | 23-0195 Lewis Coutts | Arya Properties at Barnabas LL 33 Woodland Road | Berkley Township Sewerag 255 Atlantic City Boulevard Bayville, NJ 08721 | 04/05/2023 | 06/15/2023 (Approved) |
| Ocean Jackson Twp | 23-0325 | RG2 Associates Subdivision Grawtown Rd | Jackson Towneship MUA 135 Manhattan St. Jackson Twp, NJ 08527 | 07/06/2023 | |
| Ocean Lacey Twp | 23-0199 Mustafa Hussain | Pershing Ave. Sewer Extension Pershing Ave, between Arient R | Lacey Municipal Utilities 34 R. Kennedy Blvd PO Box 205 Forked River, NJ 08731 | 03/23/2023 | 06/09/2023 (Approved) |
| Ocean Lakewood Twp | 23-0127 Mustafa Hussain | Lanes Mill Road 2023-2037 Lanes Mill Road | Lakewood Township MUA 390 New Hampshire Ave Lakewood, NJ 08701 | 02/27/2023 | 07/12/2023 (Approved) |
| Ocean Lakewood Twp | 23-0188 Antoanela Chopan | Shady Lane Drive Shady Lane Drive | NJ American Water Comp 149 Yellowbrook Road Suite 419 Farmingdale, NJ 07727 | 02/27/2023 | 07/03/2023 (Approved) |

| | | | | | |
|---------------------------|-----------------------------------|--|---|------------|--------------------------|
| Ocean Lakewood Twp | 23-0288 | Bruce Street Lakewood, NJ | New Jersey American Water 149 Yellowbrook Road Suite 109 Farmingdale, NJ 07727 | 06/07/2023 | |
| Ocean Ship Bottom Boro | 23-0166 Nazia Mughis-Sohrwardy | NJDOT Rte 72 Manahawkin Bay Bridges 8th & | C.J. Hesse, Inc 25 First Avenue Atlantic Highlands, NJ 07716 | 03/21/2023 | 06/10/2023 (Approved) |

| County Municipality | Project Number Project Manager | Project Name Project Location | Applicant Name and/or Address | Application Received | Final Decision |
|-------------------------------|-----------------------------------|---|--|-------------------------|--------------------------|
| Ocean Stafford Twp | 23-0164 Tulio Mancebo | Site Plan East Bay Ave | Mel-John Developers, LLC P.O. Box 607 Manahawkin, NJ 08050 | 03/21/2023 | 06/15/2023 (Approved) |
| Ocean Stafford Twp | 23-0183 Kevin Wolf | Preliminary & Final Major Subd Parker Street Between Lakewood | Stafford Township Water & 260 East Bay Ave Manahawkin, NJ 08050 | 03/21/2023 | 07/05/2023 (Approved) |
| Ocean Stafford Twp | 23-0257 Mustafa Hussain | Cedar Drive Sewer Extention 343 Cedar Drive | Stafford Twp Water & Sewe 260 East Bay Ave Stafford Twp, NJ 08050 | 05/24/2023 | 06/22/2023 (Approved) |
| Ocean Toms River Twp | 23-0302 Hiba Higazi | Cox Cro Road Major Subdivision Cox Cro Road | Toms River MUA 340 E. Eater St Toms River, NJ 08753 | 06/14/2023 | |
| Passaic Paterson City | 23-0300 Mustafa Hussain | Mi Semago Corp 98 2nd Ave | Mi Semago Corp 98 2nd Ave Paterson, NJ 07514 | 06/14/2023 | |
| Passaic Ringwood Boro | 23-0305 Samantha Howarth | 65 Hickory Rd 65 Hickory Rd | 65 Hickory Road Ringwood, NJ 07456 | 06/19/2023 | |
| Salem Carneys Point Twp | 23-0221 Lewis Coutts | Kelly Logistics Park South 1101 U.S 40 | CP Land South LLC 1230 Peachtree Street NE Suite 1000 Atlanta, GA 30309 | 04/21/2023 | 07/03/2023 (Approved) |
| Salem Elmer Boro | 19-0449a Steve Kumpf | WAWA CONVENIENCE STORE w/FUEL 765 RT 40 | WAWA INC 260 W BALTIMORE PIKE MEDIA, PA 19063 | 04/17/2023 | 06/29/2023 (Approved) |
| Salem Pennsville Twp | 23-0286 Lauren Kaminsky | Pennsville Wastewater Treatmen 183 Delaware Drive | Pennsville Sewerage Autho 90 North Broadway Pennsville, NJ 08070 | 06/08/2023 | |
| Somerset Bedminster Twp | 23-0156 Aidan Callahan | Bedminster One Access Road off Burnt Mills Rd | American Water 120 Raider Blvd Hillsborough, NJ 08844 | 03/16/2023 | 06/13/2023 (Approved) |

Sussex - Wantage Twp

| | | | | | |
|-----------------------------|-----------------------------|--|--|------------|--------------------------|
| Somerset Franklin Twp | 23-0134 Antoanela Chopan | Somerset St. PS Rhab (3rd Pump 22 Brookline Ave. | Franklin Twp. Sewerage Au 70 Commerce Drive Somerset, NJ 08873 | 03/01/2023 | 06/29/2023 (Approved) |
| Somerset Franklin Twp | 23-0303 | B9 Schoolhouse Owner LLC 96- 104 Schoolhouse Road | Franklin Twp Sewerage Aut 70 Commerce Drive Somerset, NJ 08873 | 06/19/2023 | |
| Somerset Green Brook Twp | 23-0335 | Juniper Way Juniper Way | Twp of Green Brook 111 Greenbrook Rd Green Brook, NJ 08812 | 07/12/2023 | |

| County Municipality | Project Number Project Manager | Project Name Project Location | Applicant Name and/or Address | Application Received | Final Decision |
|------------------------------|-----------------------------------|---|--|-------------------------|---------------------------|
| Somerset Hillsborough Twp | 23-0125 Aidan Callahan | Major Subdivision at Farm Road Farm Road | Hillsborough Township MUA 220 Triangle Road Suite 234 Hillsborough, NJ 08844 | 02/23/2023 | 06/15/2023 (Approved) |
| Somerset Hillsborough Twp | 23-0136 Sinan Abdulmunem | The Enclave W@ Royce Brook- 201 Hamilton Rd | The Township of Hillsboro 220 Triangle Road, Suite #234 Hillsborough, NJ 08844 | 03/01/2023 | 06/20/2023 (Approved) |
| Sussex Hampton Twp | 23-0177 Marcus Roorda | Martin Property Hampton House Road | NW Env Maintenance Assoc P.O. Box 158 15 Rt. 206 Newton, NJ 07860 | 03/07/2023 | 07/03/2023 (Withdrawn) |
| Sussex Hopatcong Boro | 23-0102 Lewis Coutts | Hopatcong Water Department 120 River Styx Road | Borough of Hopatcong 111 River Styx Road Hopatcong, NJ 07843 | 02/08/2023 | 07/03/2023 (Denied) |
| Sussex Newton Town | 23-0071 Sinan Abdulmunem | Swartswood State Park 1091 County Road 619 | NJ State Parks, Forests & 1480 NJ-23 Sussex, NJ 07461 | 01/12/2023 | 06/07/2023 (Approved) |
| Sussex Newton Town | 23-0331 | Sparta Ave , PS 105 Sparta Ave | Town of Newton 39 Trinity St Newton, NJ 07860 | 06/22/2023 | |
| Union Cranford Twp | 23-0150 Aidan Callahan | South Avenue-Mixed Use Dev 108-126 South Ave East | Iron Ore Properties LLC 55 Bleeker St 2nd floor Millburn, NJ 07041 | 03/01/2023 | 06/22/2023 (Approved) |
| Union Elizabeth City | 23-0332 | 230 Second Street 230 Second Street | 100 Dusko Drive Parlin, NJ 08859 | 07/06/2023 | |
| Union Plainfield City | 23-0058 Tulio Mancebo | TODD West Urban Renewal (Bld3) W. Front, Madison Ave., W. 2nd | TODD West Urban Renewal Building 3 Plainfield, NJ 07060 | 01/19/2023 | 06/15/2023 (Approved) |

| | | | | | |
|----------------------|---------|--|--|------------|--|
| Union Rahway City | 23-0333 | No.329 New Brunswick Ave 329 New Brunswick Avenue | City of Rahway 1 City Hall Plaza Rahway City, NJ 07065 | 06/27/2023 | |
|----------------------|---------|--|--|------------|--|

Warren - Greenwich Twp



Department of Environmental Protection

Visit the NJDEP home page on the Internet at:

<http://www.nj.gov/dep/>

View and download NJDEP information such as permit application forms, checklists, regulations and rule proposals. Access publications, including the DEP Bulletin, as well as phone directories and public participation calendars.

A sampling of DEP Programs and other related agency information currently on the Internet

- Air Quality Permitting Program (AQPP)
- Bureau of Air Monitoring
- Bureau of Air Quality Planning
- Bureau of Discharge Prevention
- Bureau of Freshwater & Biological Monitoring
- Bureau of Marine Water Monitoring
- Bureau of Recycling and Planning
- Clean Air Council
- Commissioner's Office
- Community Forestry
- Community Right to Know
- Compliance and Enforcement
- Dam Safety
- Delaware River Basin Commission
- Division of Fish & Wildlife
- Division of Parks & Forestry
- Division of Science and Research
- Division of Solid and Hazardous Waste
- Division of Water Quality
- Division of Watershed Management
- Geographic Information Systems (GIS) Unit
- Hazardous Waste and Transfer Facilities
- Hazardous Waste Regulation
- Division of Land Resource Regulation
- Landfill and Recycling Management
- Natural Heritage Program
- New Jersey Geological Survey
- New Jersey Historic Trust
- NJ Forest Service
- Office of Green Acres
- Office of Legal Affairs
- Office of Natural Resource Damages
- Office of Pollution Prevention and Right To Know
- Pinelands Commission
- Radiation Protection Programs
- Regulation Development Section
- Resource Recovery and Technical Programs
- Site Remediation Program
- Solid Waste Regulation
- Toxic Catastrophe Prevention Act Program
- Water Monitoring Management
- Water Supply Administration

DEP Permit Liaisons and Other Governmental Contacts

Any additional information concerning the permits may be obtained by contacting the appropriate person listed below.

N.J. DEPARTMENT OF ENVIRONMENTAL PROTECTION P.O. Box 402, Trenton, N.J. 08625-0402

General Information:

(609) 777-DEP3
(866) DEP-KNOW
609) 292-3131

Automated Directory Assistance

AIR QUALITY REGULATION P.O. Box 027, Trenton, NJ 08625-0027

New Source Review

(609) 633-2753
Ruth Foster (609) 292-3600
John Smith (609) 984-9482

ENVIRONMENTAL IMPACT STATEMENTS AND ASSESSMENTS

BUREAU OF COMPLIANCE SUPPORT & POLLUTION PREVENTION

DIVISION OF LAND REGULATION Mail Code 501-02A, P.O. Box 420, Trenton, NJ 08625-0420

(609) 777-0454

For Coastal Permits (Cafra, Coastal Wetlands, Waterfront Development Permits), Freshwater Wetlands Permits, Flood Hazard Area Permits, Highlands Applicability Determinations, Highland Approvals and Federal Consistency inquire according to location:

INLAND REGIONS

609-633-6563

Bergen, Essex, Hudson, Somerset and Union

Middlesex and Morris

1

Hunterdon, Mercer, Passaic, Sussex and Warren

COASTAL REGIONS

609-633-2289

Atlantic, Cape May, Monmouth and Ocean County

Burlington, Camden, Cumberland, Gloucester, and Salem

URBAN GROWTH AND REDEVELOPMENT

(609)984-6216

All Municipal, County and State Roads Applications

All Urban areas

DIVISION OF SOLID AND HAZARDOUS WASTE, Mail Code 401-02C, P.O. Box 420, Trenton, NJ 08625-0420

Class B Recycling Center Approvals Karen Kloo (609)984-3438

Sanitary Landfill Permits Anthony Fontana (609)292-9880

Incinerator Permits (RRF Permits) Anthony Fontana (609)292-9880

Transfer Station/Material Recovery

Facility Permits

Anthony Fontana (609)292-9880

Resource Recovery Facility Permits (Incinerator) Anthony Fontana (609)292-9880

Class C Recycling Center Approvals Karen Kloo (609)984-3438

Class D Recycling Center Approvals Karen Kloo (609)984-3438

Solid Waste Composting Facility Permits (Class C) Karen Kloo (609)984-3438

Hazardous Waste Facility (HWF) Permits Karen Kloo (609)984-3438

DIVISION OF WATER QUALITY, Mail Code 401-02B, PO Box 420, Trenton, NJ 08625-0420

Office of the Director

Watershed Permitting

(Including New Jersey Pollutant Discharge Elimination System (NJPDES) Permits)

Bureau of Surface Water Permitting Susan Rosenwinkel (609) 292-4860

Bureau of Pretreatment and Residuals Vacant (609) 984-4428

Permit Administration Section Vacant (609) 984-4428

• NJPDES Fee inquiries

• NJPDES DMR inquiries

• NJPDES Permit application requirements

Bureau of Nonpoint Pollution Control Gabriel Mahon (609) 633-7021

• Stormwater and Ground Water Permits

MUNICIPAL FINANCE AND CONSTRUCTION ELEMENT, Mail code is 401-03D PO Box 420, 3rd Floor, Trenton, NJ 08625-0420

(Including Technical Review of Treatment Works Approvals)

Bureau of Environmental Engineering & Permitting Charles Jenkins, Chief (609) 633-1170

Bureau of Construction, Payments, & Administration Paul Hauch, P.E., Chief (609) 292-3114

Treatment Works Approvals (Administrative Review) John Maselli, Lisa Oakley (609) 984-4429

The DEP has developed a Permit Readiness Checklist which will indicate all DEP permits that may be needed for a proposed project. Forms are available from the Office of Permit Coordination and Environmental Review at <http://www.nj.gov/dep/pcer> or at (609)292-3600

