



DEP Bulletin

October 4, 2023

Volume 47 Issue 19

| | |
|---|---------|
| General Application Milestone Codes | Pg. 2 |
| Specific Decision Application Codes Permit Descriptions | Pg. 2 |
| <u>General Information</u> | Pg. 3 |
| DEP Public Notices and Hearings and Events of Interest | Pg. 3 |
| Water Quality | Pg. 6 |
| Public Notice of Proposed Permit Actions | |
| Minor Modifications Issued | |
| Administrative Permit Revocations Issued | |
| General Permit Authorization Issued | |
| Environmental Impact Statements and Assessments | Pg.12 |
| Permit Applications Filed or Acted Upon: | |
| Division of Land Resource Protection (by county) | |
| CAFRA Permit Application | Pg. 14 |
| Atlantic | Pg. 14 |
| Bergen | Pg. 21 |
| Burlington | Pg. 31 |
| Camden | Pg. 34 |
| Cape May | Pg. 36 |
| Cumberland | Pg. 45 |
| Essex | Pg. 47 |
| Gloucester | Pg. 50 |
| Hudson | Pg. 53 |
| Hunterdon | Pg. 55 |
| Mercer | Pg. 58 |
| Middlesex | Pg. 63 |
| Monmouth | Pg. 76 |
| Morris | Pg. 88 |
| Ocean | Pg. 94 |
| Passaic | Pg. 114 |
| Salem | Pg. 119 |
| Somerset | Pg. 121 |
| Sussex | Pg. 125 |
| Union | Pg. 128 |
| Warren | Pg. 131 |
| DEP Permit Liaisons and Other Governmental Contacts | Pg. 134 |

Governor Phil Murphy

New Jersey Department of Environmental Protection

Shawn M. LaTourette, Commissioner

General Application Milestone Codes

| | | |
|------------------------|--------------------------------------|-------------------------------------|
| Application Approved | F = Complete for Filing | P = Permit Decision Date |
| Application Denied | H = Public Hearing Date | R = Complete for Review |
| Application Withdrawal | I = Additional Information Requested | T = Additional Information Received |
| A= Approved | IS = Issued | W= Withdrawn |
| C = Cancelled | L = Legal Appeal of Permit Decision | |
| D= Denied | M = Permit Modification | |

Specific Decision Application Codes

O = Other

REG = HMDC/Pinelands Exemption

Permit Descriptions

CAFRA - A Coastal Area Facility Act permit is required to construct residential, commercial, public, transportation, utility and energy-related facilities in the coastal area as defined by the Act.

Coastal Permit: A permit or an authorization issued under this chapter pursuant to CAFRA, the Wetlands Act of 1970, N.J.S.A. 13:9A-1 et seq., or the Waterfront Development Law, N.J.S.A. 12:5-3.

Coastal Wetlands: A permit authorizing disturbances to Mapped Tidal Wetlands under the Wetlands Act of 1970, N.J.S.A. 13:9A”

Federal Consistency Activity: Certain federal permits, not limited to the U.S. Army Corps of Engineers Dredge and Fill Permits, require certification by the DEP prior to the issuance of the permit by the federal agency.

Flood Hazard Area: A Flood Hazard permit or verification is required for disturbances within the floodway, floodplain or riparian zone in areas regulated under the Flood Hazard Area Control Act.

Freshwater Wetlands: A Permit (Letters of Exemption, Letters of Interpretation, Statewide General Permit, Open Water Fill, Individual, Transition Area Waiver, Water Quality Certificate) is needed prior to engaging in a regulated activity in or around freshwater wetlands and associated transition areas.

General Groundwater Petroleum Products Cleanup: This general permit authorizes the surface water discharge of treated groundwater previously contaminated with petroleum products.

NJPDES permits: A permit is required for the discharge of pollutants to surface and groundwater, a discharge from an indirect user or the land application of municipal and/or industrial residuals. (A more comprehensive definition of activities, which require a permit, may be found at N.J.A.C. 7:14A-2.4)

Solid Waste Facility: A permit is required to conduct or operate any solid waste facility as defined under the Solid Waste Management Act, N.J.S.A. 13:1E-1 et seq., and N.J.A.C. 7:26-1 et seq.

Highlands Resource: A Highland Preservation Area Approval is required for regulated activities within the Highland Preservation Area as defined in the Highlands Water Protection & Planning Act Preservation Area Rules. Highlands Applicability Determinations verifies certain exemptions allowed by the regulations.

Tidal Wetlands: A Coastal Wetlands Permit is needed to excavate, dredge, fill or erect structures on coastal wetlands.

Treatment Works Approval: A TWA permit is required for the construction, modification or operation of a treatment works, including sanitary/industrial sewage pretreatment or treatment systems, sewage conveyance systems, sewer extensions and subsurface sewage disposal systems.

**NOTICE OF PUBLIC COMMENT PERIOD
REGARDING A SOLID WASTE FACILITY PERMIT FOR A
SOLID WASTE TRANSFER STATION/MATERIALS RECOVERY FACILITY PERMIT MAJOR MODIFICATION**

The New Jersey Department of Environmental Protection, Division of Sustainable Waste Management, hereby gives notice that it has tentatively approved an application for Major Modification of a Solid Waste Facility Permit regarding the operation of the existing solid waste transfer/material recovery facility for IWS TRANSFER SYSTEMS OF NJ INC – CLOSTER located at 60 Railroad Avenue in the Borough of Closter.

The application for major modification of the Solid Waste Facility Permit was submitted in accordance with the requirements established at N.J.A.C. 7:26-2. The facility is currently permitted to accept waste types: ID # 10 (Municipal Waste), ID # 13 (Bulky Waste), ID # 13C (Construction and Demolition Waste), and ID # 23 (Vegetative Waste) with an approved capacity of 145 tons per day of waste. The major modification proposes to increase daily facility solid waste capacity by 99 TPD for a total of 244 TPD.

The public comment period on the draft permit action begins on the date of the publication of this notice and will close within thirty (30) days of this publication. Any interested person may submit written comments during this period to the Department concerning the draft permit action to:

Anthony Fontana, Chief
New Jersey Department of Environmental Protection
Division of Sustainable Waste Management
Bureau of Solid Waste Permitting
Mail Code 401-02C
401 E. State Street, P.O. Box 420
Trenton, New Jersey 08625-0420
(609) 292-9880

Upon written request of any interested party which raises the issues of fact relevant to the proposed agency action within thirty (30) days of this publication, a public hearing will be scheduled regarding the proposed agency action.

The application and all other supporting documents, as well as the draft Solid Waste Facility Permit and fact sheet are available for inspection at the above noted office of the Department's Division of Sustainable Waste Management. Copies of these documents were also provided to the office of the Closter Borough Clerk and the office of the Bergen County Clerk.

Anyone who would like to obtain copies of the draft permit and a fact sheet for the facility should contact John Nguyen at the above address or at (609) 984-6994.

**NOTICE OF PUBLIC COMMENT PERIOD
REGARDING A SOLID WASTE FACILITY PERMIT FOR A
SOLID WASTE TRANSFER STATION/MATERIALS RECOVERY FACILITY PERMIT RENEWAL**

The New Jersey Department of Environmental Protection, Division of Sustainable Waste Management, hereby gives notice that it has tentatively approved an application for renewal of a Solid Waste Facility Permit regarding the operation of the existing solid waste transfer/material recovery facility for 986 JERSEY AVE LLC.

The application for renewal of the Solid Waste Facility Permit was submitted in accordance with the requirements established at N.J.A.C. 7:26-2. The facility is currently permitted to accept waste types 10 (Municipal Solid Waste) out of county material with the exception of the City of New Brunswick and types 13 (Bulky waste) and 13C (Construction & Demolition waste), with an approved capacity of 1,900 tons per of waste.

The public comment period on the draft permit action begins on the date of the publication of this notice and will close within thirty (30) days of this publication. Any interested person may submit written comments during this period to the Department concerning the draft permit action to:

Anthony Fontana, Chief
New Jersey Department of Environmental Protection
Division of Sustainable Waste Management
Bureau of Solid Waste Permitting
Mail Code 401-02C
401 E. State Street, P.O. Box 420
Trenton, New Jersey 08625-0420
(609) 292-9880

Upon written request of any interested party which raises the issues of facts relevant to the proposed agency action within thirty (30) days of this publication, a public hearing will be scheduled regarding the proposed agency action.

The application and all other supporting documents, as well as the draft Solid Waste Facility Permit and fact sheet are available for inspection at the above noted office of the Department's Division of Sustainable Waste Management. Copies of these documents were also provided to the office of the New Brunswick City Clerk and the office of the Middlesex County Clerk.

Anyone who would like to obtain copies of the draft permit and a fact sheet for the facility should contact John Nguyen at the above address or by phone at.(609) 984-6994.

**NOTICE OF PUBLIC COMMENT PERIOD
REGARDING A SOLID WASTE FACILITY PERMIT – PERMIT RENEWAL
FOR A SOLID WASTE TRANSFER STATION/MATERIAL RECOVERY FACILITY**

The New Jersey Department of Environmental Protection, Division of Sustainable Waste Management, hereby gives notice that it has tentatively approved an application for renewal of a Solid Waste Facility Permit regarding the operation of the existing Solid Waste Transfer Station/Material Recovery Facility for **SUMMIT TRANSFER STATION**, located at 40 New Providence Avenue, Summit City, Union County.

The application for renewal of the Solid Waste Facility Permit was submitted in accordance with the requirements established at N.J.A.C. 7:26-2. The facility is currently permitted to accept waste types ID 10 – Municipal, ID 13 – Bulky, ID 13C – Construction and Demolition, ID 23 – Vegetative, and ID 27 – Dry Industrial with an approved capacity of 130 tons per day Monday through Saturday (7:30 am to 3:45 pm – Monday through Friday; 7:30 am – 4:45 pm Saturday). The application proposes no changes to currently permitted operations.

The public comment period on the draft permit action begins on the date of the publication of this notice and will close within thirty (30) days of this publication. Any interested person may submit written comments during this period to the Department concerning the draft permit action to:

Anthony Fontana, Chief
New Jersey Department of Environmental Protection
Division of Sustainable Waste Management
Bureau of Solid Waste Permitting
Mail Code 401-02C
401 E. State Street, P.O. Box 420
Trenton, New Jersey 08625-0420
(609) 292-9880

Upon written request of any interested party, which raises the issues of fact relevant to the proposed agency action within thirty (30) days of this publication, a public hearing will be scheduled regarding the proposed agency action.

The application and all other supporting documents, as well as the draft Solid Waste Facility Permit and fact sheet are available for inspection at the above noted office of the Department's Division of Sustainable Waste Management. Copies of these documents were also provided to the office of the Summit City Clerk and the office of the Union County Clerk.

Anyone who would like to obtain copies of the draft permit and a fact sheet for the facility should contact Bianca Esposito at the above address or contact at (609) 984-3644.

Public Notice of Proposed Permit Actions (NJPDES Permits)

10/4/23 DEP Bulletin

| <u>Permit:</u> | <u>Facility Location:</u> | <u>NJDEP</u> | <u>Receiving Discharge:</u> | <u>Executive Summary</u> |
|--|---|--|--|---|
| <ul style="list-style-type: none"> • Name • NJPDES No. • Type | <ul style="list-style-type: none"> • Address • County | <ul style="list-style-type: none"> • Case Manager • Bureau • Phone No | <ul style="list-style-type: none"> • Stream or GW Formation or POTW • Stream or GW Classification • Watershed | |
| OWENS CORNING ROOFING AND ASPHALT NJ0035025 DSW Minor | 1249 NEWARK TPKE Kearny, NJ 07032 Hudson County | Molly Jacoby Bureau of Surface Water and Pretreatment Permitting (609) 292-4860 | Hackensack River SE3(C2) Hackensack R (below/incl Hirshfeld Bk) | Surface Water Renewal Permit Action - This permit action is for the renewal of a NJPDES DSW permit to discharge an estimated 0.092 MGD of combined stormwater, boiler blowdown, steam condensate, non-contact cooling water, and asphalt tank washwater. The untreated effluent is collected in outfall DSN006A, where it is metered then discharged to the Hackensack River via stormwater sewer and drainage ditch. |
| PRICE LANDFILL NJ0187682 SIU | 800 W LEEDS AVE Pleasantville, NJ 08201 Atlantic County | Jessica Webster Bureau of Surface Water and Pretreatment Permitting (609) 292-4860 | ATLANTIC CNTY UTIL AUTH | Significant Indirect User (SIU) Renewal Permit Action - The United States Army Corps of Engineers (USACE) on behalf of the United States Environmental Protection Agency (USEPA), as part of the ongoing remediation of the Price Landfill superfund site, is discharging treated ground water to ACUA for further treatment. The groundwater treatment system includes equalization, clarification, biological treatment, sludge thickener, sludge filter press and axillary equipment. A maximum of 314 gallons per minute of ground water is being treated and discharged from the remediation activities. |
| SMITHVILLE STATION NJ0193259 DGW | 525E MOSS MILL RD Smithville, NJ 08205 Atlantic County | Keith Howell Bureau of Ground Water, Residuals, and Permit Administration (609) 984-4428 | Kirkwood II-A | Ground Water New Permit Action - The Department initiated action requiring all Managed Aquifer Recharge (MAR) facilities in New Jersey currently permitted under the "Permit by Rule" authorization must apply and receive an individual NJPDES-DGW permit in order to maintain their operational status. Smithville Station, MAR Well 25 is in the process of reviewing a draft NJPDES-DGW permit which requires MAR Well 25 to monitor and meet Ground Water Quality Standards at the discharge point prior to injection into the confined aquifer. |

| | | | | |
|--|---|---|--|--|
| SOMERVILLE LANDFILL NJ0348406 DST | RT 206 Somerville, NJ 08876 Somerset County | Daniel Kuti Bureau of NJPDES Stormwater Permitting and Water Quality Management (609) 633-7021 | Raritan River FW2-NT(C2) Raritan River Lower (Millstone to NB/SB) | Stormwater Discharge New Permit Action - The Department intends to issue an RFC Individual construction stormwater permit authorization to the Borough of Somerville. The proposed scope of work to be authorized by this permit action is the remediation and final impermeable cap system installation for "East and West Lobes" of the former Somerville Landfill. This permit will cover stormwater discharges related to the Phase II closure activities. There shall be no discharger of stormwater whcih contacts waste materiels. Soil erosion and sediment control will be managed in accordance with the approved soil plan. |
|--|---|---|--|--|

The following minor modifications were recently issued. These actions are listed for informational purposes only and are not open for public comment.

| <i>Minor Modifications Issued (NJPDES Permits)</i> | | |
|---|---|---------------------------------|
| | | |
| <u>Permit</u> • Name • NJPDES Number | <u>Facility Location:</u> • Address • County | <u>Executive Summary</u> |
| None at this time. | | |

The following administrative permit revocations were recently issued. These actions are listed for informational purposes only and are not open for public comment.

| <i>Administrative Permit Revocations Issued (NJPDES Permits)</i> | | |
|---|--|--|
| <i>10/4/23 DEP Bulletin</i> | | |
| <u>Permit</u> • Name • NJPDES Number | <u>Facility Location:</u> • Address • County | <u>Executive Summary</u> |
| PURE EARTH RECYCLING NJ INC NJPDES Permit No. NJ0147559 | 3137 CHAMMINGS CT Vineland, NJ 08360 Cumberland County | This permit was revoked effective 7/1/12 |

The following administrative permit revocations were recently issued. These actions are listed for informational purposes only and purposes only and is not subject to public comment.

| <i>General Permit Authorizations Issued (NJPDES Permits)</i> | | | | |
|---|----------------------------|---------------------------------|--------------------------|---|
| <i>10/4/23 DEP Bulletin</i> | | | | |
| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> | <i>Discharge Category Code</i> |
| GREEN BANK OFFICE BLDG | Washington Twp | NJG0350133 | 9/28/23 | T1 |

The following administrative permit revocations were recently issued. These actions are listed for informational purposes only and

The following administrative permit revocations were recently issued. These actions are listed for informational purposes only and

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
Environmental Impact Statements and Assessments

| LOCATION COUNTY | PROJECT SPONSOR | REVIEW TYPE | DATE FILED | REVIEW PERIOD | ACTION TAKEN |
|--------------------------------|--|----------------|---------------|------------------|------------------------------|
| Parsippany Morris County | Parsippany Cell Tower EBI #6123004680 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 7/18/2023 | 30 Days | Under Review |
| Knowlton Warren County | Knowlton Cell Tower EBI #6123005652 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 8/24/2023 | 30 Days | Comments Issued 9/20/2023 |
| Orange Essex County | Orange-Cleveland Elementary School New Jersey Department of Education 100 Riverview Plaza PO Box 500 | EO-215 | 8/29/23 | 30 Days | Comments Issued 9/21/2023 |
| Somerville Somerset County | Somerville HS 02 Cell Tower 16999935 Trileaf Project #731214 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 8/31/23 | 30 Days | Comments Issued 9/19/2023 |
| Belmar Monmouth County | Belmar Boardwalk Cell Tower Trileaf Project #637491 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 8/31/23 | 30 Days | Comments Issued 9/20/2023 |
| Edison Middlesex County | Middlesex College Improvements New Jersey Department of Education 100 Riverview Plaza PO Box 500 | EO-215 | 9/12/23 | 30 Days | Under Review |
| Piscataway Middlesex County | Davidson Road Emergency Communications Tower Cell Tower EBI #6123004460 Federal Communications Commission (FCC) 445 12 th Street SE Washington, DC 20554 | NEPA | 9/12/2023 | 30 Days | Under Review |
| River Vale Bergen County | River Vale Cell Tower EBI #6123006184 | NEPA | 9/19/2023 | 30 Days | Under Review |

The following administrative permit revocations were recently issued. These actions are listed for informational purposes only and

Federal Communications
Commission (FCC)
445 12th Street SE
Washington, DC 20554

REVIEW TYPE

| | |
|--------|---|
| NEPA | (National Environmental Policy Act) |
| DEIS | (Draft Environmental Impact Statement) |
| EA | (Environmental Assessment) |
| EO-215 | (NJ Executive Order 215) |
| ESR | (Environmental Screen Report) |
| NRR | (Natural Resources Review) |
| PA/SI | (Preliminary Assessment/Site Investigation) |
| SCP | (Scoping Document) |
| APP | Notice of Application |

The following administrative permit revocations were recently issued. These actions are listed for informational purposes only and

**New Jersey Department of Environmental Protection
Permit Application Submitted to the Division of Land Resource Protection
Changes in the Status Submitted of the Period 09/13/2023 to 09/26/2023**

Start of 30 day Public Comment Period

| County - Municipality | PI Number Activity Number | Project Location | Project Description | Applicant Name | Project Manager | Date Received |
|---------------------------|----------------------------------|-------------------------------|--|-----------------------------------|-------------------------------|---------------|
| Cape May - Wildwood City | 0500-07-0006.5 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The proposed project involves the rehabilitation of the existing Wildwood Boardwalk (from Oak Avenue to Cresse Avenue). More specifically, the proposed activities involve the rehabilitation of the boardwalk concrete substructures, replacement of timber framing, constructing ADA compliant ramps, and replacement of decking. | WILDWOOD BOARDWALK REHABILITATION | Christian Zografos, Kip LeWam | 07/12/2023 |
| Monmouth - Middletown Twp | 1331-07-0005.1 - LUP - 230001 | 73 WIGWAM RD | The proposed activities include the legalization of a raining wall installed for shoreline protection after Super Storm Sandy, and installation of a fire pit patio. A modification to the previously issued WFD Permit for the dock is currently pending review. A scan of the application fee totaling \$3,700 was previously submitted with the original application and therefore, no fee is required for this resubmission. | STAVOLA JAMES C/O BRANCH THOMAS | Bryan Carter, Chingwah Liang | 07/19/2023 |

[Atlantic](#)

Atlantic - Atlantic City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|--------------------|---------------------------------|
| 0102-02-0027.22 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | THE APPLICANT PROPOSES CONSTRUCTION OF SEASONAL TOURISM AMENITIES ASSOCIATED WITH HARD ROCK HOTEL & CASINO ATLANTIC CITY CONSISTING OF A BEACH BAR WITH OPEN TYPE SUN SHELTERS, LOUNGE & BEACH CHAIRS, UMBRELLAS, STAGE, SERVICE BAR, DJ AREA, PEDESTRIAN WALKWAYS, UTILITIES, STORAGE SHEDS, LIGHTING, TABLES/CHAIRS | BOARDWALK 1000 LLC | Michael Sheehan, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP22 Tourism Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/15/2023 | | |
| Application Administratively Complete | | 05/24/2023 | | |
| Approved | | 09/20/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|--|----------------------|-----------------|
| 0102-06-0002.2 - LUP - 230001 | 618 - 626 N CONNECTICUT AVE | IN WATER BULKHEAD DOCKS AND PIERS FOR FUTURE RESIDENTIAL DEVELOPMENT | ZP AC HOLDINGS 1 LLC | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/11/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Atlantic - Atlantic City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|---------------|-----------------|
| 0102-23-0002.1 - LUP - 230001 | 1901 KUEHNLE AVENUE | NEW RAMP AND FLOATING DOCK | WOLOSZYN JEFF | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/18/2023 | | |
| Application Administratively Complete | | 09/18/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|-------------------------------|-----------------------------|
| 0103-05-0004.1 - LUP - 230001 | 4201 ALTANTIC BRIGANTINE BLVD | Reconstruction of a new three story single family dwelling, with pool, and associated site improvements. | 4201 ATLANTIC BRIGANITNE BLVD | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|-----------------|
| 0103-09-0032.1 - LUP - 230001 | 22 12TH ST N | Legalize all existing in-water structures | 22 12TH ST N | Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------------------|---------------------------|
| 0103-23-0007.1 - LUP - 230001 | 307 DOLPHIN DRIVE | Reconstruction of a three story single family dwelling, pool, driveway, and associated improvements. | 307 DOLPHIN DRIVE SINGLE FAMILY | Ankit Rawat, Bryan Carter |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |
| Approved | | 09/14/2023 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-------------------|-----------------------------|
| 0103-23-0010.1 - LUP - 230001 | 1013 OCEAN AVENUE | Construction of a new single family dwelling, pool, and associated site improvements. | 1013 OCEAN AVENUE | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Atlantic - Linwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-------------------------------|-----------------|
| 0100-23-0001.1 - LUP - 230001 | VARIOUS LOCATIONS | South Jersey Gas is proposing to install a 4 plastic gas line extension along Mays Landing Somers Pt Rd in Egg Harbor & Hamilton Townships, New Jersey. In addition, there will be some new 2 services installed off of the new 4 line. All pipeline is being installed via HDD. | SJG MAYS LANDING SOMERS PT RD | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Atlantic - Linwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------------------------|----------------------------|
| 0114-04-0003.5 - LUP - 230001 | 127 DELMAR AVENUE | Construction of a single family home and accessory development within 150 feet of the mean high water line of the adjacent tidal water | BRIGANTINE BEACH DEVELOPMENT LLC | Becky Mazzei, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/01/2023 | | |
| Application Administratively Complete | | 06/01/2023 | | |
| Approved | | 09/25/2023 | | |

Atlantic - Linwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|------------------|-----------------|
| 0114-10-0003.1 - LLI - 230001 | 4 SPATTERDOCK LN | FWLI4 - Verification over an acre | 4 SPATTERDOCK LN | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Atlantic - Linwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|----------------------------|
| 0114-10-0003.1 - LUP - 230001 | 4 SPATTERDOCK LN | This application for a General Permit No.4 and Freshwater Wetlands Permit consists of the construction of a new single family dwelling at 4 Spatterdock Lane in the City of Linwood. | 4 SPATTERDOCK LN | Becky Mazzei, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Atlantic - Margate City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---------------------------|---------------|-----------------|
| 0116-23-0003.1 - LGP - 230001 | 110 S ANDOVER AVENUE | GP10 - Bulkheads | 110 S ANDOVER | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |
| Approved | | 09/13/2023 | | |

Atlantic - Somers Point City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------|-----------------|
| 0121-01-1002.1 - LUP - 220001 | UNKNOWN | The authorization of the existing docks at All Action Water Sports | LEPS RAYMOND | Kip LeWarn |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/23/2022 | | |
| Application Administratively Complete | | 06/23/2022 | | |
| Technical Information Requested | | 07/19/2022 | | |
| Withdrawn | | 09/21/2023 | | |

Atlantic - Ventnor City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---------------------------|----------------|-----------------|
| 0121-21-0002.2 - WFD - 230001 | 137 & 139 GIBBS AVENUE | | SULLIVAN JENNA | Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |
| Approved | | 09/21/2023 | | |

Atlantic - Somers Point City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|--|------------------------|-----------------|
| 0121-21-0002.3 - LUP - 230001 | 137 & 139 GIBBS AVENUE | Proposed Mechanical Dredging | 137 & 139 GIBBS AVENUE | Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/28/2023 | | |
| Application Administratively Complete | | 06/28/2023 | | |
| Approved | | 09/21/2023 | | |

Atlantic - Somers Point City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------------|----------------------------|
| 0121-23-0003.1 - LUP - 230002 | 24 BROADWAY | CAFRA GP5 FOR SWIMMING POOL AND WDA IP FOR NEW DOCK WITH BOAT LIFT, JET SKI LIFT ON EXISTING DOCK, LEGALIZATION OF EXISTING DOCK, BULKHEAD RECONSTRUCTION TWO FEET WATERWARD ON TWO ADJACENT LOTS | 24 BROADWAY & 1 LANDING LANE | Becky Mazzei, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/07/2023 | | |
| Application Administratively Complete | | 09/07/2023 | | |
| Withdrawn | | 09/21/2023 | | |

Atlantic - Ventnor City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------------------|----------------------------|
| 0122-03-0012.1 - LUP - 230001 | ATLANTIC AVE | to request CAFRA Individual Permit for the demolition of an existing deck and gazebo and the construction of a new bandshell stage / pavilion at Block 28, Lot 1(Project Site), the site of the Ventnor City Beach Jam | VENTNOR CITY@ 6500 ATLANTIC AVE | Becky Mazzei, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/30/2023 | | |
| Application Administratively Complete | | 09/18/2023 | | |

Atlantic - Ventnor City

Bergen - Allendale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|--------------------------|---|--|-------------------------------|
| 0201-10-0005.2 - LUP - 230001 | 664 WEST CRESCENT AVENUE | Elevated levels of per- and polyfluoroalkyl substances (PFAS) have been detected in the groundwater supplying the Allendale Well No. 11. With long term treatment to be evaluated under a future project, Veolia Water New Jersey (VWNJ) proposes to construct a temporary treatment system at the Allendale Well No. 11 site. The installation of a temporary treatment system at the existing site is necessary to treat PFAS in accordance with NJDEP Safe Drinking Water regulations. | VEOLIA WATER NJ INC@ ALLENDALE WELL 11 | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/22/2023 | | |
| Application Administratively Complete | | 05/22/2023 | | |
| Technical Information Requested | | 06/20/2023 | | |
| Technical Deficiency Information Received | | 06/30/2023 | | |
| Amended Application Received | | 07/13/2023 | | |
| Approved | | 09/26/2023 | | |

Bergen - Allendale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|--------------------------|---|--|-------------------------------|
| 0201-10-0005.2 - LUP - 230002 | 664 WEST CRESCENT AVENUE | Elevated levels of per- and polyfluoroalkyl substances (PFAS) have been detected in the groundwater supplying the Allendale Well No. 11. With long term treatment to be evaluated under a future project, Veolia Water New Jersey (VWNJ) proposes to construct a temporary treatment system at the Allendale Well No. 11 site. The installation of a temporary treatment system at the existing site is necessary to treat PFAS in accordance with NJDEP Safe Drinking Water regulations. | VEOLIA WATER NJ INC@ ALLENDALE WELL 11 | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/22/2023 | | |
| Application Administratively Complete | | 05/22/2023 | | |
| Technical Information Requested | | 06/20/2023 | | |
| Technical Deficiency Information Received | | 06/30/2023 | | |
| Withdrawn | | 09/26/2023 | | |

Bergen - Alpine Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|----------------|-------------------------------|
| 0202-21-0008.1 - LUP - 230001 | 35 TAMARACK RD | The proposal is to construct a new dwelling, pool, accessory building, and driveway. Traversing diagonally across the rear of the property is the Cresskill Brook which is a Category One (C-1) waterway requiring a 300-foot riparian zone. Also present on site are freshwater wetlands and wetlands transition area. | 35 TAMARACK RD | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands General Permit | | FWW GP8 House Additions | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/22/2023 | | |
| Application Administratively Complete | | 08/22/2023 | | |
| Technical Information Requested | | 09/19/2023 | | |

Bergen - Alpine Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------------------|----------------------------------|
| 0202-22-0004.1 - LUP - 230001 | 19 ALLISON ROAD | The project is for proposed redevelopment and expansion of a single-family dwelling with associated amenities that will result in the proposed filling of an isolated wetland pursuant to a freshwater wetland General Permit #6 | J & D AMALFI DEVELOPMENT CORP | Ashleigh Windawi, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Bergen - Alpine Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|--------------|-------------------------------|
| 0207-21-0003.1 - LUP - 230001 | 54 HICKORY LN | The permit is for construction of an in-ground swimming pool and a driveway turnaround. | ANKA KOVACIC | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/02/2023 | | |
| Application Administratively Complete | | 02/02/2023 | | |
| Technical Information Requested | | 02/24/2023 | | |
| Technical Deficiency Information Received | | 03/08/2023 | | |
| Technical Information Requested | | 03/22/2023 | | |
| Technical Deficiency Information Received | | 03/24/2023 | | |
| Technical Information Requested | | 04/05/2023 | | |
| Technical Deficiency Information Received | | 05/22/2023 | | |
| Approved | | 09/15/2023 | | |

Bergen - Hillsdale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------------------|--|-------------------------------|-------------------------------|
| 0227-23-0002.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Two culvert pipe extensions and new headwall, disturbance in the riparian zone due to roadway realignment. | HILLSDALE BORO @ PATTERSON ST | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/30/2023 | | |
| Application Administratively Complete | | 03/30/2023 | | |
| Technical Information Requested | | 04/26/2023 | | |
| Technical Deficiency Information Received | | 06/26/2023 | | |
| Approved | | 09/21/2023 | | |

Bergen - Ho-Ho-Kus Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------------|----------------------------------|
| 0228-19-0004.1 - LUP - 220001 | 60 DEERHILL DR | Construction of single-family residential structure and associated features | ESTATE OF JOHN J. BRUNETTI | Ashleigh Windawi, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Wetlands SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/01/2022 | | |
| Application Administratively Complete | | 12/01/2022 | | |
| Approved | | 09/14/2023 | | |

Bergen - Mahwah Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------|-------------------------------|
| 0233-13-0003.1 - LUP - 230001 | 7 WASHINGTON LN | SINGLE-FAMILY DWELLING IN THE FHA | 7 WASHINGTON LN | Ankit Rawat, Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/28/2023 | | |
| Application Administratively Complete | | 08/28/2023 | | |
| Technical Information Requested | | 09/19/2023 | | |

Bergen - Mahwah Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|-------------------------------------|------------------------------|------------------|
| 0233-23-0006.1 - LLI - 230001 | 7 & 10 MONROE DR. | FWLI4 - Verification over an acre | MONROE STREET PROPERTIES LLC | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/27/2023 | | |
| Application Administratively Complete | | 07/27/2023 | | |
| Withdrawn | | 09/26/2023 | | |

Bergen - Mahwah Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-------------------|---|------------------------------|------------------|
| 0233-23-0006.1 - LUP - 230002 | 7 & 10 MONROE DR. | The application is to renew a freshwater wetlands transition area averaging plan which was issued as Permit 0233-16-0004.1 and has since expired. There are no proposed changes to the previously approved modified transition area. The approval is for the construction of 2 new single-family dwellings. | MONROE STREET PROPERTIES LLC | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/27/2023 | | |
| Application Administratively Complete | | 07/27/2023 | | |
| Withdrawn | | 09/26/2023 | | |

Bergen - Mahwah Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|--------------|----------------------------------|
| 0236-18-0001.1 - LUP - 230001 | MIDDLETOWN RD | Construction of 3 new single-family dwellings. | ELIZABETH ST | Ashleigh Windawi, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/03/2023 | | |
| Application Administratively Complete | | 07/03/2023 | | |
| Technical Information Requested | | 07/14/2023 | | |
| Technical Deficiency Information Received | | 09/20/2023 | | |
| Technical Information Requested | | 09/26/2023 | | |

Bergen - Oradell Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|---|---------------|-------------------------------|
| 0244-23-0001.1 - LUP - 230001 | 789 WOODLAND AVENUE | Reconstruct existing bulkhead walls along channel | MAY RESIDENCE | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/12/2023 | | |
| Application Administratively Complete | | 01/12/2023 | | |
| Technical Information Requested | | 02/09/2023 | | |
| Technical Deficiency Information Received | | 03/01/2023 | | |
| Technical Information Requested | | 03/15/2023 | | |
| Technical Deficiency Information Received | | 09/07/2023 | | |
| Technical Information Requested | | 09/20/2023 | | |

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-------------------|---|--------------------|-------------------------------|
| 0255-18-0002.1 - LUP - 230001 | 16 & 18 PARIS AVE | Construction of a 6-building residential complex which will require the following activities: Filling of non-tributary wetlands; intermediate resource value wetland transition area waiver compensation; construction of a walking trail and footbridge within wetlands transition area, flood fringe, and riparian buffer; displacement on-site of flood storage; and construction of a stormwater outfall within a regulated area. | MAXIM REALTY TRUST | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/28/2023 | | |
| Application Administratively Complete | | 04/28/2023 | | |
| Technical Information Requested | | 05/24/2023 | | |
| Technical Deficiency Information Received | | 06/26/2023 | | |
| Amended Application Received | | 07/03/2023 | | |
| Technical Information Requested | | 07/07/2023 | | |
| Technical Deficiency Information Received | | 07/14/2023 | | |
| Amended Application Received | | 09/25/2023 | | |

Bergen - Rockleigh Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-----------------------|--|---------------------------|---------------------------|
| 0257-23-0001.1 - LUP - 230001 | 335 SADDLE RIVER ROAD | The applicant is applying to the New Jersey Department of Environmental Protection (NJDEP) Division of Land Resource Protection for the construction of a two-story dwelling in the Township of Saddle Brook, Bergen County, New Jersey. | PROPOSED 2-STORY DWELLING | Cindy Rivera, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/04/2023 | | |
| Application Administratively Complete | | 04/04/2023 | | |
| Technical Information Requested | | 05/02/2023 | | |
| Technical Deficiency Information Received | | 06/30/2023 | | |
| Technical Information Requested | | 07/14/2023 | | |
| Technical Deficiency Information Received | | 09/05/2023 | | |
| Amended Application Received | | 09/14/2023 | | |
| Technical Information Requested | | 09/15/2023 | | |

Bergen - Saddle River Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------|------------------|
| 0258-18-0001.2 - FWW - 230001 | 15 FOX HEDGE RD | Letter of interpretation (LOI) line verification to confirm the limits of regulate intermediate resource value wetlands and 50-foot wetlands transition area on the 2.016-acre property. FHA verification to confirm FHADE based upon approximate method and 50-foot riparian zone. | 15 FOX HEDGE RD | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Bergen - Saddle River Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------|-------------------------------|
| 0258-18-0001.2 - LUP - 230001 | 15 FOX HEDGE RD | Letter of interpretation (LOI) line verification to confirm the limits of regulate intermediate resource value wetlands and 50-foot wetlands transition area on the 2.016-acre property. FHA verification to confirm FHADE based upon approximate method and 50-foot riparian zone. | 15 FOX HEDGE RD | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Bergen - Saddle River Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|-----------------------------------|-------------------------------|
| 0258-23-0006.1 - LUP - 230001 | 5 NORTH CHURCH ROAD | The Replacement of an existing 42" pipe crossing under a access driveway for 5 North Church Road in the Borough of Saddle River. Additionally it includes the construction of a headwall and wingwalls. bank and channel stabilization 64'from the headwall downstream on the St. Gabriel Brook. The driveway and adjacent area at 5 North Church Road will be restored to existing condition before Hurricane Ida. | SADDLE RIVER BORO@ 5 N. CHURCH RD | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Bergen - Tenaflly Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|----------------|-----------------|
| 0261-23-0002.1 - FHA - 230001 | 127 HUDSON AVE | Proposed retaining wall. | 127 HUDSON AVE | Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Emergency Permit | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |
| Approved | | 09/26/2023 | | |

Bergen - Saddle River Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--------------------------------|----------------|-----------------|
| 0261-23-0002.1 - FWW - 230001 | 127 HUDSON AVE | Proposed retaining wall. | 127 HUDSON AVE | Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPE emergency general permit | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |
| Approved | | 09/26/2023 | | |

Bergen - Teterboro Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--|---|-----------------|----------------------------------|
| 0262-06-0001.2 - LUP - 230001 | 111 INDUSTRIAL AVE/ TETERBORO AIRPORT | The TEB Storm Drainage System Rehabilitation - Phase II project aims to rectify the drainage system inefficiencies and reduce flooding. This is the second phase of a project undertaken by the Port Authority to improve and direct stormwater drainage away from Airport property. The existing drainage system inefficiencies result in repeated ponding at various locations throughout the airfield, which violates Federal Aviation Administration (FAA) Part 139 Airport Certification requirements. | PORT AUTH NY/NJ | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| No Match | | Meadowlands District Water Quality Certificate | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Bergen - Woodcliff Lake Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|-------------------------------------|------------------------------------|
| 0268-03-0002.2 - LUP - 230001 | 223 WOODCLIFF AVENUE | The Borough of Woodcliff Lake (the Borough) intends to enter Phase II of their development of the Galaxy Gardens project. Phase I was previously approved by NJDEP back in 2018 for soil remediation and removal of all existing site features from the site, however final restoration of the site with topsoil and grass seed has not been completed. The Borough intends to complete the final restoration of the site along with their proposed improvements for Phase II of the project which includes the co | WOODCLIFF LAKE BORO@ GALAXY GARDENS | Ashleigh Windawi, Neelofar Qureshi |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Bergen - Wyckoff Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|------------------------|----------------------------------|
| 0270-22-0001.1 - LUP - 220001 | 204 MAPLE DRIVE | CONSTRUCTION OF A 61-UNIT APARTMENT BUILDING WITH PARKING UNDERNEATH AND THE CONSTRUCTION OF AN ABOVE GROUND DETENTION BASIN AND UNDERGROUND INFILTRATION BASIN.. | CANTERBURY DEVELOPMENT | Ashleigh Windawi, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/09/2022 | | |
| Application Administratively Complete | | 06/09/2022 | | |
| Technical Information Requested | | 06/30/2022 | | |
| Technical Deficiency Information Received | | 07/05/2023 | | |
| Technical Information Requested | | 07/13/2023 | | |
| Amended Application Received | | 08/03/2023 | | |
| Technical Deficiency Information Received | | 09/21/2023 | | |
| Technical Information Requested | | 09/26/2023 | | |

Bergen - Woodcliff Lake Boro

Burlington - Burlington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------------|--------------------------|-----------------|
| 0306-08-0001.3 - FWW - 230001 | 321 DULTYS LN | Letter of interpretation extension | WHITSELL CONSTRUCTION CO | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Burlington - Evesham Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|-------------------------------------|--------------------|-----------------|
| 0313-06-0006.6 - LLI - 230001 | SECOND AND THIRD STREET | FWLI4 - Verification over an acre | ANOTHER OPTION INC | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Burlington - Evesham Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|-------------------------------|-----------------|
| 0313-23-0001.1 - LLI - 230001 | 225 SHARP ROAD | FWLI4 - Verification over an acre | PSE&G-COX'S CORNER SUBSTATION | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Burlington - Mount Laurel Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|-----------------|
| 0324-18-0001.1 - FWW - 230001 | 10 MARTER AVE | Letter of interpretation extension line verification and freshwater wetlands general permit extension & modification. | 10 MARTER AVE | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |

Burlington - Mount Laurel Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|-----------------|
| 0324-18-0001.1 - FWW - 230002 | 10 MARTER AVE | Letter of interpretation extension line verification and freshwater wetlands general permit extension & modification. | 10 MARTER AVE | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |

Burlington - Mount Laurel Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|-----------------|
| 0324-18-0001.1 - FWW - 230003 | 10 MARTER AVE | Letter of interpretation extension line verification and freshwater wetlands general permit extension & modification. | 10 MARTER AVE | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPM general permit modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |

Camden

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|---|---------------|-----------------|
| 0334-22-0003.1 - FWW - 220001 | 1050 JACKSONVILLE-HEDDING RD | LOI line verification of freshwater wetlands and wetlands transition area on the 0.66-acre property where the on-site wetlands are hydrologically isolated from any surface waters. | BINSTOCK HAIM | Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/21/2022 | | |
| Application Administratively Complete | | 11/21/2022 | | |
| Issued | | 09/14/2023 | | |

Camden

Camden - Camden City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|-----------------------|---------------------------|
| 0408-22-0002.1 - LUP - 230001 | MT. EPHRAIM AVE | Development of a self storage facility, storm water management system, parking, landscaping, lighting, and associated improvements. | HADDON PROPERTY GROUP | Damian Friebe, Jeff Thein |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/04/2023 | | |
| Application Administratively Complete | | 05/09/2023 | | |
| Technical Information Requested | | 06/06/2023 | | |
| Technical Deficiency Information Received | | 06/23/2023 | | |
| Approved | | 09/19/2023 | | |

Camden - Cherry Hill Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|----------------------------|---|--------------------------|-----------------|
| 0409-16-0001.3 - LUP - 230001 | 42 HADDONFIELD-BERLIN ROAD | The applicant seeks to construct an office building and associated parking features through the use of a transition area waiver in accordance with N.J.A.C. 7:7A8.2(d) on Block 429.02, Lots 2 and 3 in the Township of Cherry Hill, Camden County, New Jersey. | 42 HADDONFIELD-BERLIN RD | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Reduction | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Cape May

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------|-----------------|
| 0415-17-0002.1 - FWW - 220002 | 1010 EVESHAM AVE | The applicant seeks minor modification to previously issued freshwater wetland statewide permit 2 & 11, and a flood hazard area individual permit. The basis for the minor modification is a reduction in the scope of the project. No changes to the previously approved disturbances are proposed. An overall reduction in the amount of imperious coverage will be realized. | 1743 FARMHOUSE LLC | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPM general permit modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/21/2022 | | |
| Application Administratively Complete | | 11/21/2022 | | |
| Approved | | 09/25/2023 | | |

Camden - Pennsauken Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|--|-----------------------------------|
| 0427-02-0005.1 - LUP - 230001 | 8900 ZIMMERMAN AVE | The City of Camden owns the Morris-Delair Water Treatment Plant, which is operated by American Water Operations and Maintenance, LLC at 225 Griffith Morgan Lane, Pennsauken, NJ. The City proposes to construct a treatment facility building on Block 1701, Lot 1, adjacent to the existing plant. The purpose of the facility is to reduce 1,4 Dioxane and PFAS concentrations below NJDEP maximum concentration limits. | AMERICAN WATER OPERATIONS & MAINTENACE LLC | Chris Squazzo, Christian Zografos |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/07/2023 | | |
| Application Administratively Complete | | 06/07/2023 | | |
| Approved | | 09/15/2023 | | |

Cape May

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|------------------------------|
| 0501-14-0001.1 - LUP - 230001 | 78 PELICAN DR | Proposed Dwelling, Pool and Accessory Structures; Authorization of the Existing Bulkhead | 78 PELICAN DR | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/19/2023 | | |
| Application Administratively Complete | | 05/19/2023 | | |
| Approved | | 09/13/2023 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-------------------|------------------------------|
| 0501-23-0008.1 - LUP - 230001 | 587 SUNRISE DRIVE | The proposed project includes the authorization and reconstruction of the existing bulkhead (185 L.F. +/-) in-place. The existing fixed pier is to be reconstructed in its existing grandfathered alignment and the proposed single family dwelling and pool and garage. | 587 SUNRISE DRIVE | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/23/2023 | | |
| Application Administratively Complete | | 06/23/2023 | | |
| Approved | | 09/18/2023 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|--------------------|-----------------|
| 0501-23-0012.1 - LLI - 230001 | 4627 FOURTH AVENUE | FWLI3 - Less than 1 Acre Delineation | 4627 FOURTH AVENUE | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI3 Less Than 1 Acre Delineation LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/20/2023 | | |

Cape May - Cape May City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|--------------------|---|--------------------|------------------------------|
| 0501-23-0012.1 - LUP - 230001 | 4627 FOURTH AVENUE | Waterfront Development Permit Application-Proposed Docking Facility - Coastal General Permit No. 5 Application-Proposed Single-Family Dwelling & Accessory Structures, Proposed Pool - Freshwater Wetlands Transition Area Waiver-Redevelopment Application - Freshwater Wetlands General Permit No. 19 Application - Freshwater Wetlands General Permit No. 20 Application-Reconstruction of Existing Retaining Wall In-Place, Proposed Docking Facility | 4627 FOURTH AVENUE | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Freshwater Wetlands General Permit | | FWW GP19 Docks/Piers | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Cape May - Cape May City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------|--------------------------------|
| 0502-13-0005.5 - CAF - 230001 | UNKNOWN | The applicant is seeking a minor technical modification for realignment of the curb along Venica Avenue as requested by the of City of Cape May. | ATLANTIC CITY ELECTRIC | Alison Astalos, Andre Thompson |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/18/2023 | | |
| Application Administratively Complete | | 09/18/2023 | | |

Cape May - Cape May City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------|-----------------|
| 0502-13-0005.5 - FWW - 230001 | UNKNOWN | The applicant is seeking a minor technical modification for realignment of the curb along Venica Avenue as requested by the of City of Cape May. | ATLANTIC CITY ELECTRIC | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWTWM modification TAW | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/18/2023 | | |
| Application Administratively Complete | | 09/18/2023 | | |

Cape May - Cape May City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------------|-----------------|
| 0502-23-0003.1 - LUP - 230001 | 1 MUNRO AVE. | Reconstruction of Travel lift piers at USCG Training Center in Cape May, NJ. The previous piers were demolished under a previous project and USCG is reconstructing new piers within the footprint of the existing piers. | U.S COAST GUARD @MUNRO AVE | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|-------------------------------------|------------------------------|-----------------|
| 0505-09-0025.3 - LLI - 230001 | 692 SUNSET BOULEVARD | LOI VERIFICATION | THE NATURE CONSERVANCY (TNC) | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/26/2023 | | |
| Application Administratively Complete | | 04/26/2023 | | |
| Issued | | 09/25/2023 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|------------------------------|
| 0505-23-0005.1 - LUP - 230001 | 2905 SHORE DR | Expansion and accessory development of an existing single family dwelling located on the Delaware Bay in Lower Township, Cape May County | 2905 SHORE DR | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/18/2023 | | |
| Application Administratively Complete | | 05/26/2023 | | |
| Approved | | 09/20/2023 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-----------------|-----------------|
| 0505-23-0008.1 - FWW - 230001 | 695 CRAWFORD ROAD | Obtain a wetlands LOI and transition area exemption. | 695 CRAWFORD RD | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-----------------|-----------------|
| 0505-23-0008.1 - FWW - 230002 | 695 CRAWFORD ROAD | Obtain a wetlands LOI and transition area exemption. | 695 CRAWFORD RD | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWTWEX exemption TRANS | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-------------------|-----------------|
| 0506-07-0026.2 - FWW - 230001 | 150 STAGECOACH RD | The proposal is to construct one (1) single-family residence on the project site. | 150 STAGECOACH RD | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------------|--|-----------------------------------|-----------------|
| 0506-22-0018.1 - FWW - 220001 | 11 COURT HOUSE SOUTH DENNIS ROAD | The applicant proposes to construct a self- storage building within portions of an isolated wetland, wetland transition area, and riparian zone. | PLAZA AT CAPE MAY COURT HOUSE LLC | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/22/2022 | | |
| Application Administratively Complete | | 12/02/2022 | | |
| Withdrawn | | 09/13/2023 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|----------------------------------|--|-----------------------------------|-----------------------------|
| 0506-22-0018.1 - LUP - 230002 | 11 COURT HOUSE SOUTH DENNIS ROAD | The applicant proposes to construct a self- storage building within portions of an isolated wetland, wetland transition area, and riparian zone. | PLAZA AT CAPE MAY COURT HOUSE LLC | Ryan Anderson, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/22/2022 | | |
| Application Administratively Complete | | 11/22/2022 | | |
| Withdrawn | | 09/13/2023 | | |

Cape May - North Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------------|-------------------------|
| 0506-23-0009.1 - LUP - 230001 | DELSEA DRIVE | Horizontal directional drilling of natural gas main sections in CAFRA area and beneath the tidally flowed Dias Creek necessitating a Waterfront Development Individual Permit. | SOUTH JERSEY GAS @ DELSEA DR | Kip LeWam, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/09/2023 | | |
| Application Administratively Complete | | 05/25/2023 | | |
| Complete for Final Review | | 08/17/2023 | | |
| Approved | | 09/21/2023 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|-------------------|-----------------|
| 0506-23-0016.1 - FWW - 230001 | 40 WEST WOODLAND AVE | Confirmation of absence of Freshwater Wetlands on approximated 0.84-acre tract. | 40 W WOODLAND AVE | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL11 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Cape May - North Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------|-----------------|
| 0507-03-0009.6 - CAF - 230004 | BOARDWALK | bulkhead to address intensifying shore protection risks | NORTH WILDWOOD CITY | Colleen Keller |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA | | IP Emergency | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |
| Approved | | 09/26/2023 | | |

Cape May - North Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|---------------------|--------------------|
| 0507-10-0005.2 - LUP - 230001 | 203 N DELAWARE AVE | New Dock Structure(s)New Vinyl Bulkhead in- line dredging | 203 N. DELAWARE AVE | Katherine Todoroff |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/09/2023 | | |
| Application Administratively Complete | | 05/23/2023 | | |
| Approved | | 09/14/2023 | | |

Cape May - North Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|--------------------|-------------------------------|
| 0507-14-0003.1 - LUP - 230001 | 1209 HOFFMAN CANAL | The project involves the demolition of the existing dwelling and construction of a new single-family dwelling and associated site improvements. | 1209 HOFFMAN CANAL | Christian Zografos, Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Cape May - Ocean City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|---------------------------------------|--------------------------------|
| 0508-23-0009.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | PROPOSED FOUR-STORY PUBLIC SAFETY SUBSTATION IN THE EAST 8TH STREET RIGHT-OF-WAY AND BOARDWALK | OCEAN CITY @ PUBLIC SAFETY SUBSTATION | Kathleen Preston, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Cape May - Upper Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------|--------------------------------|
| 0509-10-0018.1 - LUP - 230001 | 240 93RD ST | Waterfront Development Permit Application- Modifications to Existing Docking Facility - Coastal General Permit No. 5 Application- Proposed Retaining Wall, Authorization of Existing Single-Family Dwelling, Authorization of Proposed Accessory Development | 240 93RD ST | Kathleen Preston, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|--------------------------------|
| 0510-09-0008.1 - LUP - 230001 | 9911 SUNRISE DR | The application involves the construction of a new in-ground pool. | 9911 SUNRISE DR | Kathleen Preston, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/20/2023 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|------------------|
| 0510-09-0023.1 - WFD - 230001 | 9301 SUNSET DR | Proposed modification to docking facility per NJDEP waterfront development. | 9301 SUNSET DR | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/22/2023 | | |
| Application Administratively Complete | | 05/22/2023 | | |
| Approved | | 09/19/2023 | | |

Cape May - Upper Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------|------------------------------|
| 0511-16-0005.1 - LUP - 230001 | 34 WEBSTER AVE | Proposed single family dwelling and onsite septic system | 34 WEBSTER AVE | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/22/2023 | | |
| Application Administratively Complete | | 06/22/2023 | | |
| Approved | | 09/13/2023 | | |

Cape May - West Cape May Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------|-----------------------------|
| 0512-22-0002.1 - LUP - 230001 | 205 THIRD AVENUE | The construction of a duplex dwelling in a freshwater wetlands buffer | 205 THIRD AVENUE LLC | Ryan Anderson, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Freshwater Wetlands General Permit | | FWW GP8 House Additions | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Cape May - Upper Twp

Cumberland - Commercial Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------|-----------------|
| 0602-22-0005.1 - FWW - 220001 | 813 STEEP RUN RD | Replace existing dwelling and construct a single-family dwelling. | SHEPPARD MARK R, | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI2 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/14/2022 | | |
| Application Administratively Complete | | 04/14/2020 | | |
| Issued | | 09/19/2023 | | |

Cumberland - Commercial Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|------------------------|-----------------|
| 0602-23-0011.1 - LLI - 230001 | SOCKWELL ROAD | FWLI4 - Verification over an acre | CYBERNETIC MEADOWS LLC | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/22/2023 | | |
| Application Administratively Complete | | 06/22/2023 | | |
| Issued | | 09/14/2023 | | |

Cumberland - Fairfield Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------|-----------------|
| 0605-23-0001.1 - FWW - 230001 | UNKNOWN | The emergency action includes replacement of the existing 30-inch diameter, 120 feet along culvert with a 48-inch diameter steel pipe approximately 150 feet in length. The replacement pipe will be jack and bored from the downstream side of the embank. | WINCHESTER & WESTRON RD | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPE emergency general permit | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/20/2023 | | |
| Application Administratively Complete | | 07/20/2023 | | |
| Approved | | 09/20/2023 | | |

Cumberland - Fairfield Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------|-----------------|
| 0605-23-0001.1 - WFD - 230001 | UNKNOWN | The emergency action includes replacement of the existing 30-inch diameter, 120 feet along culvert with a 48-inch diameter steel pipe approximately 150 feet in length. The replacement pipe will be jack and bored from the downstream side of the embank. | WINCHESTER & WESTRON RD | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | IP Emergency | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/20/2023 | | |
| Application Administratively Complete | | 07/20/2023 | | |
| Approved | | 09/20/2023 | | |

Cumberland - Fairfield Twp

Essex - Livingston Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--------------------------------------|---------------------------------|--------------------------------|
| 0710-20-0001.1 - LUP - 230001 | 644 RT 10 | Proposed RV/Boat Storage Canopies | INSITE DEVELOPMENT PARTNERS LLC | Cindy Rivera, Neelofar Qureshi |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---|-----------------|
| 0000-23-0012.1 - LUP - 230001 | VARIOUS LOCATIONS | Supplemental subsurface borings in Newark Bay for the Newark Bay-Hudson County Extension Newark Bay Bridge Replacement. | NJ TPK NEWARK BAY SUBSURFACE INVESTIGATIONS | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP23 Geotechnical Survey Borings | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/21/2023 | | |
| Application Administratively Complete | | 06/21/2023 | | |
| Approved | | 09/18/2023 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------------|------------------------------------|
| 0714-08-0002.1 - LUP - 230001 | 678 DOREMUS AVE | Routine maintenance dredging is proposed in the amount of 5,000 cubic yards or less every 2-3 years. | CENTER POINT TERMINAL NEWARK | Christian Zografos, Gary Nickerson |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/17/2023 | | |
| Application Administratively Complete | | 06/14/2023 | | |
| Approved | | 09/15/2023 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|-----------------------|-----------------|
| 0714-08-0004.1 - FWW - 230001 | 704 738 DOREMUS AVE | The planned remediation of the Central Steel Drum facility includes the excavation and disposal of contaminated soils, and the placement of a cap consisting of clean fill/ crushed stone reused from an on-site source. Remediation has been ongoing throughout the years under the direction of various environmental consultants. Dynamic Earth requests this extension in order to confirm that the work covered under this GP-4 has not yet been implemented and to certify remediation once completed. | EL SID PROPERTIES LLC | Jeff Thein |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Essex - Verona Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|----------------------------------|-----------------|
| 0720-23-0001.1 - FWW - 230001 | 217- 225 POMPTON AVENUE | There is a drainage ditch within the property which appears to be man-made. The applicant is requesting a flood hazard area applicability determination regarding whether this feature is regulated. The applicant is also requesting a freshwater wetlands letter of interpretation line verification. | VERONA TWP @ 217-225 POMPTON AVE | Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/25/2023 | | |
| Application Administratively Complete | | 09/07/2023 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|---------------------|---|-------------------------|----------------------------|
| 0722-03-0003.2 - LUP - 230001 | 1155 BLOOMFIELD AVE | The applicant proposed to demolish the existing on-site buildings and construct a new building for automobile service and sales. The applicant also proposed to construct parking areas, rooftop parking, and associated site improvements. | PMT CALDWELL PROPERTIES | Adam Fallone, Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/18/2023 | | |
| Application Administratively Complete | | 05/18/2023 | | |
| Approved | | 09/14/2023 | | |

[Gloucester](#)

Gloucester - East Greenwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|-------------|--------------------------|
| 0803-13-0006.1 - LUP - 220001 | 228 & 232 HARMONY RD | 1. Freshwater Wetlands General Permit No. 6 (Isolated wetlands disturbance)2.Freshwater Wetlands General Permit No. 11 (Stormwater outfall structure) | CSCQ-GR LLC | Mark Davis, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/17/2022 | | |
| Application Administratively Complete | | 05/17/2022 | | |
| Approved | | 09/13/2023 | | |

Gloucester - East Greenwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------|-----------------|
| 0803-19-0002.3 - FWW - 230001 | TIMBERLANE RD | Letter of interpretation- line verification. | WATSON LAND COMPANY | Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/13/2023 | | |
| Application Administratively Complete | | 03/15/2023 | | |
| Issued | | 09/14/2023 | | |

Gloucester - Franklin Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 0805-10-0004.2 - FWW - 230001 | FOREST GROVE RD | The subject application is for a freshwater wetlands presence/absence determination for the entire property. | FOREST GROVE RD | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Gloucester - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|------------------------------|-----------------|-----------------|
| 0805-22-0002.1 - LGP - 230001 | 132 BLACKWOOD AVENUE | GP24 - Malfunctioning Septic | MCENERY MICHAEL | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |
| Approved | | 09/19/2023 | | |

Gloucester - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|-----------------------------------|-------------------------------|
| 0818-23-0004.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The proposed Washington Lake Park improvements include the replacement of the existing dirt trail with an elevated timber walkway along the northern, northwestern, and eastern of Cedar Lake, a pedestrian footbridge above the concrete spillway where Cedar Lake traverses into Porch Branch, the placement of three (3) benches to the east, northwest and southwest of Cedar Lake, and the stabilization/restoration of the streambanks on the northwestern and southeastern banks of Porch Branch. | WASHINGTON LAKE PARK IMPROVEMENTS | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/19/2023 | | |
| Application Administratively Complete | | 05/19/2023 | | |
| Approved | | 09/15/2023 | | |

Gloucester - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|--------------------------------------|-------------------------------|
| 0818-23-0008.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The Township of Washington is proposing upgrades to the existing stormwater outfall structure that that transports stormwater to an unnamed tributary to Little Lebanon Branch. The proposed upgrades include the installation of approximately 78 LF of 18 reinforced concrete piping (RCP), a concrete headwall, rip-rap protection and a 4 diameter manhole. All temporarily disturbed areas will be restored back to pre-construction conditions. | LEBANON STREET DRAINAGE IMPROVEMENTS | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Gloucester - West Deptford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|---|----------------------|-------------------------------|
| 0820-03-0011.1 - LUP - 230001 | 1771 IMPERIAL WAY | The applicant is applying for a Waterfront Development (Upland) Individual Permit, Freshwater Wetlands General Permit 11 and Flood Hazard Area Individual Permit to authorize a proposed warehouse development on a parcel of land designated as Block 346.01, Lot 2.01 located within the West Deptford Township, Gloucester County, New Jersey. | VINTAGE EQUITIES LLC | Matthew Resnick, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/06/2023 | | |
| Application Administratively Complete | | 03/06/2023 | | |
| Technical Information Requested | | 03/31/2023 | | |
| Technical Deficiency Information Received | | 06/02/2023 | | |
| Approved | | 09/26/2023 | | |

Gloucester - Washington Twp

Hudson - Bayonne City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|--------------------|----------------------------------|
| 0901-23-0001.1 - LUP - 230001 | 25-29 WESLEY COURT | The project is located on Lots 1.01, 3, & 4, of Block 117 in Bayonne, New Jersey and consists of two single family homes and related ancillary improvements, such as landscaping, paver areas, driveways, and fencing. The project is located less than 500 feet from the Newark Bay, and thus, is regulated by N.J.A.C. 7:7 Coastal Zone Management Rules, and thus, is regulated by these rules. | 25-29 WESLEY COURT | Becky Mazzei, Christian Zografos |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/24/2023 | | |
| Application Administratively Complete | | 05/24/2023 | | |
| Approved | | 09/20/2023 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|--|----------------------------------|
| 0906-02-0005.6 - LUP - 230001 | 1 AUDREY ZAPP DRIVE | The primary components of the project include restoration of the LSP interior (Audrey Zapp Drive to the north, Freedom Way to the east, Thomas McGovern Drive to the south, and Phillip Street to the west); Enhancement of approx. 10.1 acres of existing non-tidal wetland (4.5 acres) and upland (5.6 acres) habitats by removing invasive flora and planting native species; Creation of park amenities to accommodate and provide public interaction with the proposed habitat restoration project. | LIBERTY STATE PARK ECOSYSTEM RESTORATION | Becky Mazzei, Christian Zografos |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP13 Recreational Facility at Public Park | | |
| CZM General Permit | | CZM GP24 Habitat Creation/Restoration/Enhancement | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP16 Habitat Creation/Restoration/Enhancement | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/05/2023 | | |
| Application Administratively Complete | | 05/18/2023 | | |
| Approved | | 09/14/2023 | | |

Hudson - Kearny Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--|-----------------------------------|
| 0907-18-0005.2 - LUP - 230001 | MEADO | GEOTECHNICAL BORINGS TO SUPPORT AMTRACK SAWTOOTH BRIDGES REPLACEMENT PROJECT. | SAWTOOTH BRIDGE GEOTECHNICAL INVESTIGATION | Ariana Tsiattalos, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| No Match | | Meadowlands District Water Quality Certificate | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/24/2023 | | |
| Application Administratively Complete | | 05/24/2023 | | |
| Approved | | 09/20/2023 | | |

Hudson - Kearny Town

Hunterdon - Clinton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|---|------------------------------|------------------|
| 1006-03-0001.1 - FWW - 230001 | 106 ANNANDALE HIGH BRIDGE RD | Letter of interpretation line verification to verify wetlands boundaries and wetlands resource value. Riparian zone verification to verify the location and extent of riparian zones on the property. | 106 ANNANDALE HIGH BRIDGE RD | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Hunterdon - Clinton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|---|------------------------------|----------------------------------|
| 1006-03-0001.1 - LUP - 230001 | 106 ANNANDALE HIGH BRIDGE RD | Letter of interpretation line verification to verify wetlands boundaries and wetlands resource value. Riparian zone verification to verify the location and extent of riparian zones on the property. | 106 ANNANDALE HIGH BRIDGE RD | Dennis Contois, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Hunterdon - Clinton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|--------------------|------------------|
| 1006-23-0001.1 - LLI - 230001 | 1545 ROUTE 22 | FWLI4 - Verification over an acre | EXXONMOBIL-CLINTON | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/11/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |

Hunterdon - Lebanon Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------|------------------|
| 1019-21-0008.1 - FWW - 230001 | 407 PENWELL ROAD | MODIFICAITON TO ISSUED TAWSP-REDEVELOPEMENT AND FWW GP8 MINOR CHANGES TO DRIVEWAY AND DWELLING FOOTPRINT NECESSIATED BY MUNICIPAL APPROVAL. | DEVENEZIA PROPERTY | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPM general permit modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Hunterdon - Lebanon Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------|------------------|
| 1019-21-0008.1 - FWW - 230002 | 407 PENWELL ROAD | MODIFICAITON TO ISSUED TAWSP-REDEVELOPEMENT AND FWW GP8 MINOR CHANGES TO DRIVEWAY AND DWELLING FOOTPRINT NECESSIATED BY MUNICIPAL APPROVAL. | DEVENEZIA PROPERTY | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWTWM modification TAW | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Hunterdon - Raritan Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|----------------------------|------------------|
| 1021-23-0016.1 - LLI - 230001 | 116 RIVER ROAD | FWLI1 - Presence/Absence LOI | DIAMOND NATION LLC-RARITAN | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------------|-----------------------|------------------|
| 1022-17-0002.1 - FWW - 230001 | SCHOOL RD | Applicant seeks FWW LOI Extension. | RYLAND DEVELOPERS LLC | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Hunterdon - Readington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|------------------------------|---------------|-----------------|
| 1022-23-0009.1 - LGP - 230001 | STREET ADDRESS NOT IDENTIFIED | GP24 - Malfunctioning Septic | FANDEL SEPTIC | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |
| Approved | | 09/15/2023 | | |

Hunterdon - Tewksbury Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|--------------------------|-----------------|
| 1024-23-0008.1 - FHC - 230001 | 60 HOMESTEAD ROAD | FHGPC3 Agricultural Stream Restoration | STREAMBANK STABILIZATION | |
| Permit Category | | Permit/Authorization Type | | |
| FHA Permit by Certification | | FHGPC3 Agricultural Stream Restoration | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |
| Approved | | 09/15/2023 | | |

[Mercer](#)

Mercer - East Windsor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|-----------------------------------|------------------|
| 1101-22-0002.1 - FWW - 220001 | 449-499 WYCKOFF MILL RD | The application is for a letter of interpretation line verification for a 66.038 acre site. | TOLL LAND XVI LIMITED PARTNERSHIP | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/21/2022 | | |
| Application Administratively Complete | | 12/21/2022 | | |
| Issued | | 09/18/2023 | | |

Mercer - Ewing Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|----------------------------|-------------------|
| 1102-23-0006.1 - FWW - 230001 | 1620 STUYVESANT AVE | Verification of freshwater wetlands delineated and buffer width requirement (partial LOI Line Verification) on approximate 12.63-acre leased tract on state owned lands. | JUVENILE JUSTIC COMMISSION | Ariana Tsiattalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |

Mercer - Lawrence Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|--------------------|---|-------------------------|--------------------------------|
| 1106-08-0012.1 - LUP - 230001 | 2500 PENNINGTON RD | The proposed project will consist of 12-unit affordable apartments within one three-story building as well as 55-unit market rate townhomes accessed via Pennington Road. The permits requested are required for stormwater management conveyance and outfall (FWW GP11), sanitary sewer main extension/ connection (FWWGP2), general development and grading activities (FWW GP6, 7, TAW, FHA IP). The stormwater outfall will discharge directly in Stony Brook Tributary while complying with the stormwater mgt | HERITAGE @ HOPEWELL LLC | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/31/2023 | | |
| Application Administratively Complete | | 03/31/2023 | | |
| Technical Information Requested | | 04/28/2023 | | |
| Technical Deficiency Information Received | | 05/26/2023 | | |
| Approved | | 09/22/2023 | | |

Mercer - Hopewell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------------------|---|--|--------------------------------|
| 1106-23-0007.1 - LUP - 230001 | 130 WASHINGTON CROSSING PENNINGTON RD | Flood hazard area verification & wetlands LOI | 130 WASHINGTON CROSSING PENNINGTON LLC | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/29/2023 | | |
| Application Administratively Complete | | 06/29/2023 | | |
| Approved | | 09/22/2023 | | |

Mercer - Lawrence Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|---|----------------------|--------------------------------|
| 1107-05-0007.3 - LUP - 230001 | 2495 BRUNSWICK PIKE | The residential project will result in the filling of a wetland swale under a General Permit #7 and General Permit #11 for a stormwater outfall. The project will result in fill in a flood hazard area under a Flood Hazard Individual Permit. | RPM DEVELOPMENT, LLC | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/17/2023 | | |
| Application Administratively Complete | | 04/17/2023 | | |
| Technical Information Requested | | 05/11/2023 | | |
| Technical Deficiency Information Received | | 06/15/2023 | | |
| Amended Application Received | | 09/20/2023 | | |

Mercer - Princeton

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|------------|--------------------------------|
| 1114-22-0008.1 - LUP - 220001 | 156 WILSON ROAD | The proposed residence includes the construction of a single-family dwelling and associated improvements including a garage, squash court, swimming pool and driveway. Access to the new dwelling will be provided via a proposed driveway from Wilson Road along the western edge of the property. The driveway will include a 12-wide crossing over the unnamed tributary to Mountain Brook. | ZHOU LI LI | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/08/2022 | | |
| Application Administratively Complete | | 12/09/2022 | | |
| Technical Information Requested | | 01/06/2023 | | |
| Technical Deficiency Information Received | | 05/17/2023 | | |
| Approved | | 09/13/2023 | | |

Mercer - West Windsor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|---------------|---------------------------------|
| 1111-06-0006.4 - LUP - 230001 | 40 MULBERRY STREET | hazardous substance remediation, followed by providing a mowed pathway and meadow mix along the rest of the property to delineate the walking trail, planting of trees within the riparian zone. | SCARPATI PARK | Gary Nickerson, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/23/2023 | | |
| Application Administratively Complete | | 05/23/2023 | | |
| Approved | | 09/19/2023 | | |

Mercer - West Windsor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---|-----------------------------------|
| 0000-22-0020.1 - FHA - 230001 | VARIOUS LOCATIONS | Mercer County is seeking to replace Bi-County bridge (No. 760.4) carrying Millstone Road and Grovers Mill Rd over the Millstone River, Township pf West Windsor and Plainsboro Township, NJ. The replacement is necessary due to the poor physical condition of the deck and superstructure. | REPLACEMENT OF BI-COUNTY BRIDGE NO. 760.4 | Ariana Tsiattalos, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Major Technical Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/29/2023 | | |
| Application Administratively Complete | | 03/29/2023 | | |
| Approved | | 09/19/2023 | | |

Mercer - West Windsor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---|-------------------|
| 0000-22-0020.1 - FWW - 230001 | VARIOUS LOCATIONS | Mercer County is seeking to replace Bi-County bridge (No. 760.4) carrying Millstone Road and Grovers Mill Rd over the Millstone River, Township pf West Windsor and Plainsboro Township, NJ. The replacement is necessary due to the poor physical condition of the deck and superstructure. | REPLACEMENT OF BI-COUNTY BRIDGE NO. 760.4 | Ariana Tsiattalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPM general permit modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/29/2023 | | |
| Application Administratively Complete | | 03/29/2023 | | |
| Approved | | 09/19/2023 | | |

Mercer - West Windsor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|---|------------------------------------|--------------------------------|
| 1113-14-0002.1 - FWW - 230001 | 399 PRINCETON HIGHTSTOWN RD | Modification of existing permit for a proposed warehouse with associated improvements including parking, landscaping, lighting, and stormwater management improvements. | IV1 WINDSOR 8 LOGISTICS CENTER LLC | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPM general permit modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/12/2023 | | |
| Application Administratively Complete | | 07/12/2023 | | |
| Approved | | 09/13/2023 | | |

Merced - West Windsor Twp

Middlesex - Carteret Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------|-----------------|
| 1201-04-0010.3 - FWW - 230001 | 760 ROOSEVELT AVE | Kinder Morgan Phoenix Holdings LLC is submitting this application to extend the existing line delineation LOI issued October 2018 | KINDER MORGAN | Andrew Mazza |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/11/2023 | | |
| Application Administratively Complete | | 09/11/2023 | | |

Middlesex - Carteret Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------------------|--------------------------------|
| 1201-08-0001.3 - WFD - 220001 | INDUSTRIAL WAY | The proposed project involves a layout revision regarding the multi-use path/boardwalk alignment to improve public safety. The proposed activities are above the mean high-water line. | CARTERET BORO@RIVER WALK PHASE II | Sheldon Piggot, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/04/2022 | | |
| Application Administratively Complete | | 11/04/2022 | | |
| Approved | | 09/18/2023 | | |

Middlesex - Carteret Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------|-----------------|
| 1201-08-0001.4 - LUP - 220001 | ROOSEVELT AVENUE | The proposed project involves a layout revision regarding the multi-use path/boardwalk alignment to improve public access and safety. The activities are proposed above the mean high water line. | CARTERET BORO RIVERWALK | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP17A Multiple-use Paths | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/03/2022 | | |
| Application Administratively Complete | | 11/18/2022 | | |
| Approved | | 09/18/2023 | | |

Middlesex - East Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---------------------------|----------------------|------------------------------|
| 1204-01-1004.2 - FHA - 220001 | 11 FRESH PONDS RD | Permit Equivalency | USEPA HESS ALISON | Damian Friebe, Jeff Thein |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Permit Equivalency | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/24/2022 | | |
| Application Administratively Complete | | 10/24/2022 | | |
| Approved | | 09/18/2023 | | |

Middlesex - East Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---------------------------|----------------------|-----------------|
| 1204-01-1004.2 - FWW - 220001 | 11 FRESH PONDS RD | | USEPA HESS ALISON | Jeff Thein |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | Permit Equivalency | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/24/2022 | | |
| Application Administratively Complete | | 10/24/2022 | | |
| Approved | | 09/18/2023 | | |

Middlesex - East Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|---|------------------|
| 1204-23-0002.1 - LUP - 230001 | 106 FRESH PONDS ROAD | A replacement septic system is going to be constructed in proximity to a failed septic system. The entire yard area is mapped poorly or very poorly drained soils. | 106 FRESH PONDS ROAD SEPTIC REPLACEMENT | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP24 Malfunctioning Septic Systems | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/20/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Middlesex - Metuchen Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------|--------------------------------|
| 1205-02-0005.1 - LUP - 230001 | 855 GROVE AVE | Construction of a 13,865 s.f. addition to the John Adams Middle School in the Township of Edison, including 316 s.f. of disturbance to an actively disturbed riparian zone. | EDISON BOARD OF EDUCATION | Chris Squazzo, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/25/2023 | | |
| Application Administratively Complete | | 08/25/2023 | | |
| Technical Information Requested | | 09/22/2023 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------------|-----------------------------------|
| 1205-23-0011.1 - LUP - 230001 | 1000 INMAN AVENUE | Construction of two apartment complexes, drive aisles and parking lots located in flood hazard area. | FAIRWAY COUNTRY CLUB, LLC | Michael Sheehan, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|------------------------------|--|------------------|
| 1205-23-0012.1 - LLI - 230001 | KING GEORGES POST ROAD | FWLI1 - Presence/Absence LOI | FEDERAL BUSINESS CENTERS DENHOLTZ PROPERTY | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Middlesex - Metuchen Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---|----------------------------|
| 1210-13-0001.5 - LUP - 230001 | 212 DURHAM AVENUE | The proposed redevelopment consists of the demolition of the existing vacant buildings and clearing of the remainder of the Site for the construction of a 5-story multi-family building, along with amenity spaces, parking/circulation areas, landscaping/courtyard areas, stormwater management and utility improvements on approximately 12 acres of land. A proposed 36- inch stormwater discharge pipe and flared end section (FES) with headwall and scour hole will empty into Dismal Brook. | 212 DURHAM URBAN RENEWAL LLC MULTI-FAMILY DEV | Adam Fallone, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Middlesex - Middlesex Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|------------------------------|-----------------|
| 1211-03-0004.10 - FWW - 230001 | 1001 LINCOLN BLVD | Application for wetlands LOI line verification. | 1001 LINCOLN BLVD ASSOCIATES | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/05/2023 | | |
| Application Administratively Complete | | 04/05/2023 | | |
| Issued | | 09/26/2023 | | |

Middlesex - North Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------|-----------------|
| 1215-22-0004.1 - FWW - 220001 | 1415 JERSEY AVE | FWW LOI line verification, FWW GP6 for filling of non-tributary wetlands. | SARDIS TONI LYNN | Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/05/2022 | | |
| Application Administratively Complete | | 12/05/2022 | | |
| Technical Information Requested | | 09/21/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|------------------|-----------------|
| 1215-22-0004.1 - LUP - 220001 | 1415 JERSEY AVE | FWW GP6. FWW LOI LINE VERIFICATION. | SARDIS TONI LYNN | Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/18/2022 | | |
| Application Administratively Complete | | 01/09/2023 | | |
| Technical Information Requested | | 09/21/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|----------------------|-------------------------|
| 1209-08-0010.5 - LUP - 230001 | JAKE BROWN RD | The Township of Old Bridge proposes improvements and widening of Jake Brown Road (East of Route 9) which will require a Freshwater Wetlands General Permit and Flood Hazard Area Individual Permit. | 2020 REAL ESTATE LLC | Erin Signor, Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/21/2023 | | |
| Application Administratively Complete | | 02/21/2023 | | |
| Technical Information Requested | | 03/17/2023 | | |
| Technical Deficiency Information Received | | 05/24/2023 | | |
| Approved | | 09/19/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------|-----------------|
| 1209-21-0009.1 - FHC - 230001 | 15 BAYSHORE AVE | FHGPC6 Construct Single Family in Tidal | DEHART JOHN | |
| Permit Category | | Permit/Authorization Type | | |
| FHA Permit by Certification | | FHGPC6 Construct Single Family in Tidal | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |
| Approved | | 09/26/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------|-----------------------------|
| 1209-22-0012.1 - LUP - 230001 | WATER WORKS RD | FHA verification. | HB WAREHOUSING LLC | Adam Fallone, Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |
| Approved | | 09/22/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-------------------|---|-------------------|----------------------------|
| 1209-23-0001.2 - LUP - 230001 | 61 OLD AMBOY ROAD | The applicant is seeking a Flood Hazard Area Verification and Individual Permit, as well as Freshwater Wetlands General Permits 6 and 11 and a Transition Area Waiver in association with the construction of a vehicle parking area and service building for an existing car dealership. | ALL AMERICAN FORD | Adam Fallone, Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/07/2023 | | |
| Application Administratively Complete | | 08/07/2023 | | |
| Technical Information Requested | | 08/29/2023 | | |
| Technical Deficiency Information Received | | 09/26/2023 | | |

Middlesex - Sayreville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|---|-----------------|
| 1219-04-0005.7 - LUP - 230001 | ROUTE 35 AND ROUTE 9 | Parcel B requires a cap to effectuate the remedial remedy. The proposed remedial action for soil consists of a soil cap for the southern portion of Area 4. | REMEDIAL ACTION CAPPING FOR PARCEL B - AREA 4 | Gary Nickerson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP4 Hazardous Site Investigation/Cleanup | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/23/2023 | | |
| Application Administratively Complete | | 06/23/2023 | | |
| Approved | | 09/21/2023 | | |

Middlesex - Old Bridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|-----------------------------|---------------------------------|
| 1219-15-0002.1 - LUP - 230001 | JERNEES MILL RD | The proposed redevelopment will consist of up to two (2) cold storage warehouse buildings with assembled trailer storage areas and associated site improvements. | MIDDLESEX ENERGY CENTER LLC | Matthew Resnick, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP5 Landfill Closures | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/15/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |
| Technical Information Requested | | 08/07/2023 | | |
| Technical Deficiency Information Received | | 08/29/2023 | | |
| Technical Information Requested | | 09/13/2023 | | |

Middlesex - South Amboy City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|----------------------------------|-----------------|
| 1220-04-0001.2 - FWW - 230002 | MAIN ST | Extension go GP | SA 101 MAIN ST URBAN RENEWAL LLC | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/27/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Middlesex - South Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|-----------------------------|-----------------|
| 1221-12-0006.1 - FWW - 230001 | RT 1 BLACKHORSE LN | Obtaining a letter of interpretation line verification. Please note that this property was granted a LOI and extension. | SOUTH BRUNSWICK TERRACE LLC | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/12/2023 | | |
| Application Administratively Complete | | 05/12/2023 | | |
| Issued | | 09/26/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|-------------------------|-----------------|
| 1222-02-0003.1 - FWW - 230001 | 1213 NEW MARKET AVE | Letter of interpretation verification to confirm wetlands boundaries and wetlands resource value. | 12-13 NEW MARKET ST LLC | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/28/2023 | | |
| Application Administratively Complete | | 04/28/2023 | | |
| Issued | | 09/26/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|---|-------------------------|----------------------------|
| 1222-02-0003.1 - LUP - 230001 | 1213 NEW MARKET AVE | The proposed development will consist of a 50,000 SF warehouse building, with a 20,000 SF second floor (office/storage), along with all other associated site improvements. | 12-13 NEW MARKET ST LLC | Adam Fallone, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/10/2023 | | |
| Application Administratively Complete | | 04/10/2023 | | |
| Technical Information Requested | | 05/03/2023 | | |
| Technical Deficiency Information Received | | 05/31/2023 | | |
| Technical Information Requested | | 06/14/2023 | | |
| Technical Deficiency Information Received | | 06/29/2023 | | |
| Approved | | 09/25/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|--|-----------------------------------|------------------------------------|
| 1222-18-0001.1 - FHA - 230001 | S CLINTON AVE & JERSEY ST | Extension of valid FHA and FWW permits to replace culvert 2-C-84 South Clinton Ave at Jersey Street The culvert design has not changed, constriction is beginning. | MIDDLESEX CNTY@CULVERT 2C84 | Dennis Contois, Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |
| Approved | | 09/20/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|--|-----------------------------------|-----------------|
| 1222-18-0001.1 - FWW - 230001 | S CLINTON AVE & JERSEY ST | Extension of valid FHA and FWW permits to replace culvert 2-C-84 South Clinton Ave at Jersey Street The culvert design has not changed, constriction is beginning. | MIDDLESEX CNTY@CULVERT 2C84 | Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |
| Approved | | 09/20/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|----------------------------|-----------------|
| 1222-20-0002.1 - LLI - 230001 | 200 HELEN ST | LOI VERIFICATION | NAKASH 200 HELEN ST LLC | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/09/2023 | | |
| Application Administratively Complete | | 05/09/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|-------------------------|----------------------------|
| 1222-20-0002.1 - LUP - 230001 | 200 HELEN ST | Warehouse expansion. | NAKASH 200 HELEN ST LLC | Adam Fallone, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/24/2023 | | |
| Application Administratively Complete | | 05/24/2023 | | |
| Amended Application Received | | 08/31/2023 | | |
| Approved | | 09/20/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------|----------------------------|
| 1222-20-0002.1 - LUP - 230002 | 200 HELEN ST | Warehouse expansion. | NAKASH 200 HELEN ST LLC | Adam Fallone, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/24/2023 | | |
| Application Administratively Complete | | 05/24/2023 | | |
| Withdrawn | | 09/20/2023 | | |

Middlesex - South Plainfield Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------|-----------------|
| 1222-22-0002.1 - LUP - 230001 | 1 CRAGWOOD RD | The applicant is seeking a Freshwater Wetlands General Permit 1. | 1 CRAGWOOD RD LLC | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/19/2023 | | |
| Application Administratively Complete | | 04/19/2023 | | |
| Approved | | 09/26/2023 | | |

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--------------------------------------|-----------------|-----------------|
| 1223-23-0002.1 - FWW - 230001 | 209 WILLIAMS ST | Applicant seeks an LOI verification. | 209 WILLIAMS ST | Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------|--------------------------------|
| 1225-04-0003.1 - LUP - 230001 | INDUSTRIAL AVE | The proposed project consists of up to seven deep saprolite soil borings to approximately 60 feet below ground surface (bgs), up to four shallow soil borings to approximately 15 feet bgs, and abandonment of one monitoring well. A deep saprolite soil boring will be installed in place of the monitoring well, for a total of up to eight deep saprolite borings. Temporary access paths will be used by equipment to access the boring locations. The access paths will be approximately 8 feet wide | PRAXAIR DISTRIBUTION INC | Dennis Contois, Gary Nickerson |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP11 Hazardous Site Investigation/Cleanup | | |
| Freshwater Wetlands General Permit | | FWW GP12 Surveying/Investigating | | |
| Freshwater Wetlands General Permit | | FWW GP4 Hazardous Site Investigation/Cleanup | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/05/2023 | | |
| Application Administratively Complete | | 05/05/2023 | | |
| Approved | | 09/26/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|------------------------------|-----------------|
| 1225-16-0005.2 - FWW - 230001 | STREET ADDRESS NOT IDENTIFIED | Modification to alignment of temporary access to existing lattice towers to facilitate re-conducting of OH lines. | PSE&G @ SEWAREN-METCUHEN ROW | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWIPM individual permit modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------------------|-----------------|
| 1225-18-0006.1 - FHA - 230001 | RAHWAY AVE | Replacement of deteriorating culvert 1-C-28 which carries Rahway Avenue (CR514) over a tributary to Woodbridge Creek permit extension. | MIDDLESEX CNTY@CULVERT 1C28 | Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------------------|------------------|
| 1225-18-0006.1 - FWW - 230001 | RAHWAY AVE | Replacement of deteriorating culvert 1-C-28 which carries Rahway Avenue (CR514) over a tributary to Woodbridge Creek permit extension. | MIDDLESEX CNTY@CULVERT 1C28 | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------------|----------------------------------|
| 1225-23-0008.1 - LUP - 230001 | 71 LAFAYETTE RD | PSE&G is seeking Flood Hazard Area and Riparian Zone Line Verification for a drainage ditch that traverses our transmission right-of-way (lots 34 & 35) adjacent to our Lafayette Substation in Woodbridge Township. | PSE&G @ LAFAYETTE RD | Adam Fallon, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------------|---|------------------------------------|-----------------|
| 1225-23-0010.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Replace approximately 280 linear feet of existing water main that was damaged during Red Root Bridge reconstruction. The replacement water main will be mostly located within the existing road and adjacent shoulder crossing over the Red Root Creek and the plane of the mean high water line. The replacement water main will tie into the uncompromised portion of the existing water upland of Red Root Creek. No in water work or disturbance to nearby vegetation is required | MIDDLESEX WATER@ CATTAIL WAY | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Landward) | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Monmouth - Avon-By-The-Sea Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|--|---------------------------------|
| 1300-06-0009.2 - LUP - 230001 | VARIOUS LOCATIONS | The applicant, the Borough of Bradley Beach, proposes to authorize the repair of a broken wooden flume and stormwater outfall pipe located belowground. The outfall pipe replacement originates in Sylvan Lake and then enters the eastward beach area below Ocean Avenue extending below the dune and beach. | SYLVAN LAKE OUTFALL REPLACEMENT PROJECT | Bryan Carter, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/08/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |
| Complete for Final Review | | 09/14/2023 | | |

Monmouth - Colts Neck Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|--------------------------------|-----------------|
| 1309-18-0002.1 - FWW - 230001 | RT 537 COLTS NCK RD | The project consists of the replacement of the brick culvert portion of Bridge A-55 with a reinforced concrete elliptical pipe, plus constructing additional pipe to replace a failed headwall. The project is located along County Rt 537 approximately 50' west of Creamery Rd | MONMOUTH CNTY @ BRIDGE A-55 | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |
| Issued | | 09/20/2023 | | |

Monmouth - Hazlet Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|--------------|------------------------------------|
| 1300-02-0011.4 - LUP - 230001 | PINEBROOK RD | Applicant is seeking an FHA Verification by Method 6 and an FHA Individual Permit for the disturbance/ rehabilitation within the riparian zone and zero net fill calculation review. | U.S HOME LLC | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/10/2023 | | |
| Application Administratively Complete | | 04/10/2023 | | |
| Technical Information Requested | | 05/05/2023 | | |
| Technical Deficiency Information Received | | 06/06/2023 | | |
| Approved | | 09/26/2023 | | |

Monmouth - Freehold Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---|-----------------|
| 1316-13-0007.1 - FWW - 230001 | 505 & 513 | Freshwater wetlands letter of interpretation line verification. | EAST FREEHOLD ROAD ORCHARDS & VINEY LLC | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Monmouth - Freehold Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|--|-------------|------------------------------------|
| 1316-20-0006.2 - LUP - 230002 | 225 235WILLOWBROOK RD | Proposed warehouse and associated infrastructure. Regulated activities include filling one isolated wetland (FW GP6); stormwater outfall within state open water and riparian zone (FW GP11 and FHA IP); utility line realignment within a riparian zone (FHA IP). | SAADIA JACK | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/26/2023 | | |
| Application Administratively Complete | | 05/26/2023 | | |
| Approved | | 09/22/2023 | | |

Monmouth - Hazlet Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--|-----------------|
| 1339-23-0003.1 - LUP - 230001 | 20 CROMAN COURT | The project includes the rehabilitation of the Croman Court stormwater basin located in the rear of the residential homes along Croman Court in the Township of Hazlet, Monmouth County, New Jersey. | CROMAN COURT STORMWATER BASIN REHABILITATION | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/16/2023 | | |
| Application Administratively Complete | | 08/16/2023 | | |
| Approved | | 09/20/2023 | | |

Monmouth - Howell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------------|---------------------------|--------------|-----------------|
| 1300-05-0003.1 - FWW - 230001 | BIRDSALL RD BELLMAR BLVD | LOI Extension | ASP WALL LLC | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |

Monmouth - Howell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|------------------------|-----------------|
| 1319-04-0039.2 - FWW - 230001 | 982 994 996 RT 33 | Lette of interpretation line verification. | OGORMAN PROPERTIES INC | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Monmouth - Long Branch City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------|-----------------|
| 1319-17-0011.1 - FWW - 230001 | 29 HOWELL RD | Letter of interpretation presence/absence application to verify the absence of wetlands on the subject property. | AAFFHW PROPERTY LLC | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Monmouth - Howell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------|-----------------|
| 1319-23-0011.1 - FWW - 230001 | 74 FORD RD | Letter of interpretation line verification on an approximate 8.36-acre site. | 74 FORD RD | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Monmouth - Keyport Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|-------------------|-----------------------------|
| 1322-17-0001.1 - CZM - 230001 | 93 LUPPATATUNG AVE | Extension for the construction of a single family home | OCEAN BAY 500 LLC | Chingwah Liang, Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/18/2023 | | |
| Application Administratively Complete | | 08/18/2023 | | |

Monmouth - Long Branch City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------------------|---------------------------------|
| 1325-13-0005.1 - APD - 220001 | UNKNOWN | The overall project was redesigned to include this additional lot and to have 107 hotel rooms (increase of 5 rooms) and an exterior surface parking lot. The stormwater management system was also redesigned to meet the current NJDEP stormwater Management regulations. | LONG BRANCH REDEVELOPMENT ZONE | Kara Turner, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | Long Branch Redevelopment Zone | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/08/2022 | | |
| Application Administratively Complete | | 10/28/2022 | | |
| Issued | | 09/22/2023 | | |

Monmouth - Long Branch City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|--|--------------------|---------------------------------|
| 1325-18-0008.2 - LUP - 230001 | 40 LIBERTY STREET | Proposed development consisting of two mixed use buildings and a retail/grocer building within the CAFRA regulated area. | PV BROADWAY LLC | Kara Turner, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA IP- Residential Development-not SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/21/2023 | | |
| Application Administratively Complete | | 07/07/2023 | | |
| Technical Information Requested | | 08/03/2023 | | |
| Technical Deficiency Information Received | | 09/05/2023 | | |
| Technical Information Requested | | 09/19/2023 | | |

Monmouth - Manalapan Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------|-----------------|
| 1326-07-0008.1 - FWW - 230001 | 81 MILLHURST RD | Extension of a previously issued freshwater wetlands letter of interpretation line verification. | WOODLAND TRAILS INC | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/03/2023 | | |
| Application Administratively Complete | | 03/03/2023 | | |
| Issued | | 09/20/2023 | | |

Monmouth - Marlboro City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|----------------------------|-----------------------|-----------------|
| 1328-12-0001.1 - LLI - 220001 | 9 TIMBER LN | LOI VERIFICATION | AVALUE TECHNOLOGY INC | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLII presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/26/2022 | | |
| Application Administratively Complete | | 10/27/2022 | | |
| Issued | | 09/20/2023 | | |

Monmouth - Marlboro Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------------|--------------|-----------------|
| 1328-17-0008.1 - FWW - 230001 | 65 FALSON LN | LOI line verification re-issuance. | 65 FALSON LN | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/15/2023 | | |
| Application Administratively Complete | | 08/15/2023 | | |
| Issued | | 09/20/2023 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------------|-----------------|
| 1300-02-0004.1 - CDT - 230005 | SANDY HOOK UNIT | research oyster castle project | GATEWAY NRA SANDY HOOK UNIT | Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| Consistency Determination | | FC Federal Funding to State/local government | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/04/2023 | | |
| Application Administratively Complete | | 09/04/2023 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-----------------------------|-----------------|
| 1300-23-0005.1 - LUP - 230001 | VARIOUS LOCATIONS | Installation of geotechnical borings offshore in the floor of the Atlantic Ocean to approximately 20 feet beneath the sea floor. These borings will be advanced in the waters off of the municipalities of Sea Girt, Manasquan, and Middletown, Monmouth County, New Jersey. | COMMUNITY OFFSHORE WIND LLC | Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP23 Geotechnical Survey Borings | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|------------------|---------------------------------|
| 1331-20-0005.2 - LUP - 230001 | 694 CAMPBELL AVENUE | Remove existing dwelling and existing detached garage, construct new dwelling in its place, based on minor subdivision of project site. | 694 CAMPBELL AVE | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/05/2023 | | |
| Application Administratively Complete | | 06/22/2023 | | |
| Approved | | 09/19/2023 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|-------------------------------|------------------------------------|
| 1331-22-0009.2 - LUP - 230001 | 62 ATLANTIC AVENUE | Two single family residences have been constructed in a tidal flood hazard area. An after- the-fact Individual flood hazard area individual permit is the subject of this application. | 62 ATLANTIC AVENUE MIDDLETOWN | Dominick Cardella, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/17/2023 | | |
| Application Administratively Complete | | 06/17/2023 | | |
| Approved | | 09/13/2023 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------|-----------------|
| 1331-22-0017.1 - FWW - 230001 | 21 BRIARCLIFF AVE | Minor Subdivision - to determine wetlands are not present within the footprint of disturbance | WERNER DANIEL | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI2 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/26/2023 | | |
| Application Administratively Complete | | 08/26/2023 | | |
| Issued | | 09/20/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|----------------------|---------------------------------|
| 1337-15-0007.2 - LUP - 220001 | 451 BROOKSIDE | The applicants are proposing additions to an existing home, the construction of a swimming pool, driveway, patio and a covered porch. | SALAMA JOSEPH & RUTH | Chingwah Liang, Monica Zabroski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/09/2022 | | |
| Application Administratively Complete | | 06/06/2022 | | |
| Technical Information Requested | | 07/07/2022 | | |
| Technical Deficiency Information Received | | 07/01/2023 | | |
| Approved | | 09/26/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------------|-----------------|
| 1337-23-0002.1 - FWW - 230001 | 2128 KINGS HWY | The applicant is seeking a freshwater wetlands letter of interpretation presence/absence determination to verify the absence of any regulated wetlands or waters on the subject property. | CENTRAL JERSEY RADIOLOGISTS LLC | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/30/2023 | | |
| Application Administratively Complete | | 03/30/2023 | | |
| Issued | | 09/20/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|----------------------|--------------------------------|
| 1337-23-0006.1 - LUP - 230001 | 445 BROOKSIDE AVENUE | Addition to existing single-family home. | 445 BROOKSIDE AVENUE | Brett Kosowski, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |
| Amended Application Received | | 07/20/2023 | | |
| Approved | | 09/19/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|------------|-----------------|
| 1337-23-0007.1 - FWW - 230001 | 741 ROSELD AVENUE | The applicant is requesting verification of the limits of state open water wetlands and transition areas. | 741 ROSELD | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI3 Less Than 1 Acre Delineation LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |
| Issued | | 09/25/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|------------|--------------------------------|
| 1337-23-0007.1 - LUP - 230001 | 741 ROSELD AVENUE | Reconstruction of one single family home. | 741 ROSELD | Brett Kosowski, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 4 (FEMA Hydraulic Method) | | |
| Freshwater Wetlands General Permit | | FWW GP8 House Additions | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/30/2023 | | |
| Application Administratively Complete | | 06/30/2023 | | |
| Amended Application Received | | 09/21/2023 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|----------------------------------|-----------------------------|
| 1340-23-0001.1 - LUP - 230001 | 19-29 MECHANIC STREET | The applicant is proposing to demolish the existing commercial building and construct a multi-residential building and associated parking at the surface level. | ONE GLOBE COURT LLC@ MECHANIC ST | Chingwah Liang, Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA IP- Residential Development-not SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/11/2023 | | |
| Application Administratively Complete | | 05/11/2023 | | |
| Complete for Final Review | | 08/15/2023 | | |
| Approved | | 09/13/2023 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------|-----------------|
| 1300-23-0006.1 - WFD - 230001 | GRANT AVE | Proposed emergency work includes directionally drilling a dual 14” HDPE force main from the Grant Avenue PS in Rumson under the Shrewsbury River to Church St in Sea Bright. | RUMSON BORO @GRANT AVE | David Sumba |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | IP Emergency | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|---------------|---------------------------------|
| 1342-22-0005.1 - LUP - 220001 | 26 SHREWSBURY DRIVE | The applicants are requesting authorization to disturb wetlands. | SULLIVAN GREG | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/29/2022 | | |
| Application Administratively Complete | | 11/30/2022 | | |
| Approved | | 09/20/2023 | | |

Monmouth - Sea Bright Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------------------|-----------------|
| 1343-03-0012.1 - WFD - 230001 | 754 OCEAN AVE | The application is for a minor technical Flood Hazard area permit modification to a previously approved project. The project includes the construction of three warehouses distribution buildings totaling approximately 1,876,674 square feet of floor area and associated loading docks, tractor and car parking spaces access drives utilities lighting landscaping and an access road. This modification is to revise riparian zone impact numbers which will be a decrease from what was previously approved in | MENCINSKY ANDREW & DTRESENTE LORI | Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Zane Letter | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |

Monmouth - Sea Bright Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|---------------------|------------------------------|
| 1343-22-0003.1 - LUP - 220001 | 4 FRONT STREET | The construction of single-family attached (townhouse) units, single-family detached units, and condominium units at the site. | DENHOLTZ PROPERTIES | Becky Mazzei, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA IP- Residential Development-not SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/14/2022 | | |
| Application Administratively Complete | | 11/03/2022 | | |
| Technical Information Requested | | 12/05/2022 | | |
| Technical Deficiency Information Received | | 06/07/2023 | | |
| Complete for Final Review | | 09/13/2023 | | |

Monmouth - Tinton Falls Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---------------------------|-------------------|-----------------|
| 1336-17-0005.1 - FWW - 230001 | 101 CORREGIDOR RD | Extension to FWW170003. | TRINITY HALL CORP | Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/03/2023 | | |
| Application Administratively Complete | | 03/03/2023 | | |
| Issued | | 09/20/2023 | | |

Monmouth - Sea Bright Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|--|-------------------------|-----------------|
| 1336-23-0003.1 - FWW - 230001 | 133 NEWMAN SPRINGS ROAD | The applicant is requesting confirmation of the absence of wetlands and wetlands transition areas. | CJ WINKS ENTERPRISE LLC | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Monmouth - West Long Branch Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|--|---------------------------------|
| 1300-13-0002.2 - LUP - 230001 | 277 STATE HIGHWAY 36 | K. HOVNANIAN@ TOWNES AT WEST LONG BRANCH LLC | K. HOVNANIAN@ TOWNES AT WEST LONG BRANCH LLC | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/28/2023 | | |
| Application Administratively Complete | | 08/28/2023 | | |
| Technical Information Requested | | 09/25/2023 | | |

[Morris](#)

Morris - Denville Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|-----------------|
| 1408-04-0010.2 - FWW - 230001 | 305 PALMER RD | No specific project, applicant request LOI line verification for potential purchase of subject property. | 305 PALMER RD | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/25/2023 | | |
| Application Administratively Complete | | 01/25/2023 | | |
| Issued | | 09/20/2023 | | |

Morris - East Hanover Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|------------------|-----------------|
| 1410-23-0003.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | Installation of a single groundwater monitoring well located in freshwater emergent wetlands. Proposed temporary access for installation within freshwater wetlands and wetland transition area. | SHARKEY LANDFILL | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP14 Water Monitoring Devices | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/12/2023 | | |
| Application Administratively Complete | | 04/12/2023 | | |
| Approved | | 09/26/2023 | | |

Morris - Florham Park Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------------------|-----------------|
| 1411-04-0002.2 - FWW - 220001 | 31 VREELAND RD | Letter of Interpretation and FHA Verification | FLORHAM PARK BORO@ VREELAND RD | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/11/2022 | | |
| Application Administratively Complete | | 04/11/2022 | | |
| Issued | | 09/13/2023 | | |

Morris - Jefferson Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|----------------|-----------------|
| 1412-22-0006.1 - FWW - 220001 | 234-244 RIDGEDALE AVE | Letter of interpretation presence/absence of freshwater wetlands on a 3.81-acre site. | PN RESTAURANTS | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/25/2022 | | |
| Application Administratively Complete | | 11/25/2022 | | |
| Issued | | 09/25/2023 | | |

Morris - Harding Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------|-----------------|
| 1413-16-0004.1 - FWW - 230001 | 15 WOODLAND AVE | Seeking an extension of the FWW LOI line verification for subject property and a transfer of the verification due to a change in the ownership of the site. | 15 WOODLAND AVE | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Morris - Jefferson Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|------------|-----------------|
| 1414-23-0010.1 - LGP - 230001 | 41 LUDLOW ST. | GP24 - Malfunctioning Septic | KRISH GP24 | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |
| Approved | | 09/15/2023 | | |

Morris - Jefferson Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|------------------------------|-----------|-----------------|
| 1414-23-0011.1 - LGP - 230001 | 14 STONEY BROOK LA. | GP24 - Malfunctioning Septic | PIELICH | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/24/2023 | | |
| Application Administratively Complete | | 09/24/2023 | | |
| Approved | | 09/24/2023 | | |

Morris - Mendham Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|--------------------------------------|-------------------------------------|
| 1418-20-0001.1 - LUP - 230001 | E MAIN ST | Applicant seeks a Flood Hazard Area Verification and Individual Permit and Freshwater Wetlands General Permit and Transition Area Waivers. | ROI MANAGEMENT LLC @ MENDHAM VILLAGE | Ariana Tsiattalos, Neelofar Qureshi |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Reduction | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | | | |
| Application Administratively Complete | | 01/23/2023 | | |
| Technical Information Requested | | 02/16/2023 | | |
| Technical Deficiency Information Received | | 04/13/2023 | | |
| Technical Information Requested | | 04/27/2023 | | |
| Technical Deficiency Information Received | | 05/23/2023 | | |
| Approved | | 09/19/2023 | | |

Morris - Montville Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|---------------------|-----------------|
| 1421-05-0004.1 - FWW - 230001 | 236 CHANGEBRIDGE RD | The owner/applicant is requesting to extend their freshwater wetlands general permit 10A and transition area averaging plan to construct three dwellings and an associated driveway and sidewalk. | BICALHO ALEKSSANDER | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/23/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Morris - Parsippany-Troy Hills

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|---------------------|-----------------|
| 1421-05-0004.1 - FWW - 230002 | 236 CHANGEBRIDGE RD | The owner/applicant is requesting to extend their freshwater wetlands general permit 10A and transition area averaging plan to construct three dwellings and an associated driveway and sidewalk. | BICALHO ALEKSSANDER | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | TAWEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/23/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Morris - Montville Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------------|---------------------------------|
| 1421-05-0009.1 - LUP - 230001 | 26 HORSENECK RD | Verification for future planning and development purposes. | ALTERNATIVE VISION CAPITAL | Neelofar Qureshi, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/24/2023 | | |
| Application Administratively Complete | | 05/24/2023 | | |
| Approved | | 09/20/2023 | | |

Morris - Montville Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|---|----------------|---------------------------------|
| 1421-06-0005.1 - LUP - 220001 | RT 202 & CHANGEBRIDGE RD | The project proposed the construction of three (3) commercial buildings, parking lots, and associated site improvements | PSE&G @ RT 202 | Neelofar Qureshi, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/06/2022 | | |
| Application Administratively Complete | | 06/06/2022 | | |
| Approved | | 09/20/2023 | | |

Morris - Parsippany-Troy Hills

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|---------------------------------------|------------------|
| 1429-22-0007.1 - LLI - 220001 | 560 SMITH ROAD | LOI VERIFICATION | PARSIPPANY WATER REPLACEMENT WELL 20R | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2022 | | |
| Application Administratively Complete | | 10/25/2022 | | |
| Issued | | 09/18/2023 | | |

Morris - Parsippany-Troy Hills

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|------------------------------------|
| 1429-23-0004.1 - LUP - 230001 | 30 HOLMDEL ROAD | FHA Verification for future planning and development purposes | 30 HOLMDEL RD | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |
| Approved | | 09/22/2023 | | |

Morris - Roxbury Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|------------------|
| 1436-23-0004.1 - FWW - 230001 | 210 CENTER ST | Wetlands absence footprint LOI request to redevelop lots. Proposed development will be the construction of 3 dwellings. | 210 CENTER ST | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI2 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Morris - Parsippany-Troy Hills

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|---------------------------|--|-----------------|
| 1438-18-0004.1 - FWW - 230001 | SCHOOLEYS MOUNTAIN RD | | MORRIS CNTY@BRIDGES 1401-227 & 1401-228 | |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWIP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | | | |

Ocean - Barnegat Light Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|------------------|
| 1501-18-0002.1 - CZM - 230001 | 2 WEST 3RD ST | Extension of CZMGP5 for the reconstruction with expansion of a single-family dwelling. | 2 WEST 3RD ST | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2023 | | |
| Application Administratively Complete | | 09/12/2023 | | |

Ocean - Beach Haven Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------|-----------------|
| 1503-23-0004.1 - LUP - 230001 | 1 TENTH STREET | The applicant proposes to reconstruct and expand the existing single family dwelling with an in-deck swimming pool at this property located adjacent to a dune fronting on the Atlantic Ocean. The new building will be elevated on a pile foundation. The new building will be constructed within the footprint shown on the plans that accompany this application. A silt fence will be erected and maintained for the duration of construction. | 1 TENTH STREET | |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/21/2023 | | |
| Application Administratively Complete | | 06/21/2023 | | |

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------------------------|---------------------------|
| 1500-23-0004.1 - LUP - 230001 | VARIOUS LOCATIONS | This project proposes the construction of 10-foot-wide stone dust trails, a footbridge over the Mill Creek, and a boardwalk. The new trails will be constructed to follow existing footpaths that have formed from the community's usage of the public's right-of-way. Additionally, the new trail will connect to an existing municipal multi-use path in Pine Beach and establish a connection at Browning Ave, Mill Creek Road, and Chelsea Ave within Berkeley Township and Pine Beach Borough. | OCEAN COUNTY @ MILL CREEK TRAIL | Andre Thompson, Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP13 Recreational Facility at Public Park | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/21/2023 | | |
| Application Administratively Complete | | 08/21/2023 | | |
| Amended Application Received | | 09/22/2023 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------------|---------------------------|
| 1505-23-0038.1 - LUP - 230001 | 217 MAPLE COURT | To construct an 830 sq.ft. addition to the existing dwelling and to expand the existing balcony by 60 sq.ft. | HUBERTO GUTARRA & OLGA RAMIREZ | Andre Thompson, Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2023 | | |
| Application Administratively Complete | | 06/27/2023 | | |
| Approved | | 09/21/2023 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|-----------------|
| 1505-23-0056.1 - LUP - 230001 | 52 YARDARM CT | Construct new bulkhead 24 inches out from existing & jet ski float. | 52 YARDARM CT | Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------|-----------------|
| 1505-23-0057.1 - LGP - 230001 | 287 BAYVIEW AVE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | URSO MARK | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |
| Approved | | 09/22/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------------|-----------------|
| 1506-02-0092.1 - LUP - 230001 | 80 TALL TIMBER DR | Legalization of the existing boat and jet ski lifts. | MCEVOY PAUL N & CAROLYN J | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------|-----------------|
| 1506-13-0016.1 - LUP - 230001 | 250 NEPTUNE CIR | The applicant is applying for a WFD-in water IP to construct a dock in Miramar Lake. This activity was previously approved (File No. 1506-13-00016.1 WFD160001); however, it was not completed before the permit expired. | SMITH STEVEN & LAVDAS ANA | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/22/2023 | | |
| Application Administratively Complete | | 06/22/2023 | | |
| Approved | | 09/19/2023 | | |

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|--|----------------|-----------------|
| 1506-18-0064.1 - LUP - 230001 | 260 CURTIS POINT DRIVE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | COLEMAN TRACEY | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |
| Approved | | 09/21/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|----------------------------|-----------------|
| 1506-23-0030.1 - LUP - 230001 | 664 PRINCETON AVENUE | After the fact authorization of dock and mooring structures. | BENCHMARK MARINE BASIN LLC | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/30/2023 | | |
| Application Administratively Complete | | 05/30/2023 | | |
| Approved | | 09/26/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|---------------------------------|
| 1506-23-0046.1 - LUP - 230001 | 19 FOURTH ST | 19 FOURTH ST | 19 FOURTH ST | Brett Kosowski, Sumantha Prasad |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------|--|---------------------------|-----------------|
| 1506-23-0047.1 - LGP - 230001 | 134 ST LAWRENCE BOULEVARD | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | 134 ST LAWRENCE BOULEVARD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/20/2023 | | |
| Approved | | 09/20/2023 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|-----------------|
| 1506-23-0048.1 - LGP - 230001 | 306 CUTTER LANE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | CERVINO PROPERTY | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |
| Approved | | 09/26/2023 | | |

Ocean - Jackson Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|--|---|--------------------------------|
| 0000-23-0006.1 - LUP - 230001 | VARIOUS LOCATIONS | This project proposes the rehabilitation of three (3) 72-inch diameter corrugated metal culverts via slip-lining the existing culverts with new pipes, and construction of concrete headwalls. | OCEAN CNTY@ FARMINGDALE RD CULV NO 1511-004 | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/24/2023 | | |
| Application Administratively Complete | | 04/24/2023 | | |
| Technical Information Requested | | 05/19/2023 | | |
| Technical Deficiency Information Received | | 05/25/2023 | | |
| Approved | | 09/19/2023 | | |

Ocean - Lacey Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|------------------------|--------------------------------|
| 1511-22-0013.1 - LUP - 230001 | 750 WRIGHT DEBOW ROAD | Proposed office building, 18,000 SF warehouse, parking area, and stormwater management features that will require filling of a verified isolated wetland buffer under a freshwater wetland General Permit #6 | DOWN TO EARTH FARM LLC | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Ocean - Jackson Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|-----------------------|-----------------|
| 1511-23-0008.1 - LUP - 230001 | 48 JACKSON MILLS ROAD | Proposed road crossing through a portion of freshwater wetlands and wetland transition area to connect the front portion of the site to the rear upland area of the site for two dwellings. | 48 JACKSON MILLS ROAD | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/18/2023 | | |
| Application Administratively Complete | | 09/18/2023 | | |

Ocean - Lacey Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|-----------------|
| 1512-23-0025.1 - LGP - 230001 | 1713 BINNACLE DR | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | STRADLING JIM | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |
| Approved | | 09/15/2023 | | |

Ocean - Lacey Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 1512-23-0026.1 - LUP - 230001 | 1265 CAPSTAN DR | To construct a 24" step out to 104LF and construct a 5X104LF piling dock. To remove & re-install a (4) pole 12'X12' boat lift. To install a (4) pole 13'X13' boat lift outside of dock | 1265 CAPSTAN DR | Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Ocean - Lacey Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------|-----------------|
| 1512-23-0027.1 - LGP - 230001 | 626 TWIN RIVER DR | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | BEAULIEU CRAIG | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |
| Approved | | 09/22/2023 | | |

Ocean - Lakewood Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------|----------------------------------|
| 1514-22-0012.1 - LUP - 230001 | VERMONT AVE | The proposed project involves the extension of Vermont Avenue from Oak Street to Essex Ave in the Township of Lakewood, Ocean County, NJ. | LAKEWOOD TWP@ VERMONT AVE | Andre Thompson, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/28/2023 | | |
| Application Administratively Complete | | 08/24/2023 | | |
| Technical Information Requested | | 09/21/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|------------------------------|-------------------|-----------------|
| 1514-23-0009.1 - LLI - 230001 | 430 LAUREL AVENUE | FWLI1 - Presence/Absence LOI | 430 LAUREL AVENUE | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/18/2023 | | |
| Application Administratively Complete | | 09/18/2023 | | |

Ocean - Lavallette Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|----------------|-----------------|
| 1515-23-0004.1 - WFD - 230001 | 2108 BAY BOULEVARD | Proposed construction of a previously existing dock and 4 mooring pilings. | ALLORA MICHAEL | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Zane Letter | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/13/2023 | | |
| Application Administratively Complete | | 03/13/2023 | | |
| Withdrawn | | 09/25/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|-----------------------------|
| 1516-22-0025.1 - LUP - 230001 | 32 SURFSIDE BLVD | Singly Family Residential Construction | SMITH THOMAS AND ANNIE | Jeff Thein, Sumantha Prasad |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/23/2023 | | |
| Application Administratively Complete | | 08/23/2023 | | |
| Technical Information Requested | | 09/20/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|--------------|-----------------|
| 1516-23-0027.1 - LGP - 230001 | 112 E HUDSON DRIVE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | LAUBE ONLINE | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |
| Approved | | 09/14/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|-----------------|
| 1516-23-0028.1 - LUP - 230001 | 22 TOMS COURT | New vinyl bulkhead at spring high water line and upland of wetlands. | 22 TOMS COURT | Jeff Thein |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP6 New Bulkhead/Fill-Man-made Lagoon | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---------------------------|------------------------------|-----------------|
| 1516-23-0029.1 - LGP - 230001 | 138 EAST SAIL DRIVE | GP10 - Bulkheads | 138 EAST SAIL DRIVE BULKHEAD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |
| Approved | | 09/26/2023 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|------------------------------|-----------------|
| 1516-23-0029.1 - LGP - 230002 | 138 EAST SAIL DRIVE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | 138 EAST SAIL DRIVE BULKHEAD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |
| Approved | | 09/26/2023 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------------------|---------------------------------|
| 1517-15-0005.1 - LUP - 230001 | 112 W 15TH ST | To demolish the existing dwelling and construct a new single family dwelling and pool. | HALL WILLIAM J AND JOAN KELLY | Sumantha Prasad, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/12/2023 | | |
| Application Administratively Complete | | 07/12/2023 | | |
| Approved | | 09/18/2023 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|--|------------------------------|
| 1517-23-0017.1 - LUP - 230001 | 42 WEST HOLLY DRIVE | The applicant proposes to remove the existing single family home and construct a new single family dwelling and accessory swimming pool and other accessory structures on this property located on a bulkheaded lot fronting on Barnegat Bay. The applicant also proposes to construct a 4' wide by 148' long dock, extending into Barnegat Bay with 2 12'x12', 4 post, open rail boat lifts. Additionally, the applicant proposes to replace the existing bulkhead along its present alignment. | LBI LAND HOLDING LLC 42 WEST HOLLY DRIVE | Andre Thompson, Becky Mazzei |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/31/2023 | | |
| Application Administratively Complete | | 06/08/2023 | | |
| Approved | | 09/18/2023 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|---------------------|--------------------------------|
| 1517-23-0023.1 - LUP - 230001 | 49D LONG BEACH BLVD | RECONSTRUCTION WITH EXPANSION OF EXISTING SINGLE FAMILY HOME | 49D LONG BEACH BLVD | Lindsey Davis, Sumantha Prasad |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/05/2023 | | |
| Application Administratively Complete | | 09/05/2023 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|---------------|--------------------------------|
| 1517-23-0026.1 - LUP - 230001 | 210 E. 23RD STREET | New larger dwelling and pool. | 210 E.23RD ST | Lindsey Davis, Sumantha Prasad |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---------------------------|---------------------|-----------------|
| 1517-23-0027.1 - LGP - 230001 | STREET ADDRESS NOT IDENTIFIED | GP10 - Bulkheads | LONG BEACH TOWNSHIP | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |
| Approved | | 09/14/2023 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------------|--------------------------------|
| 1518-23-0002.1 - LUP - 230001 | 110 SAM PITTS RD | The project consists of landfill closure activities (capping) and development of a solar energy system on a portion of the capped landfill. The subject property consists of 98.64 acres of land containing the former Manchester Twp Landfill, the police department firing range, salt storage shed, composting site and residents recycling center. The Manchester Landfill comprises approximately 32 acres of the site. Manchester Twp desires to redevelop the former landfill portion of this under-utilized | MANCHESTER TWP @ SAM PITT RD | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/13/2023 | | |
| Application Administratively Complete | | 06/13/2023 | | |
| Approved | | 09/22/2023 | | |

Ocean - Mantoloking Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|---|----------------------------------|----------------------------------|
| 1519-03-0003.3 - LUP - 220001 | 1067 OCEAN AVENUE | The applicant is requesting a CAFRA Individual Permit for the development of three (3) residential dwellings within 150 feet of the beach, dune and/or MHWL | MANTOLOKING SHORE PROPERTIES LLC | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA IP- Residential Development-not SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2022 | | |
| Application Administratively Complete | | 11/03/2022 | | |
| Technical Information Requested | | 02/02/2023 | | |
| Complete for Final Review | | 06/22/2023 | | |
| Technical Deficiency Information Received | | 06/22/2023 | | |
| Denied | | 09/18/2023 | | |

Ocean - Mantoloking Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------------|------------------|
| 1519-14-0003.1 - CZM - 230001 | 1074 BARNEGAT LN | Extended permit, authorizing the construction of a replacement single-family home, an in-ground pool, a wading pool and other associated development on the subject property as per the plans submitted in connection with the permit. No changes are proposed to the existing CZMGP5 authorization/permit or the plans submitted to obtain the authorization/permit | RESIDUARY TRUST U/W GENE GALLO | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/24/2023 | | |
| Application Administratively Complete | | 07/24/2023 | | |
| Approved | | 09/19/2023 | | |

Ocean - Mantoloking Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------|------------------|
| 1519-17-0010.1 - CZM - 230001 | 1229 OCEAN AVE | Extension for permit APL170001 which expires on 1/29/24. | MAHER BASIL & MIRIAM | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/17/2023 | | |
| Application Administratively Complete | | 08/21/2023 | | |
| Approved | | 09/13/2023 | | |

Ocean - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------------|----------------------------------|
| 1520-03-0032.1 - CAF - 220001 | PENNSYLVANIA AVE | Minor modification to the current CAFRA permit to reconfigure each of the six (6) proposed single-family homes and driveways. | AMBOY BANK REALTY LLC | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/27/2022 | | |
| Application Administratively Complete | | 10/27/2022 | | |
| Approved | | 09/19/2023 | | |

Ocean - Mantoloking Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------|-------------------------------|
| 1520-23-0008.1 - LUP - 230001 | 60 BALTIC AVENUE | The property owner/applicant is seeking the approval of the Division of Land Resource Protection in order to construct a new single- family dwelling and associated improvements. | 60 BALTIC AVENUE | Andre Thompson, Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/26/2023 | | |
| Application Administratively Complete | | 05/26/2023 | | |
| Approved | | 09/13/2023 | | |

Ocean - Point Pleasant Beach Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|------------------|------------------|
| 1525-18-0003.1 - WFD - 230001 | 3 RIVER VISTA LN | | 3 RIVER VISTA LN | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | IP In-Water Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/20/2023 | | |

Ocean - Point Pleasant Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|---------------------|---------------------------------|
| 1524-23-0009.1 - LUP - 230001 | 1139 BRADFORD DRIVE | CONSTRUCTION OF ONE NEW SINGLE FAMILY HOME AND INFRASTRUCTURE WITHIN 150 FEET OF A TIDAL WATER BODY | 1139 BRADFORD DRIVE | Sumantha Prasad, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/12/2023 | | |
| Application Administratively Complete | | 07/12/2023 | | |
| Approved | | 09/22/2023 | | |

Ocean - Point Pleasant Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|--|-----------------|
| 1524-23-0012.1 - FHC - 230001 | 2114 BARNEGAT BOULEVARD | FHGPC6 Construct Single Family in Tidal | 2114 BARNEGAT BOULEVARD, POINT PLEASANT NJ | |
| Permit Category | | Permit/Authorization Type | | |
| FHA Permit by Certification | | FHGPC6 Construct Single Family in Tidal | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |
| Approved | | 09/13/2023 | | |

Ocean - Seaside Park Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|-------------------------|----------------------------------|
| 1527-05-0005.1 - LUP - 230001 | 209 SOUTH BAYVIEW AVE | Maintenance Dredging | SEASIDE PARK YACHT CLUB | Andre Thompson, Stephen Mitchell |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/17/2023 | | |
| Application Administratively Complete | | 08/17/2023 | | |
| Technical Information Requested | | 09/13/2023 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------|-------------------|
| 1530-06-0104.1 - LUP - 230001 | 180 MORRIS BLVD | replace bulkhead and dock on lagoon lot | HARBOR PROPERTIES LLC | Natalie Gunderson |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP10 Reconstruction of Existing Bulkhead | | |
| CZM General Permit | | CZM GP15 Construction-Piers/Docks/Ramps- Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Ocean - Point Pleasant Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|-------------|----------------------------------|
| 1531-02-0003.4 - LUP - 230001 | 287 18TH STREET | Reconstruction with expansion of single family home | 287 18TH ST | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/01/2023 | | |
| Application Administratively Complete | | 05/01/2023 | | |
| Technical Information Requested | | 05/25/2023 | | |
| Technical Deficiency Information Received | | 07/03/2023 | | |
| Approved | | 09/20/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------------------------------|-------------------------------------|
| 1500-22-0002.2 - LUP - 230001 | VARIOUS LOCATIONS | ROADWAY/BRIDGE/CULVERT/STORMWATER SYSTEM IMPROVEMENTS AND RECONSTRUCTION WITHIN REGULATED AREAS: WETLANDS, WETLAND TA, OPEN WATER, RIPARIAN ZONE, AND REGULATED FLOOD PLAINS. | NJ TURNPIKE GSP MM 80-83 IMPROVEMENTS | Christian Zografos, Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-(not SFH/Duplex) | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Wetlands (not SFH/Duplex) | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/12/2023 | | |
| Application Administratively Complete | | 05/22/2023 | | |
| Withdrawn | | 09/18/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|--------------------------|-----------------|
| 1507-03-0235.1 - LGP - 230001 | 248 BAY STREAM DR | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | HEY RICHARD AND LORRAINE | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |
| Approved | | 09/15/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|------------------|
| 1507-17-0059.1 - WFD - 230001 | 17 HARBORSIDE DR | Proposed dock extension & boatlift relocation. | 17 HARBORSIDE DR | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/21/2023 | | |
| Application Administratively Complete | | 09/21/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|--------------------|------------------|
| 1507-20-0051.1 - WFD - 230001 | 321 W BAYVIEW AVE | The removal of 3 previously approved mooring pilings and the construction of 6 mooring, mooring dolphins and an extension of the previously approved dock. | 321 W. BAYVIEW AVE | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|--------------------|--|---------------|----------------------------------|
| 1507-23-0001.1 - LUP - 230001 | 1520 ROUTE 37 WEST | 11,070 square foot addition | MAPLE ASH LLC | Andre Thompson, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/06/2023 | | |
| Application Administratively Complete | | 01/30/2023 | | |
| Technical Information Requested | | 02/23/2023 | | |
| Technical Deficiency Information Received | | 03/21/2023 | | |
| Complete for Final Review | | 07/14/2023 | | |
| Approved | | 09/21/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|-----------------|-----------------|
| 1507-23-0041.1 - LLI - 230001 | 663 FISCHER BLVD | FWLI1 - Presence/Absence LOI | MAURO SALVATORE | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|-------------------|------------------|
| 1507-23-0042.1 - LUP - 230001 | 3466 EAST LISBON AVENUE | To legalize 56 linear feet of existing bulkhead, to construct a 5.1' x 56' fixed dock and to install a 10' x 10.3' boat lift. | 3466 E LISBON AVE | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|---------------|-----------------|
| 1507-23-0043.1 - LGP - 230001 | 88 WALDRON ROAD | GP10 - Bulkheads | MARTONE BRIAN | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |
| Approved | | 09/13/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|----------------------------------|
| 1507-23-0044.1 - LUP - 230001 | 428 DELRAY DRIVE | On behalf of the applicant Brian & Kate Curran, we are hereby requesting a Coastal General Permit #5 for the construction of a pool associated with an existing single-family home on the above referenced site. These improvements are on a site that is regulated pursuant to the jurisdiction of the Coastal Zone Management Rules (N.J.A.C.7:7). | 428 DELRAY DRIVE | Andre Thompson, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------|------------------|
| 1507-23-0045.1 - LUP - 230001 | 6 PILOT ROAD | Construct new bulkhead 24 inches out from existing footprints. Dock, boatlift, jetski lift, jetski float | 6 PILOT RD | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2023 | | |
| Application Administratively Complete | | 09/19/2023 | | |

Ocean - Tuckerton Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------|-----------------|
| 1532-23-0001.1 - LUP - 230001 | 106 CURLEW ROAD | To legalize 94.2 linear feet of existing bulkhead and a 7.5' x 75.2' dock. | BRIAN & LISA O'NEILL | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/20/2023 | | |
| Application Administratively Complete | | 06/20/2023 | | |
| Approved | | 09/13/2023 | | |

Ocean, Toms River Twp

Out Of State - Out Of State

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------|--------------------|
| 9999-11-0001.1 - CDT - 230001 | 4101 POST RD | Monroe Energy plans to conduct maintenance dredging activities in their permit dredge templates at Dock No. 1 (ship dock) and the Outer Barge Dock at the Trainer Refinery during fall/winter 2023/2024. This application is for a modified WQC/AUD. Approximately 32,667 cubic yards will be dredged by Weeks Marine, Inc by clamshell bucket. Dredged material will be disposed of in White Basin. | CONOCO PHILLIPS CO | Katherine Todoroff |
| Permit Category | | Permit/Authorization Type | | |
| Consistency Determination | | Water Quality Certificate | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Passaic - Clifton City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|---|--------------------------|
| 1602-23-0001.1 - LUP - 230001 | 718 CLIFTON AVENUE | REPLACEMENT OF 640 LINEAR FEET OF EXISTING 11"X 7" ARCH TYPE CORRUGATED METAL PIPE(CMP) WITH A HYDRAULICALLY EQUIVALENT 72"X 113" ELLIPTICAL CONCRETE PIPE | CLIFTON CITY @ WEASEL BROOK CULVERT REHAB | Mark Harris, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/26/2023 | | |
| Application Administratively Complete | | 05/26/2023 | | |
| Approved | | 09/22/2023 | | |

Passaic - Paterson City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------|-------------------|
| 1600-21-0001.1 - FWW - 220001 | RT 20 | FWGP Minor Technical Modification - Minor Technical Modification for the Route 20 Safety, Drainage, and Resurfacing Project (full description was included in original approved permit submission). | NJDOT@ ROUTE 20 | Christopher Jones |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPM general permit modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/23/2022 | | |
| Application Administratively Complete | | 09/23/2022 | | |
| Approved | | 09/26/2023 | | |

Passaic - Paterson City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-------------------|
| 1600-21-0001.1 - FWW - 220002 | RT 20 | TAW Minor Technical Modification - Minor Technical Modification for the Route 20 Safety, Drainage, and Resurfacing Project (full description was included in original approved permit submission). | NJDOT@ ROUTE 20 | Christopher Jones |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWTWM modification TAW | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/23/2022 | | |
| Application Administratively Complete | | 09/23/2022 | | |
| Approved | | 09/26/2023 | | |

Passaic - Wanaque Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|---------------|-----------------|
| 1611-05-0006.5 - LUP - 230001 | PETERS MINE RD | The Applicant is proposing a municipal Recycling Center that will consist of an office/garage building, recycling dumpster area, an area for brush/leaf storage and two bio-retention basins | RINGWOOD BORO | Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2023 | | |
| Application Administratively Complete | | 07/11/2023 | | |
| Technical Information Requested | | 08/07/2023 | | |
| Technical Deficiency Information Received | | 09/12/2023 | | |
| Technical Information Requested | | 09/26/2023 | | |

Passaic - Ringwood Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|---|-----------------|
| 1611-23-0005.1 - FW - 230001 | MARYROTH DR | | RINGWOOD BORO @ STONETOWN BALLFIELD COMPLEX | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/20/2023 | | |

Passaic - Wanaque Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------------|-----------------|
| 1600-22-0001.1 - LUP - 220001 | UNKNOWN | NJDWSC is looking to obtain a blanket wetlands GP#1 in order complete maintenance to easements and repairs to existing aqueducts as needed on a continuous basis. The subject site for this application is situated along three (3) separate aqueducts known as Wanaque North Aqueduct (WNA), Wanaque South Aqueduct (WSA), and the Ramapo Force Main spanning approximately 31.2 miles. | NJDWSC @ WANAQUE AQUEDUCTS | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/24/2022 | | |
| Application Administratively Complete | | 07/01/2022 | | |
| Approved | | 09/18/2023 | | |

Passaic - Wanaque Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------|-----------------|
| 1613-23-0002.1 - APD - 230001 | 49 GROVE ST | Remove 450sq ft of existing home build new 1400sq. ft home. | 49 GROVE ST | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/17/2023 | | |
| Application Administratively Complete | | 09/16/2023 | | |

Passaic - Wayne Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|---|-----------------|
| 1614-06-0007.1 - LLI - 230001 | EAST LK DR | FWLI4 - Verification over an acre | PACKANACK LAKE COMMUNITY ASSOCIATION | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/28/2023 | | |
| Application Administratively Complete | | 09/13/2023 | | |

Passaic - Wayne Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------|-----------------|
| 1614-10-0008.1 - FWW - 230001 | 84 KURLAND AVE | Application for wetlands LOI Absence/Presence. | LABORDA JOSEPH | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/18/2023 | | |
| Application Administratively Complete | | 09/18/2023 | | |

Passaic - Woodland Park Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------------|-----------------|
| 1615-17-0015.2 - APD - 230001 | 126 AIRPORT RD | The proposed project consists of reconstruction of +1.20 acres of existing pavement used for transient aircraft parking at Greenwood Lake Airport in the Township of West Milford, Passaic County. The project includes replacement of the existing pavement, with no changes to the existing drainage patterns or stormwater management. | NJDOT@ 126 AIRPORT RD | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/14/2023 | | |
| Application Administratively Complete | | 09/14/2023 | | |

Passaic - West Milford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------------|----------------------------------|
| 1615-23-0009.1 - LUP - 230002 | 32 LANDING ROAD | SINGLE FAMILY DWELLING IN FW WETLANDS TA AND ACTIVELY DISTURBED FHA RZ | 4263.22 - 32 LANDING ROAD | Dennis Contois, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/21/2023 | | |
| Application Administratively Complete | | 06/23/2023 | | |
| Approved | | 09/20/2023 | | |

Passaic - West Milford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|--|-----------------|
| 1615-23-0018.1 - LGP - 230001 | 3 EVERGREEN ROAD | GP24 - Malfunctioning Septic | 3 EVERGREEN RD SEPTIC ALTERATION | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2023 | | |
| Application Administratively Complete | | 09/26/2023 | | |
| Approved | | 09/26/2023 | | |

Passaic - Woodland Park Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|--|------------|--------------------------|
| 1616-15-0002.2 - LUP - 230001 | 1130 MCBRIDE AVENUE | The project consists of renovating an existing three (3) story professional office building within the Borough of Woodland Park, Passaic County, New Jersey and converting it into a multi-family residential building with the existing structure remaining the same. | L.O.G.,LLC | Mark Harris, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/08/2023 | | |
| Application Administratively Complete | | 03/08/2023 | | |
| Technical Information Requested | | 04/03/2023 | | |
| Technical Deficiency Information Received | | 06/29/2023 | | |
| Denied | | 09/26/2023 | | |

Salem - Lower Alloways Creek Twp

Salem - Carneys Point Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|---|----------------------------|
| 1713-07-0003.2 - LUP - 220001 | 37 FOREST LANE | The project includes activities which will require work in freshwater wetlands, wetland transition areas, and riparian zones. Freshwater Wetlands General Permit Nos. 6, 6A, 7, 10A, and 11 and Freshwater Wetland Transition Waivers for redevelopment and Linear Development are required pursuant to the Freshwater Wetlands Protection Act Rules (N.J.A.C. 7:7A). An Individual Flood Hazard Area Permit is required pursuant to the Flood Hazard Area Control Act Rules (N.J.A.C. 7:13). | FOREST LANE WAREHOUSE DEVELOPMENT PROJECT | Damian Friebel, Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Linear Development | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/10/2022 | | |
| Application Administratively Complete | | 06/10/2022 | | |
| Technical Information Requested | | 07/08/2022 | | |
| Technical Deficiency Information Received | | 06/02/2023 | | |
| Approved | | 09/21/2023 | | |

Salem - Carneys Point Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|---|----------------------------|
| 1713-07-0003.2 - LUP - 220002 | 37 FOREST LANE | The project includes activities which will require work in freshwater wetlands, wetland transition areas, and riparian zones. Freshwater Wetlands General Permit Nos. 6, 6A, 7, 10A, and 11 and Freshwater Wetland Transition Waivers for redevelopment and Linear Development are required pursuant to the Freshwater Wetlands Protection Act Rules (N.J.A.C. 7:7A). An Individual Flood Hazard Area Permit is required pursuant to the Flood Hazard Area Control Act Rules (N.J.A.C. 7:13). | FOREST LANE WAREHOUSE DEVELOPMENT PROJECT | Damian Friebel, Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6A TA Adjacent to Non-Tributary Wetlands | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/10/2022 | | |
| Application Administratively Complete | | 06/10/2022 | | |
| Technical Information Requested | | 07/08/2022 | | |
| Technical Deficiency Information Received | | 06/02/2023 | | |
| Withdrawn | | 09/20/2023 | | |

Salem - Lower Alloways Creek Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------------|---|--------------------------------------|-------------------------------|
| 1704-02-0001.12 - LUP - 230001 | END OF ALLOWAY CREEK NECK ROAD | The project involves the expansion of the NJWP to include a second marshalling facility, manufacturing support facilities, relocation of existing facilities at the Salem and Hope Creek Generating Station, and dredging in the Delaware River in Salem County New Jersey. | NJ WIND PORT @ ALLOWAY CREEK NECK RD | Andre Thompson, Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-(not SFH/Duplex) | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Wetlands (not SFH/Duplex) | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/10/2023 | | |
| Application Administratively Complete | | 04/24/2023 | | |
| Amended Application Received | | 02/14/2023 | | |
| Complete for Final Review | | 06/14/2023 | | |
| Amended Application Received | | 08/24/2023 | | |
| Technical Information Requested | | 09/21/2023 | | |

Salem - Lower Alloways Creek Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 1704-23-0001.1 - FWW - 230001 | SMICK ROAD | LOI for potential single family dwelling and appurtenances | ELIASSEN JOSEPH | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/12/2023 | | |
| Application Administratively Complete | | 01/12/2023 | | |
| Issued | | 09/25/2023 | | |

Somerset - Bridgewater Twp

Somerset - Bernardsville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|-----------------|
| 1803-21-0002.1 - FWW - 230001 | 141 LLOYD RD | Applicant seeks a letter of interpretation-line verification and flood hazard area. Verification within the above-referenced property | EWS 2002 TRUST | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Somerset - Bernardsville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|-----------------------------|
| 1803-21-0002.1 - LUP - 230001 | 141 LLOYD RD | Applicant seeks a letter of interpretation-line verification and flood hazard area. Verification within the above-referenced property | EWS 2002 TRUST | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Somerset - Bridgewater Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------|-----------------------------|
| 1806-02-0020.1 - LUP - 230002 | 1041 RT 202/206 | The redevelopment of a portion of an existing business and pharmaceutical campus. The redevelopment proposes the construction of three (3) four-story office buildings, one (1) three-story office building, two (2) single-story retail buildings, and two (2) warehouse buildings along with ancillary improvements including site access roads, stormwater management features, site landscaping, and new entrance facilities associated with the remaining business campus to the south. | AR BRIDGEWATER II LLC | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/23/2023 | | |
| Application Administratively Complete | | 05/23/2023 | | |
| Approved | | 09/19/2023 | | |

Somerset - Bridgewater Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------------------|-----------------------------|
| 1806-06-0024.1 - LUP - 230001 | N/A | The Finderne Mitigation Site serves as compensatory mitigation for the Green Brook Flood Risk Management project being built in partnership between NJDEP and U.S. Army Corps of Engineers. Mitigation designs were approved by NJDEP LRP in 2005 with construction completed in 2006. In order to meet 85% native species survival/areal coverage success criteria required by LRP, invasive plant species management (using herbicide) within select locations of the site is necessary. | SOMERSET CNTY PARK COMMISSION | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP4 Habitat Creation/Restoration/Enhancement | | |
| Freshwater Wetlands General Permit | | FWW GP16 Habitat Creation/Restoration/Enhancement | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/18/2023 | | |
| Application Administratively Complete | | 05/19/2023 | | |
| Approved | | 09/14/2023 | | |

Somerset - Bridgewater Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-------------------|-----------------|
| 1808-06-0023.2 - FWW - 230002 | 4525 & 4533 RT 27 | Letter of Interpretation (LOI Line Verification). | 4533 & 4525 RT 27 | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/19/2023 | | |
| Application Administratively Complete | | 06/23/2023 | | |
| Issued | | 09/26/2023 | | |

Somerset - Franklin Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------------------|-----------------|
| 1808-23-0006.1 - FWW - 230001 | 14 CLAREMONT RD | Application includes a letter of interpretation to verify onsite freshwater wetlands and transition area limits. | LAND MARK REAL ESTATE HOLDINGS LLC | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/14/2023 | | |
| Application Administratively Complete | | 07/14/2023 | | |
| Issued | | 09/26/2023 | | |

Somerset - Hillsborough Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------|------------------------------|---------------------------|-----------------|
| 1810-23-0003.1 - LGP - 230001 | 1105 MILLSTONE RIVER ROAD | GP24 - Malfunctioning Septic | 1105 MILLSTONE RIVER ROAD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/20/2023 | | |
| Approved | | 09/20/2023 | | |

Somerset - Montgomery Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------------|--|---------------------------------|-----------------|
| 1813-04-0002.2 - FWW - 230001 | RT 518 & GEORGETOWN FRANKLIN RD | Application seeks an LOI verification. | RT 518 & GEORGETOWN FRANKLIN RD | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |

Somerset - Peapack-Gladstone

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|-----------------|
| 1815-06-0007.1 - FHA - 230001 | CHURCH ST | The Borough of Peapack & Gladstone is requesting an extension of a FWW GP#7 and FHA GP#12 to construct a footbridge spanning the Peapack Brook within Rockabye Meadow Park. | PEAPACK GLADSTONE BORO | Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/03/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |
| Approved | | 09/26/2023 | | |

Somerset - Peapack-Gladstone

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------|-----------------|
| 1815-06-0007.1 - FWW - 230001 | CHURCH ST | The Borough of Peapack & Gladstone is requesting an extension of a FWWGP #17 and GP#12 to construct a footbridge spanning the Peapack Brook within Rockabye Meadow Park. | PEAPACK GLADSTONE BORO | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWGPEXT | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/08/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |
| Approved | | 09/26/2023 | | |

Somerset - Montgomery Twp

Sussex - Hardyston Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|------------------------------|-----------|-----------------|
| 1911-23-0004.1 - LGP - 230001 | 87 STOCKHOLM-VERNON RD | GP24 - Malfunctioning Septic | MILLER | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/24/2023 | | |
| Application Administratively Complete | | 09/24/2023 | | |
| Approved | | 09/24/2023 | | |

Sussex - Lafayette Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---|-----------------|
| 1913-22-0004.1 - LUP - 220002 | ROUTE 15 | THE BRIDGE REPLACEMENT WILL REQUIRE WORK WITHIN THE WETLANDS/SOW AND WETLAND TA ASSOCIATED WITH PAULINS KILL. THE NEW STRUCTURE HAS ALSO BEEN DESIGNED TO ADDRESS TERRESTRIAL SPECIES FRAGMENTATION UNDER THE FHACA RULES. A SEPARATE FHA PERMIT APPLICATION WAS PREVIOUSLY SUBMITTED | ROUTE 15 OVER PAULINS KILL BRIDGE REPLACEMENT | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/18/2022 | | |
| Application Administratively Complete | | 10/18/2022 | | |
| Approved | | 03/06/2023 | | |

Sussex - Newton Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|------------------------------------|--|-----------------|
| 1915-23-0002.1 - LLI - 230001 | 105 SPARTA AVENUE | FOOTPRINT | NEWTON NJ SPARTA AVENUE PUMP STATION LOI | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWL12 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/28/2023 | | |
| Application Administratively Complete | | 05/17/2023 | | |

Sussex - Sandyston Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|------------------------|-----------------|
| 1917-23-0002.1 - LGP - 230001 | 4 BEVANS ROAD | GP24 - Malfunctioning Septic | RIOS SEPTIC ALTERATION | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2023 | | |
| Application Administratively Complete | | 09/20/2023 | | |
| Approved | | 09/20/2023 | | |

Sussex - Sparta Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-----------------------|---|---------------------------------------|------------------|
| 1918-03-0011.4 - LUP - 220001 | 70 WEST MOUNTAIN ROAD | The scope of the project is transforming the existing 10-foot-wide gravel path to a 10-foot- wide paved ADA compliant path. The path will be approximately 832 feet long from the existing parking by the football field to the existing track. The project will be disturbing 10,880 SF of freshwater wetland buffer area. | SPARTA HIGH SCHOOL - ADA ACCESS ROUTE | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP17A Multiple-use Paths | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/21/2022 | | |
| Application Administratively Complete | | 10/21/2022 | | |
| Technical Information Requested | | 12/01/2022 | | |
| Technical Deficiency Information Received | | 08/11/2023 | | |
| Approved | | 09/20/2023 | | |

Sussex - Wantage Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|----------------------------------|-------------------------|
| 1924-06-0007.2 - LUP - 230001 | 59 BEEMER CHURCH ROAD | Impacts to freshwater wetlands, open waters, transition areas and riparian zones in order to dredge a pre-existing farm pond. | OOSTDYK FARMS, LLC-POND DREDGING | Erin Signor, Jeff Thein |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP13 Dredging-Lakes | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/26/2023 | | |
| Application Administratively Complete | | 05/26/2023 | | |
| Approved | | 09/22/2023 | | |

Sussex - Sandyston Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------------------|---|--|----------------------------|
| 1924-23-0009.1 - LUP - 230001 | STREET ADDRESS NOT IDENTIFIED | The existing bridge closed to traffic is to be replaced. The proposed activities in the regulated area include excavation to facilitate the bridge construction and a minor widening of the roadway to comply with structure deck geometry regulations. | REPLACEMENT OF SUSSEX COUNTY BRIDGE X-20 | Erin Signor, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/07/2023 | | |
| Application Administratively Complete | | 06/07/2023 | | |
| Technical Information Requested | | 07/06/2023 | | |
| Technical Deficiency Information Received | | 09/07/2023 | | |
| Technical Information Requested | | 09/21/2023 | | |

[Union](#)

Union - Elizabeth City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|--|--------------------------------------|
| 2004-23-0001.1 - LUP - 230001 | 200-334 THIRD AVENUE | Proposed remedial action of former MGP including subsurface barrier wall and cap within the coastal zone and flood hazard area. | ELIZABETHTOWN GAS ERIE STREET AREAS CEF RA | Christian Zografos, Stephen Mitchell |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP11 Hazardous Site Investigation/Cleanup | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |

Union - New Providence Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|-------------------|----------------------------|
| 2011-08-0002.2 - LUP - 220001 | 730 CENTRAL AVE | Development within a Flood Hazard Area and Riparian Zone. | GH NP CENTRAL LLC | Ryan Anderson, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/02/2022 | | |
| Application Administratively Complete | | 01/31/2023 | | |
| Technical Information Requested | | 02/28/2023 | | |
| Technical Deficiency Information Received | | 05/18/2023 | | |
| Approved | | 09/13/2023 | | |

Union - New Providence Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|-------------------|----------------------------|
| 2011-08-0002.2 - LUP - 230001 | 730 CENTRAL AVE | The applicant seeks to redevelop significantly disturbed transition areas for the construction of residential development under a Freshwater Wetlands Special Activity Transition Area Waiver for Redevelopment and General Permit Number 11 on Block 210, Lot 32 in the Borough of New Providence, Union County. | GH NP CENTRAL LLC | Ryan Anderson, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/31/2023 | | |
| Application Administratively Complete | | 05/31/2023 | | |
| Approved | | 09/13/2023 | | |

Union - Scotch Plains Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|-------------------------------------|--------------------------|-----------------|
| 2013-23-0002.1 - LLI - 230001 | 90 E SCOTT AVENUE | FWLI4 - Verification over an acre | MERCK RAHWAY MAIN CAMPUS | Andrew Mazza |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/10/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Union - Roselle Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|--------------------------------|-------------------------|
| 2014-23-0001.1 - LUP - 230001 | 120 ALDENE ROAD | The project proposes the demolition of nine (9) existing buildings, remodeling of two (2) existing buildings and repaving the site for vehicle parking and storage in addition to proposed sidewalks, utility and stormwater infrastructure. | ROSELLE INDUSTRIAL OWNER, LLC. | Tina Wolff, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/18/2023 | | |
| Application Administratively Complete | | 01/18/2023 | | |
| Technical Information Requested | | 02/14/2023 | | |
| Technical Deficiency Information Received | | 05/30/2023 | | |
| Approved | | 09/26/2023 | | |

Union - Scotch Plains Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|---------------------------|
| 2016-20-0001.1 - LUP - 230001 | 2229 PAFF PL | Demolition and reconstruction of a single family dwelling | 2229 PAFF PL | Andrew Mazza, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Union - Scotch Plains Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|---|-----------------|-----------------|
| 2016-23-0001.1 - FWW - 230001 | 1650,1660 & 1670 RARITAN RD | Letter of interpretation line verification. | WILKINS WILLIAM | Tina Wolff |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/02/2023 | | |
| Application Administratively Complete | | 02/02/2023 | | |
| Issued | | 09/25/2023 | | |

Union - Scotch Plains Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|--------------------|---------------------------|
| 2016-23-0004.1 - LUP - 230001 | 1513 GABLES STREET | Construction of a new duplex dwelling | 1513 GABLES STREET | Andrew Mazza, Valda Opara |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/26/2023 | | |
| Application Administratively Complete | | 05/26/2023 | | |
| Amended Application Received | | 08/24/2023 | | |
| Approved | | 09/22/2023 | | |

Union - Scotch Plains Twp

Warren - Independence Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------|------------------|
| 2112-22-0006.1 - FWW - 220001 | 304 US ROUTE 46 | Construct a new 9600sf garage and detached 2800sf storage building. the existing will ne removed. All construction and demolition will take place in a previously development and regularly maintained areas. | NJDRP SERVICE CENTER | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/02/2022 | | |
| Application Administratively Complete | | 12/02/2022 | | |
| Technical Information Requested | | 04/06/2023 | | |
| Issued | | 09/25/2023 | | |

Warren - Independence Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|----------------------|------------------|
| 2112-22-0006.1 - LUP - 220001 | 304 US ROUTE 46 | REDEVELOPMENT TRANSITION AREA WAIVER REQUESTED DUE TO DISTURBANCE OF PREVIOUSLY DEVELOPED AND ACTIVELY MAINTAINED PORTIONS OF THE SITE WITHIN THE WETLANDS TRANSITION AREA. SITE WAS DEVELOPED PRIOR TO WETLANDS REGULATIONS. | NJDRP SERVICE CENTER | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/17/2022 | | |
| Application Administratively Complete | | 12/05/2022 | | |
| Approved | | 09/25/2023 | | |

Warren - Lopatcong Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------|--------------------------------|
| 2100-23-0001.1 - LUP - 230001 | STRYKERS RD | This project involves required for temporary impacts to the existing stream known as Lopatcong Creek, relating to installation of cofferdams and recovery of drilling fluids located in the Township of Lopatcong, County of Warren, State of New Jersey. | AQUA NJ INC | Adam Fallone, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/30/2023 | | |
| Application Administratively Complete | | 05/30/2023 | | |
| Approved | | 09/21/2023 | | |

Warren - Oxford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|---------------------------------------|-------------------------------|
| 2117-17-0001.2 - LUP - 220002 | PEQUEST ROAD | CONSTRUCTION OF A NEW WATER TREATMENT BUILDING, PIPING UPGRADES AND CONNECTION TO EXISTING WATER MAINS, UTILITY CONNECTION TO SANITARY SEWER, STORMWATER MANAGEMENT AND OVERFLOW OUTFALL AND GENERAL EXCAVATION AND GRADING ASSOCIATED WITH THE REFRENCED ACTIVITIES | NJ AMERICAN WATER OXFORD WELL STATION | Dhruv Patel, Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP4 Hazardous Site Investigation/Cleanup | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/17/2022 | | |
| Application Administratively Complete | | 06/07/2022 | | |
| Technical Information Requested | | 06/30/2022 | | |
| Technical Deficiency Information Received | | 07/03/2023 | | |
| Withdrawn | | 09/22/2023 | | |

Warren - Washington Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------|---|--------------------------------------|------------------|
| 2121-23-0001.1 - FWW - 230001 | 290 EAST WASHINGTON AVENUE | Redevelopment of site removal of existing improvements and construction of new NJAW Western operations facility including construction new office and maintenance garage. | NJ AMERICAN WATER CO@ WASHINGTON AVE | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2023 | | |
| Application Administratively Complete | | 09/25/2023 | | |

Warren - Washington Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|----------------------------|---|--------------------------------------|---------------------------------|
| 2121-23-0001.1 - LUP - 230001 | 290 EAST WASHINGTON AVENUE | Application is to redevelop the lot including removal of existing impervious areas and maintained lawn and re-forestation of riparian zone on property. | NJ AMERICAN WATER CO@ WASHINGTON AVE | Adam Fallone, Michael Tropicano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/20/2023 | | |
| Application Administratively Complete | | 04/20/2023 | | |
| Technical Information Requested | | 05/17/2023 | | |
| Technical Deficiency Information Received | | 06/16/2023 | | |
| Approved | | 09/13/2023 | | |

Warren - Washington Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|----------------------------|---|--------------------------------------|-------------------|
| 2121-23-0001.1 - LUP - 230002 | 290 EAST WASHINGTON AVENUE | Western Operations Facility | NJ AMERICAN WATER CO@ WASHINGTON AVE | Michael Tropicano |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/22/2023 | | |
| Application Administratively Complete | | 09/22/2023 | | |
| Amended Application Received | | 09/25/2023 | | |

New Jersey Department of Environmental
Protection



Department of Environmental Protection

Visit the NJDEP home page on the Internet at:

<http://www.nj.gov/dep/>

View and download NJDEP information such as permit application forms, checklists, regulations and rule proposals. Access publications, including the DEP Bulletin, as well as phone directories and public participation calendars.

A sampling of DEP Programs and other related agency information currently on the Internet

- Air Quality Permitting Program (AQPP)
- Bureau of Air Monitoring
- Bureau of Air Quality Planning
- Bureau of Discharge Prevention
- Bureau of Freshwater & Biological Monitoring
- Bureau of Marine Water Monitoring
- Bureau of Recycling and Planning
- Clean Air Council
- Commissioner's Office
- Community Forestry
- Community Right to Know
- Compliance and Enforcement
- Dam Safety
- Delaware River Basin Commission
- Division of Fish & Wildlife
- Division of Parks & Forestry
- Division of Science and Research
- Division of Solid and Hazardous Waste
- Division of Water Quality
- Division of Watershed Management
- Geographic Information Systems (GIS) Unit
- Hazardous Waste and Transfer Facilities
- Hazardous Waste Regulation
- Division of Land Resource Regulation
- Landfill and Recycling Management
- Natural Heritage Program
- New Jersey Geological Survey
- New Jersey Historic Trust
- NJ Forest Service
- Office of Green Acres
- Office of Legal Affairs
- Office of Natural Resource Damages
- Office of Pollution Prevention and Right To Know
- Pinelands Commission
- Radiation Protection Programs
- Regulation Development Section
- Resource Recovery and Technical Programs
- Site Remediation Program
- Solid Waste Regulation
- Toxic Catastrophe Prevention Act Program
- Water Monitoring Management
- Water Supply Administration

DEP Permit Liaisons and Other Governmental Contacts

Any additional information concerning the permits may be obtained by contacting the appropriate person listed below.

N.J. DEPARTMENT OF ENVIRONMENTAL PROTECTION P.O. Box 402, Trenton, N.J. 08625-0402

General Information:

(609) 777-DEP3
(866) DEP-KNOW
609) 292-3131

Automated Directory Assistance

AIR QUALITY REGULATION P.O. Box 027, Trenton, NJ 08625-0027

New Source Review

(609) 633-2753
Ruth Foster (609) 292-3600
John Smith (609) 984-9482

ENVIRONMENTAL IMPACT STATEMENTS AND ASSESSMENTS

BUREAU OF COMPLIANCE SUPPORT & POLLUTION PREVENTION

DIVISION OF LAND REGULATION Mail Code 501-02A, P.O. Box 420, Trenton, NJ 08625-0420

(609) 777-0454

For Coastal Permits (Cafra, Coastal Wetlands, Waterfront Development Permits), Freshwater Wetlands Permits, Flood Hazard Area Permits, Highlands Applicability Determinations, Highland Approvals and Federal Consistency inquire according to location:

INLAND REGIONS

609-633-6563

Bergen, Essex, Hudson, Somerset and Union

Middlesex and Morris

1

Hunterdon, Mercer, Passaic, Sussex and Warren

COASTAL REGIONS

609-633-2289

Atlantic, Cape May, Monmouth and Ocean County

Burlington, Camden, Cumberland, Gloucester, and Salem

URBAN GROWTH AND REDEVELOPMENT

(609)984-6216

All Municipal, County and State Roads Applications

All Urban areas

DIVISION OF SOLID AND HAZARDOUS WASTE, Mail Code 401-02C, P.O. Box 420, Trenton, NJ 08625-0420

| | | |
|------------------------------------|------------|---------------|
| Class B Recycling Center Approvals | Karen Kloo | (609)984-3438 |
|------------------------------------|------------|---------------|

| | | |
|---------------------------|-----------------|---------------|
| Sanitary Landfill Permits | Anthony Fontana | (609)292-9880 |
|---------------------------|-----------------|---------------|

| | | |
|-----------------------------------|-----------------|---------------|
| Incinerator Permits (RRF Permits) | Anthony Fontana | (609)292-9880 |
|-----------------------------------|-----------------|---------------|

Transfer Station/Material Recovery

Facility Permits

| | |
|-----------------|---------------|
| Anthony Fontana | (609)292-9880 |
|-----------------|---------------|

| | | |
|--|-----------------|---------------|
| Resource Recovery Facility Permits (Incinerator) | Anthony Fontana | (609)292-9880 |
|--|-----------------|---------------|

| | | |
|------------------------------------|------------|---------------|
| Class C Recycling Center Approvals | Karen Kloo | (609)984-3438 |
|------------------------------------|------------|---------------|

| | | |
|------------------------------------|------------|---------------|
| Class D Recycling Center Approvals | Karen Kloo | (609)984-3438 |
|------------------------------------|------------|---------------|

| | | |
|---|------------|---------------|
| Solid Waste Composting Facility Permits (Class C) | Karen Kloo | (609)984-3438 |
|---|------------|---------------|

| | | |
|--|------------|---------------|
| Hazardous Waste Facility (HWF) Permits | Karen Kloo | (609)984-3438 |
|--|------------|---------------|

DIVISION OF WATER QUALITY, Mail Code 401-02B, PO Box 420, Trenton, NJ 08625-0420

Office of the Director

Watershed Permitting

(Including New Jersey Pollutant Discharge Elimination System (NJPDES) Permits)

| | | |
|------------------------------------|-------------------|----------------|
| Bureau of Surface Water Permitting | Susan Rosenwinkel | (609) 292-4860 |
|------------------------------------|-------------------|----------------|

| | | |
|--------------------------------------|--------|----------------|
| Bureau of Pretreatment and Residuals | Vacant | (609) 984-4428 |
|--------------------------------------|--------|----------------|

| | | |
|-------------------------------|--------|----------------|
| Permit Administration Section | Vacant | (609) 984-4428 |
|-------------------------------|--------|----------------|

- NJPDES Fee inquiries

- NJPDES DMR inquiries

- NJPDES Permit application requirements

| | | |
|--------------------------------------|---------------|----------------|
| Bureau of Nonpoint Pollution Control | Gabriel Mahon | (609) 633-7021 |
|--------------------------------------|---------------|----------------|

- Stormwater and Ground Water Permits

MUNICIPAL FINANCE AND CONSTRUCTION ELEMENT, Mail code is 401-03D PO Box 420, 3rd Floor, Trenton, NJ 08625-0420

(Including Technical Review of Treatment Works Approvals)

| | | |
|--|------------------------|----------------|
| Bureau of Environmental Engineering & Permitting | Charles Jenkins, Chief | (609) 633-1170 |
|--|------------------------|----------------|

| | | |
|--|-------------------------|----------------|
| Bureau of Construction, Payments, & Administration | Paul Hauch, P.E., Chief | (609) 292-3114 |
|--|-------------------------|----------------|

| | | |
|---|---------------------------|----------------|
| Treatment Works Approvals (Administrative Review) | John Maselli, Lisa Oakley | (609) 984-4429 |
|---|---------------------------|----------------|

The DEP has developed a Permit Readiness Checklist which will indicate all DEP permits that may be needed for a proposed project. Forms are available from the Office of Permit Coordination and Environmental Review at <http://www.nj.gov/dep/pcer> or at (609)292-3600

