



DEP Bulletin

January 2, 2025

Volume 49 Issue 1

| | |
|---|---------|
| General Application Milestone Codes | Pg. 2 |
| Specific Decision Application Codes Permit Descriptions | Pg. 2 |
| <u>General Information</u> | |
| DEP Public Notices and Hearings and Events of Interest | Pg. 4 |
| Environmental Justice | Pg. 5 |
| Water Quality | Pg. 6 |
| Environmental Impact Statements and Assessments | Pg. 28 |
| Permit Applications Filed or Acted Upon: | |
| Division of Land Resource Protection (by county) | |
| CAFRA Permit Application | Pg. 29 |
| Atlantic | Pg. 30 |
| Bergen | Pg. 33 |
| Burlington | Pg. 41 |
| Camden | Pg. 45 |
| Cape May | Pg. 47 |
| Cumberland | Pg. 62 |
| Essex | Pg. 65 |
| Gloucester | Pg. 71 |
| Hudson | Pg. 76 |
| Hunterdon | Pg. 82 |
| Mercer | Pg. 85 |
| Middlesex | Pg. 88 |
| Monmouth | Pg. 95 |
| Morris | Pg. 111 |
| Ocean | Pg. 115 |
| Passaic | Pg. 136 |
| Salem | Pg. 139 |
| Somerset | Pg. 140 |
| Sussex | Pg. 142 |
| Union | Pg. 144 |
| Warren | Pg. 148 |
| Treatment Works Approval (TWA) Permit Application | Pg. 150 |
| DEP Permit Liaisons and Other Governmental Contacts | Pg. 151 |

Governor Phil Murphy

New Jersey Department of Environmental Protection

Shawn M. LaTourette, Commissioner

General Application Milestone Codes

Application Approved
Application Denied
Application Withdrawal
A= Approved
C = Cancelled
D= Denied

F = Complete for Filing
H = Public Hearing Date
I = Additional Information Requested
IS = Issued
L = Legal Appeal of Permit Decision
M = Permit Modification

P = Permit Decision Date
R = Complete for Review
T = Additional Information Received
W= Withdrawn

Specific Decision Application Codes

O = Other

REG = HMDC/Pinelands Exemption

Permit Descriptions

CAFRA – A Coastal Area Facility Act permit is required to construct residential, commercial, public, transportation, utility and energy-related facilities in the coastal area as defined by the Act.

Coastal Permit: A permit or an authorization issued under this chapter pursuant to CAFRA, the Wetlands Act of 1970, N.J.S.A. 13:9A-1 et seq., or the Waterfront Development Law, N.J.S.A. 12:5-3.

Coastal Wetlands: A permit authorizing disturbances to Mapped Tidal Wetlands under the Wetlands Act of 1970, N.J.S.A. 13:9A”

Federal Consistency Activity: Certain federal permits, not limited to the U.S. Army Corps of Engineers Dredge and Fill Permits, require certification by the DEP prior to the issuance of the permit by the federal agency.

Flood Hazard Area: A Flood Hazard permit or verification is required for disturbances within the floodway, floodplain or riparian zone in areas regulated under the Flood Hazard Area Control Act.

Freshwater Wetlands: A Permit (Letters of Exemption, Letters of Interpretation, Statewide General Permit, Open Water Fill, Individual, Transition Area Waiver, Water Quality Certificate) is needed prior to engaging in a regulated activity in or around freshwater wetlands and associated transition areas.

General Groundwater Petroleum Products Cleanup: This general permit authorizes the surface water discharge of treated groundwater previously contaminated with petroleum products.

NJPDES permits: A permit is required for the discharge of pollutants to surface and groundwater, a discharge from an indirect user or the land application of municipal and/or industrial residuals. (A more comprehensive definition of activities, which require a permit, may be found at N.J.A.C. 7:14A-2.4)

Solid Waste Facility: A permit is required to conduct or operate any solid waste facility as defined under the Solid Waste Management Act, N.J.S.A. 13:1E-1 et seq., and N.J.A.C. 7:26-1 et seq.

Highlands Resource: A Highland Preservation Area Approval is required for regulated activities within the Highland Preservation Area as defined in the Highlands Water Protection & Planning Act Preservation Area Rules. Highlands Applicability Determinations verifies certain exemptions allowed by the regulations.

Tidal Wetlands: A Coastal Wetlands Permit is needed to excavate, dredge, fill or erect structures on coastal wetlands.

Treatment Works Approval: A TWA permit is required for the construction, modification or operation of a treatment works, including sanitary/industrial sewage pretreatment or treatment systems, sewage conveyance systems, sewer extensions and subsurface sewage disposal systems.

Waterfront Development: A permit is required for any project involving the development of waterfront near or upon any tidal or navigable waterway in the State.

General Information

The DEP Bulletin is an information service provided by the New Jersey Department of Environmental Protection. In compliance with the Rules and Regulations Governing 90 Day Construction Permits (NJAC 7:1C-1.1 et seq.) this semi-monthly publication contains a list of construction permit applications recently filed or acted upon by the DEP. Using the Application Milestone Codes located on the inside front cover, interested persons can determine the status of Coastal Area Facility Review Act (CAFRA) permits, Federal Consistency Activity permits, Freshwater Wetlands Individual and Statewide General permits, General Groundwater Petroleum Products Cleanup permits, Open Water Fill permits, Solid Waste Facility permits (SWF), Flood Hazard Area (FHA) permits, Tidal Wetlands permits, Waterfront Development permits and Treatment Works Approvals (TWA). In addition, this publication lists status of Highlands application and Highlands Applicability Determinations.

In addition, a calendar of Events of Interest and a Schedule of Public Hearings is provided. The public hearings listed do not, however, constitute an official notice. Environmental Impact Statements acted upon during the period are also shown. Additional information concerning the permit applications can be obtained by calling the project manager at the appropriate office listed on the inside back cover.

Public Hearings are held for the purpose of obtaining input and reaction to a proposed rule, regulation, or new program. Some hearings may be mandated by law. Generally, their scope of impact is statewide or of broad general interest and open to the public.

Contested Case Hearings are held between the State and a particular party involving an application, enforcement violation or an appeal. Interest in these hearings is generally limited to those directly involved.

DEP Events of Public Interest include public hearings, council meetings, workshops, public information meetings, and exams.

Appeals on Applications

Any individual who would like to appeal a decision on an application should direct their remarks to:

Office of Legal Affairs
Attn: Adjudicatory Hearing Requests
Department of Environmental Protection
PO Box 402

**PUBLIC NOTICE OF INTENTION TO EXTEND THE POST-CLOSURE CARE PERIOD FOR THE UNION COUNTY
LANDFILL**

The New Jersey Department of Environmental Protection (“Department”) hereby issues this public notice, pursuant to N.J.A.C. 7:26-2A.9I10, of its intention to extend the post-closure care period for the Union County Landfill, located at 1499 U.S. Route 1 and 9 North in the City of Rahway, Union County, by an additional ten (10) years. The landfill is located on property owned by the Union County Utilities Authority at the site of the Covanta Union, Inc. Resource Recovery Facility.

Operations at the subject landfill ceased in the 1970s, and the landfill was certified as properly closed on November 28, 1994. The Solid Waste Rules at N.J.A.C. 7:26-2A.9 require that closed landfills be maintained and monitored during their post-closure care periods which continue for 30 years after completion of closure. However, the Department may extend the post-closure care period upon a finding that such an extended period is necessary to protect human health and/or the environment.

Based on data generated during the post-closure care period, and a review of the most recent post-closure evaluation report, the Department has found that the landfill will require post-closure maintenance and monitoring beyond the initial post-closure care period to protect human health and the surrounding environment. Based on these findings, the Department has determined that it is necessary to extend the post-closure care period for the landfill. The Department intends to extend the post-closure care period for ten (10) additional years, until November 28, 2034. During this extended post-closure care period, the Department will require maintenance and monitoring of the landfill to continue in accordance with N.J.A.C. 7:26-2A.9 and the most recent Closure and Post-Closure Plan Approval.

If anyone has questions or comments concerning the Department’s intention to extend the post-closure care period of the landfill, please send those questions or comments to the following address:

Anthony Fontana, Chief
New Jersey Department of Environmental Protection
Division of Sustainable Waste Management
Bureau of Solid Waste Permitting
Mail Code 401 – 02C
401 E. State Street, P.O. Box 420
Trenton, New Jersey 08625-0420
(609) 292-9880

Environmental Justice Compliance Submitted to NJDEP

No Updates

Public Notice of Proposed Permit Actions (NJPDES Permits)

1/2/25 DEP Bulletin

| <u>Permit:</u> | <u>Facility Location:</u> | <u>NJDEP</u> | <u>Receiving Discharge:</u> | <u>Executive Summary</u> |
|--|---|--|--|---|
| <ul style="list-style-type: none"> • Name • NJPDES No. • Type | <ul style="list-style-type: none"> • Address • County | <ul style="list-style-type: none"> • Case Manager • Bureau • Phone No | <ul style="list-style-type: none"> • Stream or GW Formation or POTW • Stream or GW Classification • Watershed | |
| NJPDES MASTER GENERAL PERMIT PROGRAM INTEREST NJ0178217 DSW Major | 401 E STATE ST Trenton, NJ 08625 Mercer County | Kirstin Victorella Bureau of Surface Water and Pretreatment Permitting (609) 292-4860 | | Surface Water Master General Permit permit serves to renew the existing M Discharge General Permit (Category P authorizes the application of biological over, including near the surface water application results in discharge to wat the Federal Insecticide, Fungicide, and The Department has determined that t require the same operating conditions controlled under a general permit auth authorization. |
| OATLY INC NJ0299332 SIU | 719 ORANGE ST Millville, NJ 08332 Cumberland County | Toyosi Dickson Bureau of Surface Water and Pretreatment Permitting (609) 292-4860 | MILLVILLE CITY SEWER AUTH WTP | Significant Indirect User (SIU) Renew operates a facility dedicated to the ma use oats as a substitute for dairy ingred period September 2019 through Augu approximately 66,800 gallons per day of Millville's Wastewater Treatment P point designated as DSN-001. Prior to process wastewater undergoes screeni equalization, biological treatment, and facility's discharge has a NAICS 3112 |

The following minor modifications were recently issued. These actions are listed for informational purposes only and are not open for public comment.

| <div> <div>Minor Modifications Issued</div> <div>(NJPDES Permits)</div> </div> | | |
|--|--|---|
| 1/2/25 DEP Bulletin | | |
| <div>Permit</div> <div> <ul style="list-style-type: none"> Name NJPDES Number </div> | <div>Facility Location:</div> <div> <ul style="list-style-type: none"> Address County </div> | <div>Executive Summary</div> |
| SRI INTERNATIONAL NJPDES Permit No. NJ0000272 | 201 WASHINGTON RD West Windsor Twp, NJ 08540-6449 Mercer County | Minor modification in accordance with N.J.A.C. 7:14A-16.5 |
| MAPLE SHADE TWP PARK AVE WWTP NJPDES Permit No. NJ0069167 | 432 W PARK AVE Maple Shade, NJ 08052 Burlington County | Minor modification in accordance with N.J.A.C. 7:14A-16.5 |

The following administrative permit revocations were recently issued. These actions are listed for informational purposes only and are not open for public comment.

Administrative Permit Revocations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <u>Permit</u> • <i>Name</i> • <i>NJPDES Number</i> | <u>Facility Location:</u> • <i>Address</i> • <i>County</i> | <u>Executive Summary</u> |
|--|---|--|
| BAY BREEZE VILLAGE MOBILE HOME PARK NJPDES Permit No. NJG0084417 | 1790 MAYS LNDG RD Egg Harbor Twp, NJ 08234 Atlantic County | This permit was revoked effective 10/31/24 |
| GRACEFIELD MANOR LLC NJPDES Permit No. NJG0107794 | 327 RT 33 E Manalapan, NJ 07726 Monmouth County | This permit was revoked effective 10/9/24 |
| NABIL HOURANI NJPDES Permit No. NJG0128554 | 122 S PEMBERTON RD Pemberton Twp, NJ 08068 | This permit was revoked effective 10/23/24 |
| REFLECTION LAKES NJPDES Permit No. NJG0170127 | 1202B UNION VALLEY RD West Milford, NJ 07480 | This permit was revoked effective 12/10/24 |
| 56 MILL POND RD/ CHASKEL DELANE TRUST NJPDES Permit No. NJG0222933 | 56 MILL POND RD Washington, NJ 07882 Warren County | This permit was revoked effective 10/21/24 |
| AQUATIC ANALYSTS INC NJPDES Permit No. NJG0306461 | 901 OLD STA RD Stillwater, NJ 07875 Sussex County | This permit was revoked effective 10/1/24 |
| BLUE CORK WINERY & VINEYARD NJPDES Permit No. NJG0332801 | 1093 BLUE BELL RD Williamstown, NJ 08094 Gloucester County | This permit was revoked effective 11/1/24 |

The following NJPDES General Permits were recently issued by the Division of Water Quality. This listing is for informational purposes only and is not subject to public comment.

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|--|----------------------------|-----------------------------|--------------------------|
| ATLANTIC CNTY | Northfield City | NJG0148016 | 12/18/24 |
| BURLINGTON CNTY BRIDGE COMMISSION | Palmyra Boro | NJG0148547 | 12/18/24 |
| PALISADES INTERSTATE PARK COMMISSION | Alpine Boro | NJG0149136 | 12/18/24 |
| HUNTERDON CNTY | Flemington Boro | NJG0149144 | 12/18/24 |
| SUSSEX CNTY | Newton Town | NJG0149730 | 12/18/24 |
| BURLINGTON CNTY | Mount Holly Twp | NJG0150223 | 12/18/24 |
| SOMERSET CNTY | Somerville Boro | NJG0151351 | 12/18/24 |
| PASSAIC COUNTY | Paterson City | NJG0152005 | 12/18/24 |
| WARREN CNTY BOARD OF CHOSEN FREEHOLDERS | Belvidere Town | NJG0152013 | 12/18/24 |
| MONMOUTH CNTY | Freehold Boro | NJG0152234 | 12/18/24 |
| OCEAN CNTY | Toms River Twp | NJG0152382 | 12/18/24 |
| DELAWARE RIVER JOINT TOLL BRIDGE COMM | Out Of State | NJG0153052 | 12/18/24 |
| UNION CNTY | Scotch Plains Twp | NJG0153320 | 12/18/24 |
| MORRIS CNTY DPW | Morristown Town | NJG0153346 | 12/18/24 |
| NEW JERSEY TURNPIKE | Woodbridge Twp | NJG0153354 | 12/18/24 |
| ESSEX CNTY | Verona Twp | NJG0153397 | 12/18/24 |
| CAMDEN CNTY | Lindenwold Boro | NJG0153419 | 12/18/24 |
| SOUTH JERSEY TRANSPORTATION AUTHORITY | Hammonton Town | NJG0153729 | 12/18/24 |
| MERCER CNTY | Trenton City | NJG0153753 | 12/18/24 |
| CAPE MAY CNTY | Middle Twp | NJG0153869 | 12/18/24 |
| HUDSON CNTY DIV OF ROADS & BRIDGES | Jersey City | NJG0154253 | 12/18/24 |
| DELAWARE RIVER PORT AUTHORITY OF PA & NJ | Camden City | NJG0154270 | 12/18/24 |
| NJDOT REGION CENTRAL | Freehold Boro | NJG0154288 | 12/18/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|--------------------------------|----------------------------|-----------------------------|--------------------------|
| NJDOT REGION NORTH | Mount Arlington Boro | NJG0154300 | 12/18/24 |
| NJDOT REGION SOUTH | Cherry Hill Twp | NJG0154652 | 12/18/24 |
| SALEM CNTY | Salem City | NJG0154954 | 12/18/24 |
| DELAWARE RIVER & BAY AUTHORITY | Out Of State | NJG0155101 | 12/18/24 |

| | | | |
|---|-----------------------|------------|----------|
| MIDDLESEX CNTY DEPT OF HIGHWAYS & BRIDGES | North Brunswick Twp | NJG0155136 | 12/18/24 |
| GLOUCESTER CNTY | Clayton Boro | NJG0155373 | 12/18/24 |
| CUMBERLAND CNTY DPW | Bridgeton City | NJG0155411 | 12/18/24 |
| BERGEN CNTY DPW | Hackensack City | NJG0155535 | 12/18/24 |
| PORT AUTHORITY OF NY & NJ | Newark City | NJG0155861 | 12/18/24 |
| GARDEN STATE PARKWAY | Woodbridge Twp | NJG0156485 | 12/18/24 |
| PASSAIC VALLEY WATER COMMISSION | Totowa Boro | NJG0157368 | 10/31/24 |
| JERSEY CITY WATER TREATMENT FACILITIES | Parsippany-Troy Hills | NJG0158321 | 12/20/24 |
| PINELANDS WASTEWATER CO | Southampton Twp | NJG0211729 | 10/4/24 |
| SANDY HOOK WTP | Middletown Twp | NJG0211940 | 10/24/24 |
| MANALAPAN TWP- LAMBS LANE WTP | Manalapan Twp | NJG0222178 | 10/17/24 |
| INDIAN HILLS HIGH SCHOOL | Oakland Boro | NJG0223336 | 12/6/24 |
| HAGEDORN PSYCHIATRIC HOSPITAL | Lebanon Twp | NJG0223468 | 10/29/24 |
| NEW JERSEY AMERICAN WATER POTTERSVILLE STP | Tewksbury Twp | NJG0223476 | 11/22/24 |
| TRAVEL CENTERS OF AMERICA | Bloomsbury Boro | NJG0223484 | 10/25/24 |
| DELAWARE TOWNSHIP MUA | Delaware Twp | NJG0223492 | 11/25/24 |
| SPRUCE HILLS | Glen Gardner Boro | NJG0223506 | 10/25/24 |
| OLDWICK VILLAGE WATER POLLUTION CONTROL PLANT | Tewksbury Twp | NJG0223514 | 10/29/24 |
| BRASS CASTLE ESTATES | Union Twp | NJG0223522 | 10/30/24 |
| STANTON RIDGE SEWER PLANT | Readington Twp | NJG0223531 | 10/30/24 |
| EXXONMOBIL TECHNOLOGY AND ENGINEERING COMPANY | Clinton Twp | NJG0223549 | 10/30/24 |
| GLEN MEADOWS/TWIN OAKS STP | Clinton Twp | NJG0223557 | 10/31/24 |
| CROSSROADS @ OLDWICK | Tewksbury Twp | NJG0223565 | 10/31/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|---|---------------------|----------------------|-------------------|
| FALLONE GROUP DEVELOPMENT | Union Twp | NJG0223573 | 10/31/24 |
| CAREONE AT HOLMDEL | Holmdel Twp | NJG0223620 | 10/23/24 |
| POLO CLUB (FORMERLY REMINGTON'S CAFE) | Holmdel Twp | NJG0223638 | 10/24/24 |
| 23 MAIN STREET PROPCO LLC | Holmdel Twp | NJG0223646 | 10/29/24 |
| CHATHAM HILL STP | Chatham Twp | NJG0223654 | 10/23/24 |
| QUALITY INN OF LEDGEWOOD | Roxbury Twp | NJG0223662 | 10/28/24 |
| MORRIS CHASE | Mount Olive Twp | NJG0223671 | 10/23/24 |
| CHESTER BOROUGH WTF | Chester Boro | NJG0223689 | 10/24/24 |
| MENDHAM EAST WASTE WTP | Mendham Twp | NJG0223697 | 11/20/24 |
| MENDHAM WEST WWTP | Mendham Twp | NJG0223701 | 11/20/24 |
| FOUR SEASONS AT CHESTER | Chester Twp | NJG0223719 | 10/29/24 |
| JEFFERSON TWP – WATER'S EDGE | Jefferson Twp | NJG0223735 | 10/31/24 |
| CHESTER SPRINGS SHOPPING CTR | Chester Boro | NJG0223743 | 11/6/24 |
| COUNTRY OAKS WWTP | Mount Olive Twp | NJG0223751 | 10/30/24 |
| WYNDHAM POINTE WWTP | Mount Olive Twp | NJG0223760 | 10/31/24 |
| JEFFERSON TWP HIGH-MIDDLE SCHOOL | Jefferson Twp | NJG0223778 | 10/31/24 |
| NJ AMERICAN WATER CO – DEEP RUN WWTP | Plumsted Twp | NJG0223786 | 10/7/24 |
| JACKSON ACRES | Jackson Twp | NJG0223794 | 10/2/24 |
| SOUTHWIND VILLAGE MHP | Jackson Twp | NJG0223808 | 10/10/24 |
| FORMER US ARMY PEDRICKTOWN | Oldmans Twp | NJG0223875 | 10/30/24 |
| FIDDLER'S ELBOW CTRY CLUB WWTP | Bedminster Twp | NJG0223913 | 10/7/24 |
| HMH CARRIER CLINIC | Montgomery Twp | NJG0223921 | 10/23/24 |
| JOHNSON & JOHNSON CONSUMER INC, A DE CORP | Montgomery Twp | NJG0223930 | 10/18/24 |
| TRUMP NATIONAL GOLF CLUB | Bedminster Twp | NJG0223956 | 10/10/24 |
| LOUNSBERRY HOLLOW MIDDLE SCH STP | Vernon Twp | NJG0224057 | 10/3/24 |
| KITTATINNY REG HS/MARION MCKEOWN SCHOOL | Newton Town | NJG0224081 | 10/9/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|--------------------------------|---------------------|----------------------|-------------------|
| HIGH POINT REGIONAL HS | Wantage Twp | NJG0224090 | 10/16/24 |
| WASHINGTON TWP SHOPPING CENTER | Washington Twp | NJG0224103 | 12/6/24 |
| MEADOWS AT MANSFIELD THE | Mansfield Twp | NJG0224120 | 12/6/24 |
| BLAIR ACADEMY | Blairstown Twp | NJG0224138 | 12/11/24 |

| | | | |
|--------------------------------------|-------------------------|------------|----------|
| ATLANTIC HIGHLANDS WTP | Atlantic Highlands Boro | NJG0224511 | 10/17/24 |
| BORDENTOWN CITY WFP | Hamilton Twp | NJG0224537 | 10/11/24 |
| BUTLER WATER DEPARTMENT | Kinnelon Boro | NJG0224545 | 10/31/24 |
| FAYSON LAKE WATER COMPANY | Kinnelon Boro | NJG0224561 | 11/21/24 |
| FREEHOLD WATER TREATMENT PLANT | Freehold Twp | NJG0224570 | 10/17/24 |
| HARBOR ROAD WTP | Marlboro Twp | NJG0224596 | 10/18/24 |
| HERON AVE WTP | Pennsville Twp | NJG0224618 | 11/8/24 |
| KEANSBURG WATER TREATMENT PLANT | Keansburg Boro | NJG0224626 | 10/25/24 |
| CANOE BROOK STATION | Millburn Twp | NJG0224642 | 10/4/24 |
| PENNSVILLE TOWNSHIP WTP | Pennsville Twp | NJG0224669 | 11/8/24 |
| PEQUANNOCK WTP | Newark City | NJG0224677 | 11/7/24 |
| RAHWAY WTP | Rahway City | NJG0224693 | 11/7/24 |
| ROBERT FROST WTF | Hamilton Twp | NJG0224707 | 10/11/24 |
| SHORELANDS WATER CO PLANT #1 | Hazlet Twp | NJG0224715 | 10/24/24 |
| SHORELANDS WATER CO PLANT #2 | Holmdel Twp | NJG0224723 | 10/24/24 |
| TAYLORTOWN FILTER PLANT | Montville Twp | NJG0224731 | 11/22/24 |
| VEOILA WATER NEW JERSEY LAMBERTVILLE | Lambertville City | NJG0224740 | 12/19/24 |
| VEOLIA WATER MATCHAPONIX | Manalapan Twp | NJG0224758 | 12/13/24 |
| WOODBINE MUA WTP | Woodbine Boro | NJG0224766 | 10/10/24 |
| TRENTON WATER WORKS | Trenton City | NJG0224952 | 11/1/24 |
| NORTH BRUNSWICK TWP-WTP | Franklin Twp | NJG0224979 | 11/1/24 |
| RUNYON WATER TREATMENT PLANT | Old Bridge Twp | NJG0249971 | 11/8/24 |
| MATAWAN WTP | Matawan Boro | NJG0250872 | 10/25/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|---|--------------------------|----------------------|-------------------|
| HOPE CREEK GENERATING STATION | Lower Alloways Creek Twp | NJG0256773 | 12/10/24 |
| QR FARRINGTON DC LLC | Monroe Twp | NJG0270172 | 12/12/24 |
| SUSSEX BORO WATER TREATMENT PLANT | Wantage Twp | NJG0281786 | 11/7/24 |
| VEOLIA WATER NJ GREENBROOK ESTATES WELL 27A | West Milford Twp | NJG0297763 | 10/31/24 |
| HARVEY CEDARS MARINE, LLC | Harvey Cedars Boro | NJG0301698 | 11/25/24 |
| FANCYHEAT CORP | Franklin Twp | NJG0305189 | 10/1/24 |
| PRINCETON HYDRO, LLC | East Amwell Twp | NJG0306576 | 10/17/24 |
| TIGRIS AQUATIC SERVICES | Bordentown City | NJG0307050 | 10/17/24 |
| NEW JERSEY AMERICAN WATER BIRCH CREEK WTP | Logan Twp | NJG0316750 | 10/4/24 |
| NEW JERSEY AMERICAN WATER OTTER BROOK WTP | Gloucester Twp | NJG0316849 | 10/3/24 |
| NEW JERSEY AMERICAN WATER RANNEY WTP | Carneys Point Twp | NJG0316857 | 11/1/24 |
| NEW JERSEY AMERICAN WATER OLD ORCHARD WTP | Cherry Hill Twp | NJG0316865 | 10/3/24 |
| ERRICO ACRES | Far Hills Boro | NJG0339652 | 10/15/24 |
| OLD DOMINION FREIGHT LINES, INC – SPL | Edison Twp | NJG0346322 | 11/18/24 |
| BECKETT WELL STATION (TP002009) | Logan Twp | NJG0348481 | 10/10/24 |
| FORMER SAYREVILLE GENERATING STATION | Sayreville Boro | NJG0353434 | 11/27/24 |
| CHESTER TOWN CENTER | Chester Boro | NJG0358509 | 10/30/24 |
| RT. 15 PROPERTIES, LLC | Jefferson Twp | NJG0361241 | 12/1/24 |
| NJTA TMD#2 | Mount Laurel Twp | NJG0362042 | 10/31/24 |
| WAWA FOOD MARKET #8495 | Jackson Twp | NJG0362280 | 10/28/24 |
| 11 EAGLE NEST ROAD | Colts Neck Twp | NJG0362875 | 10/1/24 |
| ORANGE STREET DEMOLITION | Newark City | NJG0362883 | 10/1/24 |
| 5 CAMELOT DRIVE | Colts Neck Twp | NJG0362891 | 10/1/24 |
| CHILD CARE CENTER & RETAIL BUILDING | Rochelle Park Twp | NJG0362905 | 10/1/24 |
| HUDSON AVENUE IMPROVEMENTS | Union City | NJG0362913 | 10/1/24 |
| PROPOSED SELF STORAGE & BUILDING PARKING | Paramus Boro | NJG0362921 | 10/1/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|----------------------------|---------------------|----------------------|-------------------|
| 1023 LIMECREST ROAD | Andover Twp | NJG0362930 | 10/1/24 |
| TOYOTA BUILDING ADDITION | Hackensack City | NJG0362964 | 10/2/24 |
| SELF STORAGE BUILDING | Montvale Boro | NJG0362972 | 10/2/24 |
| 438 POMPTON ROAD WAREHOUSE | Wayne Twp | NJG0362981 | 10/2/24 |

| | | | |
|--|-----------------------|------------|----------|
| 12 KNIGHT | Jackson Twp | NJG0362999 | 10/2/24 |
| PHELPS DODGE | South Brunswick Twp | NJG0363006 | 10/2/24 |
| SPECTRUM WAY AT BURLINGTON | Burlington Twp | NJG0363014 | 10/2/24 |
| NBMUA TONNELLE AVENUE CSO TANK | North Bergen Twp | NJG0363022 | 10/2/24 |
| MAIN STREET REDEVELOPMENT | Voorhees Twp | NJG0363057 | 10/7/24 |
| MAIN STREET PARKING LOT | Voorhees Twp | NJG0363103 | 10/11/24 |
| 24 JAHN COURT, MAHWAH, NJ | Mahwah Twp | NJG0363111 | 10/11/24 |
| CARRIAGE PLACE TOWNHOMES | Berlin Boro | NJG0363120 | 10/11/24 |
| 9 SYLVAN WAY REDEVELOPMENT | Parsippany-Troy Hills | NJG0363138 | 10/11/24 |
| WEST SIDE HOLDINGS APARTMENTS | Jersey City | NJG0363146 | 10/11/24 |
| WEST FARMS ROAD | Howell Twp | NJG0363154 | 10/11/24 |
| PROPOSED DAYCARE | Washington Twp | NJG0363162 | 10/11/24 |
| SOUTHERN BOULEVARD SUBDIVISION | Berkeley Twp | NJG0363171 | 10/11/24 |
| PROPOSED WAREHOUSE | Freehold Twp | NJG0363189 | 10/11/24 |
| PRINCETON UNIVERSITY QUANTUM INSTITUTE | Princeton | NJG0363197 | 10/11/24 |
| ROSOFF DWELLING | Alexandria Twp | NJG0363201 | 10/11/24 |
| EOSSO BROTHERS PAVING | Howell Twp | NJG0363219 | 10/11/24 |
| WAREHOUSE FACILITY | Northfield City | NJG0363227 | 10/11/24 |
| PATRIOT LAKE EXPANSION | Galloway Twp | NJG0363235 | 10/11/24 |
| HAINESPORT FAMILY APARTMENTS | Hainesport Twp | NJG0363243 | 10/11/24 |
| COX CRO RD-5734.01 | Toms River Twp | NJG0363251 | 10/11/24 |
| THREE BRIDGES AT READINGTON | Readington Twp | NJG0363260 | 10/11/24 |
| PROPOSED ASSISTED LIVING FACILITY | Livingston Twp | NJG0363278 | 10/11/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|---|-----------------------|----------------------|-------------------|
| MULLEN DRIVE RESIDENTIAL SUBDIVISION | Gloucester Twp | NJG0363286 | 10/11/24 |
| CENTENNIAL AVENUE ROAD IMPROVEMENT | Piscataway Twp | NJG0363294 | 10/11/24 |
| 2023 VARIOUS ROAD IMPROVEMENTS | Ocean City | NJG0363316 | 10/11/24 |
| PROPOSED WAWA FOOD MARKET & FUELING STATION | Pennsville Twp | NJG0363324 | 10/11/24 |
| PROVINCE LINE ESTATES (TOTTEN PROPERTY) | North Hanover Twp | NJG0363332 | 10/11/24 |
| GLOUCESTER TOWNSHIP WATER MAIN REPLACEMENTS | Gloucester Twp | NJG0363341 | 10/11/24 |
| H6/H7, CSO, LTCP, PHASE 3 | Hoboken City | NJG0363359 | 10/11/24 |
| KONKUS CORP. | Branchburg Twp | NJG0363375 | 10/11/24 |
| ACCC BASEBALL FIELD | Hamilton Twp | NJG0363391 | 10/16/24 |
| LIFETOWN FIELD RELOCATION | Livingston Twp | NJG0363405 | 10/16/24 |
| NJTPK T100.646 LADERMAN BRIDGE REHAB | Newark City | NJG0363421 | 10/18/24 |
| JACKSON 21- SOUTH SOUTHWEST | Jackson Twp | NJG0363430 | 10/18/24 |
| CUHC HOSPITAL TOWER A | Camden City | NJG0363448 | 10/18/24 |
| 156 BAEKELAND AVENUE | Middlesex Boro | NJG0363456 | 10/18/24 |
| 166 ROUTE 9 LLC – SITE PLAN | Stafford Twp | NJG0363464 | 10/18/24 |
| NESBITT STREET DEMOLITION | Newark City | NJG0363472 | 10/18/24 |
| NATIONAL REFRIGERANTS | Deerfield Twp | NJG0363481 | 10/18/24 |
| FAME 230KV TRANSMISSION INSULATOR REPLACEMENT | Willingboro Twp | NJG0363499 | 10/18/24 |
| PROPOSED MIXED-USE BUILDING AT 4329 ROUTE 130 | Edgewater Park Twp | NJG0363502 | 10/18/24 |
| 403 MAIN ST | Sparta Twp | NJG0363511 | 10/18/24 |
| LANIDEX PLAZA REDEVELOPMENT | Parsippany-Troy Hills | NJG0363529 | 10/18/24 |
| PROP CONGREGATE CARE, ASSISTED LIVING& RETAIL | Mount Laurel Twp | NJG0363537 | 10/18/24 |
| COURTYARD GARDENS – 212 PASSAIC AVENUE | Fairfield Twp | NJG0363545 | 10/18/24 |
| NJDEP-RT 40 HMLTN CMN DR TO W END AVE-0109517 | Hamilton Twp | NJG0363588 | 10/24/24 |
| TENNIS COURT RECONSTRUCTION PROJECT | Haddon Twp | NJG0363596 | 10/24/24 |
| OAKRIDGE SUBDIVISION | Harrison Twp | NJG0363600 | 10/25/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|---|---------------------|----------------------|-------------------|
| AMERICAN LEGION OF WESTFIELD | Westfield Town | NJG0363626 | 10/29/24 |
| PROPOSED SPARK CAR WASH TINTON FALLS | Tinton Falls Boro | NJG0363634 | 10/29/24 |
| 817 MARBLE HILL ROAD BUFFER RESTORATION | Harmony Twp | NJG0363642 | 10/29/24 |
| YOGESH PATEL SINGLE FAMILY HOME | Delran Twp | NJG0363651 | 10/29/24 |

| | | | |
|---|--------------------|------------|----------|
| METCALF PARK IMPROVEMENTS PHASE 2 | Orange City Twp | NJG0363669 | 10/29/24 |
| WOODSTONE COMMERCIAL WEST WINDSOR, LLC | West Windsor Twp | NJG0363677 | 10/29/24 |
| 7 TH AVE + DOUGLAS ST LOTS | Elk Twp | NJG0363685 | 10/29/24 |
| PSE&G TRANS. INSULATOR REPLACE A-2201 CIRCUIT | Hamilton Twp | NJG0363693 | 10/29/24 |
| HATOLAH EMS-3460.0004 | Lakewood Twp | NJG0363707 | 10/30/24 |
| NEW WASHINGTON MIDDLE SCHOOL | Little Ferry Boro | NJG0363740 | 11/4/24 |
| CRAWFORD EDWARD | Bernardsville Boro | NJG0363758 | 11/4/24 |
| WASHINGTON SCHOOL DEMOLITION | Little Ferry Boro | NJG0363766 | 11/4/24 |
| 7-ELEVEN GREAT MEADOWS | Independence Twp | NJG0363782 | 11/4/24 |
| HOWELL MEDICAL OFFICE BUILDING | Howell Twp | NJG0363791 | 11/4/24 |
| METER CHAMBER 9B SANITARY SEWER UPGRADE | Branchburg Twp | NJG0363804 | 11/4/24 |
| MOREAU DWELLING BLOCK 39, LOT 3.05 | Franklin Twp | NJG0363812 | 11/4/24 |
| OFFSHORE PROPERTY GROUP STORAGE BUILDINGS | Dennis Twp | NJG0363821 | 11/4/24 |
| PORT PLAZA REDEVELOPMENT | South River Boro | NJG0363839 | 11/4/24 |
| FIELDSTONE COURT | Alloway Twp | NJG0363847 | 11/4/24 |
| HESS PORT READING SOUTH LANDFARM TEMP IRM | Woodbridge Twp | NJG0363855 | 11/4/24 |
| SENIOR LIFE WAYNE SENIOR ADULT DAYCARE | Wayne Twp | NJG0363863 | 11/4/24 |
| BOROUGH PARK TURF FIELD | Elmwood Park Boro | NJG0363871 | 11/4/24 |
| PROPOSED SELF-STORAGE FACILITY | Wayne Twp | NJG0363880 | 11/4/24 |
| 450 PARK AVE | Manalapan Twp | NJG0363901 | 11/4/24 |
| HIGH STREET – 15 HIGH STREET – 2 ND SUBMISSION | Helmetta Boro | NJG0363910 | 11/4/24 |
| ROYALTY 19 | Howell Twp | NJG0363928 | 11/4/24 |
| GALLOWAY FAMILY APARTMENTS | Galloway Twp | NJG0363936 | 11/4/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|---|---------------------|----------------------|-------------------|
| 2304 EAST BAY LLC | Stafford Twp | NJG0363944 | 11/4/24 |
| ROUTE 202 & 206, LLC (WEICHERT BEDMINSTER) | Bedminster Twp | NJG0363952 | 11/4/24 |
| BCUA – SANDY PLANT WIDE RESTORATION | Little Ferry Boro | NJG0363961 | 11/4/24 |
| AVALONBAY 85 LIVINGSTON ROSELAND | Roseland Boro | NJG0363979 | 11/4/24 |
| 225 LITTLETON ROAD – BLDG A (CROSSINGS AT 10) | Morris Plains Boro | NJG0363987 | 11/4/24 |
| CHAPEL AVENUE | Vineland City | NJG0363995 | 11/4/24 |
| SDK MILLBRIDGE GARDENS CLUBHOUSE | Gloucester Twp | NJG0364002 | 11/4/24 |
| 307 COOPER ROAD | Middletown Twp | NJG0364011 | 11/4/24 |
| RARITAN RIVER LOGISTICS CENTER | Perth Amboy City | NJG0364029 | 11/14/24 |
| ELM ST AREA DRAINAGE IMP. | Cranford Twp | NJG0364037 | 11/14/24 |
| WEST CAMPUS COMPLETE STREETS | Mantua Twp | NJG0364045 | 11/14/24 |
| ROWAN-VIRTUA NURSING BLDG | Mantua Twp | NJG0364053 | 11/14/24 |
| BROOKSIDE PLACE DRAINAGE IMPR. | Cranford Twp | NJG0364061 | 11/14/24 |
| 26 FAIRWAY DRIVE | Voorhees Twp | NJG0364070 | 11/14/24 |
| COLLINS BROOK ESTATES | Livingston Twp | NJG0364088 | 11/14/24 |
| CHESTNUT STREET COMPLEX | Toms River Twp | NJG0364096 | 11/14/24 |
| BASEBALL FIELD RENOVATION-HIGHLAND PARK HS | Highland Park Boro | NJG0364100 | 11/14/24 |
| PROPOSED SINGLE-FAMILY RESIDENTIAL PLOT PLAN | Colts Neck Twp | NJG0364118 | 11/14/24 |
| THE ENCLAVE AT ROYCEBROOK | Hillsborough Twp | NJG0364126 | 11/14/24 |
| HAMMONTON GARDEN APARTMENTS | Hammonton Town | NJG0364134 | 11/14/24 |
| LEIGH AT EHT, LLC | Egg Harbor Twp | NJG0364142 | 11/14/24 |
| PROPOSED TRACTOR SUPPLY | Mantua Twp | NJG0364151 | 11/14/24 |
| WEEQUAHIC GOLF COURSE | Newark City | NJG0364169 | 11/14/24 |
| LIVANNA EAST | Livingston Twp | NJG0364177 | 11/14/24 |
| KRAMER MANOR PARK COURTS | Scotch Plains Twp | NJG0364185 | 11/14/24 |
| OLD LEDGEWOOD ROAD SUBDIVISION | Mount Olive Twp | NJG0364193 | 11/14/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|-------------------------|---------------------|----------------------|-------------------|
| PLEASANT STREET STATION | Hammonton Town | NJG0364207 | 11/14/24 |
| LACEY PINES | Lacey Twp | NJG0364215 | 11/14/24 |
| MEHTA RESIDENCE | Warren Twp | NJG0364223 | 11/14/24 |
| UPPER NECK ROAD | Pittsgrove Twp | NJG0364231 | 11/14/24 |

| | | | |
|---|---------------------|------------|----------|
| HANOVER TOWNE CENTER – RESIDENTIAL | Hanover Twp | NJG0364240 | 11/14/24 |
| RECONSTRUCTION OF THURLOW AVENUE | Margate City | NJG0364258 | 11/14/24 |
| HILLSIDE PARK | Hillside Twp | NJG0364266 | 11/14/24 |
| DIAMOND SPRING APARTMENT BUILDING | Nutley Twp | NJG0364282 | 11/14/24 |
| WATERFRONT MARINA | Egg Harbor Twp | NJG0364291 | 11/14/24 |
| WASHINGTON AVENUE SUBDIVISION | Union Beach Boro | NJG0364304 | 11/14/24 |
| NJDOT-GRV AVE BRDG OVR PRT RDNG RRD-2054302 | Metuchen Boro | NJG0364339 | 11/19/24 |
| JUVENILE JUSTICE COMMISSION | Ewing Twp | NJG0364347 | 11/18/24 |
| THE VILLAS AT THE MONMOUTH | Wall Twp | NJG0364371 | 11/19/24 |
| SONG SFR | Warren Twp | NJG0364380 | 11/19/24 |
| PROPOSED DEMOLITION BORDEN PLACE | Long Branch City | NJG0364398 | 11/20/24 |
| LIEBERMAN – 1 LOT | Jackson Twp | NJG0364410 | 11/20/24 |
| LIVANA WEST | Livingston Twp | NJG0364428 | 11/20/24 |
| VETERANS RELOCATION – 6323.0001 | Toms River Twp | NJG0364436 | 11/20/24 |
| ACE CORRECTIVE MAINTENANCE DENNIS-TUCKAHOE SU | Dennis Twp | NJG0364444 | 11/20/24 |
| HOLLOWAY STORMWATER BASIN MAINTENANCE | Bordentown Twp | NJG0364452 | 11/20/24 |
| NEW HANOVER SCHOOL | Wrightstown Boro | NJG0364461 | 11/20/24 |
| MANDRAKE PROPERTIES SITE PLAN | Ocean Twp | NJG0364487 | 11/20/24 |
| AMIN RESIDENCE | Raritan Twp | NJG0364495 | 11/20/24 |
| PSE&G TRANS. INSULATOR REPLACE T-2246 CIRCUIT | Lumberton Twp | NJG0364509 | 11/20/24 |
| 13 SODOR RD | North Caldwell Boro | NJG0364525 | 11/20/24 |
| NJMP EXOTIC CAR GARAGES L&M | Millville City | NJG0364533 | 11/20/24 |
| BOCA RECOVERY CENTER | Galloway Twp | NJG0364541 | 11/20/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|---|-----------------------|----------------------|-------------------|
| PSE&G BERGEN COUNTY GSMP SUB 5 – 2024 | Closter Boro | NJG0364550 | 11/20/24 |
| KONTOS FOODS 2024 COLD STORAGE FACILITY | Paterson City | NJG0364568 | 11/20/24 |
| PERNA DWELLING BLOCK:6 LOT:20.03 HOLLAND TWP. | Holland Twp | NJG0364657 | 11/26/24 |
| FAIRFIELD LAND I, LLC; FAIRFIELD LAND II, LLC | Fairfield Twp | NJG0364681 | 11/27/24 |
| WEATHERSFIELD ESTATES | Hamilton Twp | NJG0364690 | 11/27/24 |
| ATLANTIC AVENUE ROAD IMPROVEMENTS | Longport Boro | NJG0364703 | 11/27/24 |
| D'OSO | Vineland City | NJG0364711 | 11/27/24 |
| PROPOSED WAREHOUSE | Delran Twp | NJG0364720 | 11/27/24 |
| FERNANDES SESC PLAN | Alexandria Twp | NJG0364738 | 11/27/24 |
| LITHIA NORTHEAST REAL ESTATE, LLC | Ringwood Boro | NJG0364746 | 11/27/24 |
| 21 LAGOON DRIVE W | Brick Twp | NJG0364754 | 11/27/24 |
| TUFTS LANE #5 | Mendham Twp | NJG0364771 | 11/27/24 |
| ST DEVELOPERS VILLAGE ON RIDGE GROUP 1 | West Milford Twp | NJG0364789 | 11/27/24 |
| 3 STORY MULTI FAMILY BUILDING | Scotch Plains Twp | NJG0364797 | 11/27/24 |
| ABLETT VILLAGE PHASE 1 URBAN RENEWAL, LLC | Camden City | NJG0364801 | 11/27/24 |
| 1471 NORTH GREEN STREET | Little Egg Harbor Twp | NJG0364819 | 11/27/24 |
| VIRTUA OUR LADY OF LOURDES PATIENT TOWER | Camden City | NJG0364843 | 11/27/24 |
| QUAKERTOWN SOLAR FARM II | Franklin Twp | NJG0364851 | 11/27/24 |
| RUSSO PASSAIC AVE URBAN RENEWAL TOWNHOMES | Kearny Town | NJG0364860 | 11/27/24 |
| LAKE TAPPAN VILLAGE, LLC | River Vale Twp | NJG0364878 | 11/27/24 |
| VEMAN RESIDENCE LOT RESTORATION | Mendham Boro | NJG0364886 | 11/27/24 |
| 2023 ROAD PROGRAM | Margate City | NJG0364908 | 11/27/24 |
| NOVARTIS CAMPUS-RETAINED PARCEL SITE | East Hanover Twp | NJG0364941 | 12/5/24 |
| RECONSTRUCTION OF CRESSE LANE | Lower Twp | NJG0364959 | 12/5/24 |
| 1300 JEFFERSON STREET | Hoboken City | NJG0364967 | 12/5/24 |
| SPRAY PARK | Hillside Twp | NJG0364975 | 12/6/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|---|---------------------|----------------------|-------------------|
| HIGH SCHOOL TURF FIELD | Saddle Brook Twp | NJG0364983 | 12/6/24 |
| PROPOSED HOTEL | Burlington Twp | NJG0364991 | 12/6/24 |
| PALMYRA HIGH SCHOOL RUNNING TRACK IMPROVEMENT | Palmyra Boro | NJG0365009 | 12/6/24 |
| DEPETRO PROJECT | Alexandria Twp | NJG0365025 | 12/6/24 |

| | | | |
|---|----------------------|------------|----------|
| REPLACEMENT OF BRIDGE – COMMISSIONERS RD | South Harrison Twp | NJG0365033 | 12/6/24 |
| MIXED USE RESIDENTIAL BUILDING | Paramus Boro | NJG0365041 | 12/6/24 |
| REBUILD BY DESIGN HUDSON RIVER PROJECT | Hoboken City | NJG0365050 | 12/6/24 |
| CROSSWICKS MEWS AT HAMILTON | Hamilton Twp | NJG0365068 | 12/6/24 |
| FIFA-BUILD TRANSITWAY | East Rutherford Boro | NJG0365076 | 12/6/24 |
| HOPEWELL WASTEWATER TREATMENT PLANT UPGRADE | Hopewell Twp | NJG0365084 | 12/6/24 |
| PLAYGROUND IMPROVEMENTS AT COOPER RIVER PARK | Pennsauken Twp | NJG0365092 | 12/6/24 |
| SPRINGFIELD AVENUE PARK IMPROVEMENTS | Berkeley Heights Twp | NJG0365106 | 12/6/24 |
| MOUNT PLEASANT AACTIVE ADULT HOUSING | Livingston Twp | NJG0365114 | 12/6/24 |
| PRUDENTIAL INVESTORS- 55 LIVINGSTON AVE. DEMO | Roseland Boro | NJG0365122 | 12/6/24 |
| SCARANO – ESTELL MANOR | Estell Manor City | NJG0365131 | 12/6/24 |
| LONG SLIP RAIL ENHANCEMENT | Jersey City | NJG0365149 | 12/6/24 |
| PATERSON VISTA STATE PARK | Paterson City | NJG0365157 | 12/6/24 |
| FORMER PAULSBORO MUNICIPAL GAS WORKS SITE | Paulsboro Boro | NJG0365203 | 12/11/24 |
| DIAMOND 4 SOFTBALL FIELD IMPROVEMENTS | Rutherford Boro | NJG0365211 | 12/11/24 |
| THIRD EYER FARMS LLC | Millville City | NJG0365220 | 12/11/24 |
| TURF FIELD REPLACEMENTS AT RANDOLPH HS 2 | Randolph Twp | NJG0365238 | 12/11/24 |
| BNOS DEVORAH DAYCARE | Lakewood Twp | NJG0365246 | 12/11/24 |
| 508 BURKE LLC | Jackson Twp | NJG0365254 | 12/11/24 |
| S0618-04 JJC WINSLOW | Winslow Twp | NJG0365262 | 12/11/24 |
| 9 IZAK CT. | Jackson Twp | NJG0365289 | 12/11/24 |
| OCC NEW ADMINISTRATION BUILDING | Toms River Twp | NJG0365301 | 12/11/24 |
| WEST DEY STREET SUBDIVISION | Englishtown Boro | NJG0365319 | 12/11/24 |

General Permit Authorizations Issued (NJPDES Permits)

1/2/25 DEP Bulletin

| <i>Facility Name</i> | <i>Municipality</i> | <i>NJPDES Number</i> | <i>Issue Date</i> |
|---|----------------------------|---------------------------------|--------------------------|
| NJDOT-RT 46 BRIDGE OVER PAULINS KILL-02205222 | Knowlton Twp | NJG0365327 | 12/13/24 |
| THE PINGRY SCHOOL WORLD CUP FIELD EXPANSION | Bernards Twp | NJG0365335 | 12/16/24 |
| THE FRANKLIN AT WOODBRIDGE | Woodbridge Twp | NJG0365343 | 12/16/24 |
| SEWER SEPARATION PHASE 1 DRAINAGE AREA 004A | Ridgefield Park Village | NJG0365351 | 12/16/24 |
| WINDSOR PLAZA PRIMROSE DAYCARE | West Windsor Twp | NJG0365360 | 12/16/24 |
| SITE RESTORATION AND SOIL STOCKPILE | Ramsey Boro | NJG0365386 | 12/20/24 |
| HORIZONS AT WALL | Wall Twp | NJG0365394 | 12/20/24 |
| WATERBURY WOODS | Winslow Twp | NJG0365408 | 12/20/24 |
| BEIS MEDRASH HOPE CHAPEL-SITE PLAN | Jackson Twp | NJG0365416 | 12/20/24 |
| 460 COIT STREET REDEVELOPMENT | Irvington Twp | NJG0365424 | 12/20/24 |
| CASA NOVA TODAY SITE PLAN | Jackson Twp | NJG0365432 | 12/20/24 |
| AMOROSO TREE SERVICE IMPROVEMENTS | Ringwood Boro | NJG0365441 | 12/20/24 |
| 176 WEST SIDE AVENUE | Jersey City | NJG0365459 | 12/20/24 |
| THIRD AND WATER PROJECT | Swedesboro Boro | NJG0365467 | 12/20/24 |
| FULLING MILL ROAD SUBDIVISION (BENTZ AVE) | Lower Twp | NJG0365475 | 12/20/24 |
| 235 WHITE ROAD MINOR SUBDIVISION | Jackson Twp | NJG0365491 | 12/20/24 |
| WEST NEW YORK NEW MIDDLE SCHOOL ESP | West New York Town | NJG0365513 | 12/20/24 |
| VOLUNTEERS MEMORIAL PARK | Florham Park Boro | NJG0365521 | 12/20/24 |

**ENVIRONMENTAL IMPACT STATEMENTS
NO UPDATES**

New Jersey Department of Environmental Protection
Permit Application Submitted to the Division of Land Resource Protection Changes in the
Status Submitted of the Period 12/11/2024 to 12/25/2024

Start of 30 day Public Comment Period

| County - Municipality | PI Number Activity Number | Project Location | Project Description | Applicant Name | Project Manager | Date Received |
|-----------------------------|----------------------------------|--------------------|---|---------------------------|------------------------------|---------------|
| Monmouth - Long Branch City | 1325-06-0001.1 - LUP - 220001 | JOLINE & OCEAN AVE | Proposed bicycle path, walking path, and intersection improvements at Seven Presidents Park in Long Branch. | MONMOUTH CNTY PARK SYSTEM | Becky Mazzei, Todd Stueber | 02/01/2023 |
| Monmouth - Union Beach Boro | 1350-14-0004.1 - LUP - 240001 | 525 FRONT ST | The proposed project aims to elevate and extend the existing timber amusement pier to match the height of the newly installed sand dune by the U.S. Army Corps of Engineers. This includes closing an opening within the pier's previously authorized footprint to maximize the usable area. The project also includes the construction of a dune walkover, and the installation of temporary seasonal structures on the beach. | MARGARITAVILLE INC | Chingwah Liang, Kara Turner | 08/28/2024 |
| Ocean - Island Heights Boro | 1510-10-0003.3 - LUP - 230001 | 171 LAKE AVENUE | Application to legalize existing single-family dwelling as it is being constructed and to include swimming pool, application for installation of boat lift and two jet ski lifts on previously authorized dock | CAMBIO JOHN AND EUN JIN | Andre Thompson, Bryan Carter | 03/21/2023 |

Atlantic - Atlantic City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|---------------------------|-----------------------------|
| 0102-24-0021.1 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | We are hereby requesting a CAFRA Individual Permit on the above referenced property located within the City of Atlantic City, Atlantic County. This project is proposed in areas that are regulated pursuant to the jurisdiction of the Coastal Zone Management Rules (N.J.A.C.7:7) and Flood Hazard Area Control Act Rules (N.J.A.C.7:13). The project is designed in compliance with the Redevelopment Plan adopted by the City of Atlantic City for this area of the city. | TERRACES AT ABSECON INLET | Kip LeWarn, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA IP- Residential Development-not SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/20/2024 | | |
| Application Administratively Complete | | 11/26/2024 | | |
| Technical Information Requested | | 12/20/2024 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|----------------------|-------------------|
| 0103-03-0037.2 - LUP - 240001 | 127 SHIPMASTER DRIVE | Reconstruction of 420-foot existing bulkhead two feet waterward and replacement of existing stormwater outfall pipe | 127 SHIPMASTER DRIVE | Natalie Gunderson |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/22/2024 | | |
| Application Administratively Complete | | 08/27/2024 | | |
| Approved | | 12/24/2024 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|-----------------------|-----------------|
| 0103-09-0073.2 - LUP - 230001 | 1303 EAST SHORE DRIVE | Legalization of existing docking structures and boat lifts at a duplex residence | 1303 EAST SHORE DRIVE | Jordan Gyuresak |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/08/2023 | | |
| Application Administratively Complete | | 08/29/2024 | | |
| Approved | | 12/24/2024 | | |

Atlantic - Brigantine City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-------------------------------------|
| 0103-09-0074.1 - LUP - 240001 | 1208 E SHR DR | Replacement of an existing residential structure | 1208 E SHORE DR | Albi Kovatcheva, Jordan Gyuresak |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/26/2024 | | |
| Application Administratively Complete | | 09/24/2024 | | |
| Approved | | 12/18/2024 | | |

Atlantic - Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------|-----------------|
| 0108-04-0036.3 - FWW - 220001 | WESTCOAT RD | the applicant wishes to know the limits of areas regulated in accordance | GARDEN ORGANICS LLC | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/31/2022 | | |
| Application Administratively Complete | | 08/31/2022 | | |
| Cancelled | | 12/18/2024 | | |

Atlantic - Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------|-----------------|
| 0108-06-0018.1 - FWW - 240001 | NATHAN LN | Wetland line verification for future subdivision. | NATHAN LN | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/23/2024 | | |
| Application Administratively Complete | | 12/23/2024 | | |

Atlantic - Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------|---------------------------|
| 0108-09-0019.1 - LUP - 240001 | 101 LONGPORT BLVD | Waterfront Development Permit Application - Replacement and Alteration of Marina Docking Facility, Proposed Maintenance Dredging | GRAEF BOAT YARD INC | Serena Lutz, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/15/2024 | | |
| Application Administratively Complete | | 11/18/2024 | | |
| Technical Information Requested | | 12/16/2024 | | |

Atlantic - Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|----------------------|---|---------------------|-----------------|
| 0108-23-0001.1 - LUP - 240001 | 197 BETSY SCULL ROAD | Construction of 3 single family dwellings | COASTAL CONCEPT LLC | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2024 | | |
| Application Administratively Complete | | 09/27/2024 | | |
| Approved | | 12/19/2024 | | |

Atlantic - Margate City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|-------------------------|
| 0116-09-0025.1 - LUP - 240001 | 7401 BAYSHORE DR | CONSTRUCTION OF A NEW REPLACEMENT SINGLE FAMILY DWELLING, POOL, GARAGE, DECKS, ON SITE PARKING, DRIVEWAY AND LANDSCAPING. A NEW BULKHEAD IS TO BE CONSTRUCTED AT THE MEAN HIGH WATER LINE. | 7401 BAYSHORE DR | Kip LeWam, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Atlantic - Somers Point City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|--------------------------|----------------------------|
| 0121-01-1002.2 - LUP - 230002 | 65 DOCKSIDE DRIVE | CSW - Proposed Renovation/Reconstruction of Existing Marina | ACTION WATERSPORTS, LLC. | Becky Mazzei, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-(not SFH/Duplex) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/01/2023 | | |
| Application Administratively Complete | | 09/02/2023 | | |
| Technical Information Requested | | 09/28/2023 | | |
| Withdrawn | | 12/20/2024 | | |

Atlantic - Somers Point City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|--|--|--------------------------------|
| 0121-24-0008.1 - LUP - 240001 | 331 NEW ROAD (ROUTE 9) | REDEVELOPMENT OF THE PROJECT SITE, INCLUDING DEMOLITION OF THE EXISTING GARDEN CENTER AND CONSTRUCTION OF TWO RESTAURANTS (PANERA BREAD AND CHICK-FIL-A), A MIXED-USE BUILDING (BANK AND RETAIL), AND A OFFICE BUILDING; WITH ASSOCIATED PARKING AREAS, DRIVE AISLES, DRIVEWAYS, STORMWATER MANAGEMENT FEATURES, AND LANDSCAPING AND LIGHTING IMPROVEMENTS. THE PROJECT SITE IS LOCATED IN THE CAFRA ZONE IN THE COASTAL METROPOLITAN PLANNING AREA. | FREE-MAN OF SOMERS POINT LLC - DEFEO PLAZA | Kathleen Preston, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/05/2024 | | |
| Application Administratively Complete | | 12/06/2024 | | |

Bergen - Fair Lawn Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---|---|------------------|
| 0217-23-0001.1 - FWW - 230001 | 30-02 FAIR LAWN AVENUE | Letter of interpretation line verification to verify wetlands boundaries and wetlands resource value. | JEWISH COMMUNITY CENTER @ FAIR LAWN AVE | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/24/2023 | | |
| Application Administratively Complete | | 04/24/2023 | | |
| Issued | | 12/19/2024 | | |

Bergen - Garfield City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|---------------|---------------------------|
| 0221-24-0001.1 - LUP - 240001 | 1 MIDLAND AVENUE | The applicant is proposing a 1-story drive- through car wash with associated site improvements including paved parking, trash and vacuum enclosures, as well as landscaping. | KWIKI CARWASH | Cindy Rivera, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/29/2024 | | |
| Application Administratively Complete | | 09/03/2024 | | |
| Technical Information Requested | | 09/30/2024 | | |
| Technical Deficiency Information Received | | 11/27/2024 | | |
| Technical Information Requested | | 12/11/2024 | | |

Bergen - Glen Rock Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|---------------------------------------|----------------------------------|
| 0222-18-0001.1 - LUP - 240001 | 120 RUTLAND RD | Proposed addition to a single family dwelling within a flood hazard area. | CARPENTIERI ADAM & WOOD KATHRYN | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/10/2024 | | |
| Application Administratively Complete | | 07/10/2024 | | |
| Technical Information Requested | | 07/25/2024 | | |
| Technical Deficiency Information Received | | 09/06/2024 | | |
| Technical Information Requested | | 09/18/2024 | | |
| Withdrawn | | 12/12/2024 | | |

Bergen - Glen Rock Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------------------------|----------------------------------|
| 0222-18-0001.1 - LUP - 240002 | 120 RUTLAND RD | Proposed addition to a single family dwelling within a flood hazard area | CARPENTIERI ADAM & WOOD KATHRYN | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Bergen - Ho-Ho-Kus Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|-------------------------------------|------------------|
| 0228-19-0003.1 - FWW - 240001 | 1 FOX RUN | Single-family house. | SLX CAPITAL MGMT LTD @FOX RUN | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/26/2024 | | |
| Application Administratively Complete | | 04/26/2024 | | |
| Issued | | 12/17/2024 | | |

Bergen - Leonia Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|------------------|
| 0229-23-0001.1 - FWW - 230001 | 266 GRAND AVENUE | Proposed development of an apartment building containing 107 units along with appurtenant site improvement. | 266 GRAND AVE | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI3 Less Than 1 Acre Delineation LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/10/2023 | | |
| Application Administratively Complete | | 01/10/2023 | | |
| Issued | | 12/17/2024 | | |

Bergen - Little Ferry Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|----------------|-------------------------------|
| 0230-24-0001.1 - LUP - 240001 | 71 FRANKLIN ST | Construct 2-family duplex | 71 FRANKLIN ST | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/29/2024 | | |
| Application Administratively Complete | | 08/30/2024 | | |
| Technical Information Requested | | 09/27/2024 | | |
| Technical Deficiency Information Received | | 10/07/2024 | | |
| Technical Information Requested | | 10/17/2024 | | |
| Technical Deficiency Information Received | | 10/21/2024 | | |
| Technical Information Requested | | 10/31/2024 | | |
| Technical Deficiency Information Received | | 12/08/2024 | | |
| Amended Application Received | | 12/18/2024 | | |

Bergen - Mahwah Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|------------|-------------------------------|
| 0233-05-0019.1 - LUP - 240001 | WASHINGTON LN | Improvements to an existing well (#18), which was established in 2006, to be in compliance with the Federal water quality expectations. The proposed treatment system is located in an actively disturbed gravel area where the existing wall is located. The proposed improvements include a well house, a pump, an ion exchange system for the removal of PFOA and PFOS, a chlorination system, zinc orthophosphate treatment, an emergency generator and the installation of a SCADA system. | MAHWAH TWP | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/17/2024 | | |
| Application Administratively Complete | | 08/22/2024 | | |
| Technical Information Requested | | 09/18/2024 | | |
| Technical Deficiency Information Received | | 12/05/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Bergen - Mahwah Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------------------|---|--|-------------------------------|
| 0233-24-0004.1 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | THIS APPLICATION IS FOR A FLOOD HAZARD AREA INDIVIDUAL PERMIT AND A STATE OPEN WATER INDIVIDUAL PERMIT FOR THE REPLACEMENT OF THE FARDALE AVENUE CULVERT. | MAHWAH TWP FARDALE AVENUE CULVERT REPLACEMENT | Ashleigh Windawi, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/24/2024 | | |
| Application Administratively Complete | | 09/26/2024 | | |
| Amended Application Received | | 10/23/2024 | | |
| Technical Information Requested | | 10/23/2024 | | |
| Technical Deficiency Information Received | | 12/04/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Bergen - Mahwah Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------|------------------|
| 0233-24-0005.1 - APD - 240001 | 42 STAG HILL RD | Remove an existing single family dwelling and construct a one-story 6 bedroom group home with associated improvements. | NOUVELLE LLC | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/05/2024 | | |
| Application Administratively Complete | | 12/09/2024 | | |

Bergen - Norwood Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------|------------------|
| 0241-22-0001.1 - FWW - 220001 | 797 BROADWAY | The applicant is requesting verification of the limit of wetlands and wetlands transition areas. | WEISSMAN DAVID | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL13 Less Than 1 Acre Delineation LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/19/2022 | | |
| Application Administratively Complete | | 12/19/2022 | | |
| Issued | | 12/18/2024 | | |

Bergen - Norwood Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|---------------------|---------------------------|
| 0241-24-0003.1 - LUP - 240001 | 61 MILLBROOK CIRCLE | The project site is located along the southerly side of Millbrook Circle in the Borough of Norwood, Bergen County, New Jersey. The site is known as Lot 18, Block 1; the address is 61 Millbrook Circle, Norwood NJ. Present on the property is a single family dwelling, driveway, shed, patio and walks. The applicant proposes to add to existing single family dwelling and stabilize eroded streambanks. | 61 MILLBROOK CIRCLE | Andrew Mazza, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Bergen - Ridgewood Village

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|----------------------------|---|--|-----------------------------------|
| 0251-24-0005.1 - LUP - 240001 | 434 EAST SADDLE RIVER ROAD | Work will include the construction of a 50'x31' water treatment facility on the Project Site and will displace approximately 153 cubic yards of fill within the regulated flood fringe of the Saddle River. Installation of the raw water main and the treated water main within the paved road ROWs of East Saddle River Road, East Glen Avenue, Van Emburgh Avenue, and Salem Lane qualify for PBR No. 39 for placement of an underground utility line that does not cross a regulated water. | RIDGEWOOD WATER EASTSIDE RESERVOIR TREATMENT | Ashleigh Windawi, Audra Didzbalis |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/21/2024 | | |
| Application Administratively Complete | | 10/22/2024 | | |
| Technical Information Requested | | 11/15/2024 | | |
| Technical Deficiency Information Received | | 12/13/2024 | | |

Bergen - River Vale Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------------|-----------------|
| 0253-24-0001.1 - FHC - 240001 | 283 CEDAR LANE | FHGPC5 Bldg Reconstruction, Relocation, Expansion/Elevation | 283 CEDAR LANE- RIVER VALE | |
| Permit Category | | Permit/Authorization Type | | |
| FHA Permit by Certification | | FHGPC5 Bldg Reconstruction, Relocation, Expansion/Elevation | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |
| Approved | | 12/16/2024 | | |

Bergen - Teterboro Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|----------------------------|----------------------------|------------------|
| 0262-24-0002.1 - FWW - 240001 | 90 HOLLISTER ROAD | Building expansion. | CR REAL ESTATE COMPANY INC | Ashleigh Windawi |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL11 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/20/2024 | | |

Bergen - Wallington Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------------------------|-------------------------------|
| 0265-12-0001.1 - LUP - 240001 | 25 PULASKI AVE | To demolish the existing dwelling and construct a 2-family dwelling on the referenced site. | ZIELONKA REAL ESTATE HOLDINGS LLC | Audra Didzbalis, Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/25/2024 | | |
| Application Administratively Complete | | 11/26/2024 | | |
| Technical Information Requested | | 12/24/2024 | | |

Bergen - Woodcliff Lake Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|---------------------------------|--------------------------------------|
| 0268-24-0002.1 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | The regulated activities for this project include the construction of the proposed retaining wall and ancillary site improvements described herein. | WOODCLIFF LAKE BORO@CENTRAL AVE | Ashleigh Windawi, Christopher Martin |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/27/2024 | | |
| Application Administratively Complete | | 12/19/2024 | | |

Burlington - Burlington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|-------------------------|---------------------------------|
| 0306-05-0001.1 - LUP - 240001 | 1804 RIVER RD | The proposed development includes the construction of a 291,600 SF warehouse with 187 parking spaces, 55 trailer parking spaces, 41 loading spaces, and 7 tractor spaces. Additional site improvements include paved driveways, parking areas, landscaping, lighting, stormwater management facilities, and other associated improvements. | BUSTLETON INVESTORS LLC | Becky Mazzei, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/12/2024 | | |
| Application Administratively Complete | | 01/17/2024 | | |
| Amended Application Received | | 02/05/2024 | | |
| Technical Information Requested | | 02/13/2024 | | |
| Technical Deficiency Information Received | | 03/13/2024 | | |
| Technical Information Requested | | 03/27/2024 | | |
| Technical Deficiency Information Received | | 08/16/2024 | | |
| Approved | | 12/12/2024 | | |

Burlington - Lumberton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-------------------------------------|
| 0317-24-0004.1 - LUP - 240001 | 549 MAIN STREET | We are hereby requesting a Flood Hazard Area Verification and General Permit 5 for the reconstruction and elevation of a previously existing residential dwelling at the above referenced property. These improvements are proposed in areas that are regulated pursuant to the Flood Hazard Area Control Act Rules (N.J.A.C. 7:13). | 549 MAIN STREET | Ashleigh Windawi, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP5 Reconstructr/Elevate Building in Floodway | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2024 | | |
| Application Administratively Complete | | 09/13/2024 | | |
| Approved | | 12/11/2024 | | |

Burlington - Lumberton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------|----------------------------------|
| 0317-24-0005.1 - LUP - 240001 | 48 BRIDGE ROAD | We are hereby requesting a Flood Hazard Area Verification and Individual Permit for the reconstruction and elevation of a previously existing residential dwelling at the above referenced property. These improvements are proposed in areas that are regulated pursuant to the Flood Hazard Area Control Act Rules (N.J.A.C. 7:13) | 48 BRIDGE ROAD | Dominick Cardella, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2024 | | |
| Application Administratively Complete | | 09/19/2024 | | |
| Approved | | 12/17/2024 | | |

Burlington - Lumberton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------------------|----------------------------------|
| 0317-24-0006.1 - LUP - 240001 | NASSAU ROAD | rehabilitation and upgrade of existing wastewater pumping station | HOLLYBROOK PUMPING STATION UPGRADE | Dominick Cardella, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/10/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Burlington - Mansfield Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|-----------------|
| 0318-24-0001.1 - FWW - 240001 | 3301 RT 206 | Freshwater wetlands letter of interpretation line verification. | WPTCA ACQ LLC | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/09/2024 | | |
| Application Administratively Complete | | 05/09/2024 | | |
| Issued | | 12/23/2024 | | |

Burlington - Mount Laurel Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|--|----------------------------------|
| 0324-22-0010.2 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | REPLACEMENT OF EXISTING WOODEN BRIDGE IN DISPREPAIR WITH A NEW BRIDGE NJDEP PERMIT AND RESTORATION PLAN INDICATES THAT SOME OF THE WORK PROPOSED IS TRANSITION AREA REDEVELOPMENT PER THE CHANGE IN GRAVEL TO ASPHALT ON PART OF THE APPROACH ROAD THE APPLICATION DOES NOT REQUIRE OR REQUEST A REDEVELOPMENT WAIVER - ALL IMPACTS ARE ADDRESSED UNDER THE GP10A. THE REDEVELOPMENT LABEL IS TO SHOW THAT A SECTION OF EXISTING GRAVEL ACCESS ROAD IS BEING REUSED WITHIN IT AS ORIGINAL FOOTPRINT AND IS NOT A NEW | OH ROW BRIDGE BIN0040 BURLINGTON-COXS CORNER | Dominick Cardella, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/19/2024 | | |
| Application Administratively Complete | | 08/19/2024 | | |
| Approved | | 12/16/2024 | | |

Burlington - Mount Laurel Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|--|----------------------------------|
| 0324-22-0010.2 - LUP - 240002 | STREET ADDRESS NOT IDENTIFIED | REPLACEMENT OF EXISTING WOODEN BRIDGE IN DISPREPAIR WITH A NEW BRIDGE NJDEP PERMIT AND RESTORATION PLAN INDICATES THAT SOME OF THE WORK PROPOSED IS TRANSITION AREA REDEVELOPMENT PER THE CHANGE IN GRAVEL TO ASPHALT ON PART OF THE APPROACH ROAD THE APPLICATION DOES NOT REQUIRE OR REQUEST A REDEVELOPMENT WAIVER - ALL IMPACTS ARE ADDRESSED UNDER THE GP10A. THE REDEVELOPMENT LABEL IS TO SHOW THAT A SECTION OF EXISTING GRAVEL ACCESS ROAD IS BEING REUSED WITHIN IT AS ORIGINAL FOOTPRINT AND IS NOT A NEW | OH ROW BRIDGE BIN0040 BURLINGTON-COXS CORNER | Dominick Cardella, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/19/2024 | | |
| Application Administratively Complete | | 08/19/2024 | | |
| Withdrawn | | 12/16/2024 | | |

Burlington - Southampton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------|-----------------|
| 0333-20-0001.1 - FWW - 240001 | 431 NORTH MAIN ST | Wetlands LOI line verification application to determine wetlands line, resource value, and associated transition area. | 431 N. MAIN ST | Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Camden - Camden City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------|-------------------------------|
| 0408-11-0001.2 - LUP - 240001 | LOCUST ST | The project involves the construction of a new electrical Breaker Station on Block 237, Lot 55 (900 Locust Street) which includes a 26 x 42 control house, gravel surfacing, macadem/paved access driveways, small-scale bioretention basin, 2- lightning masts, 1- H-Frame, 4- 69kV transmission poles, associated electrical equipment and an 8-8 high security fence around the site perimeter to replace the existing fence. Minor equipment changes are proposed at the existing Locust Street Substation on B | PSE&G | Chris Squazzo, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/06/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Camden - Camden City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|--|----------------------------------|-------------------------------|
| 0408-18-0009.2 - LUP - 240001 | 332 MARTIN LUTHER KING BLVD | A Flood hazard area verification is being requested in support of a proposed development to determine the location and extent of flood hazard areas present on the site. | WALT WHITMAN HOUSE VISTOR CENTER | Chris Squazzo, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/16/2024 | | |
| Application Administratively Complete | | 09/16/2024 | | |
| Amended Application Received | | 12/11/2024 | | |

Camden - Camden City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|--------------------------------------|-----------------|
| 0408-24-0006.1 - LUP - 240001 | 645 CARL MILLER BLVD | The project proposes improvements within the flood hazard area or Delaware River | CAMDEN CNTY - ROBERT B. JOHNSON PARK | Chris Squazzo |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Camden - Cherry Hill Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|----------------------|----------------------------------|
| 0409-24-0005.1 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | The applicant is applying for the appropriate land approvals to authorize regulated disturbances in freshwater wetlands transition areas, flood hazard area/floodway, and riparian zone for a proposed approximate 0.25-mile pedestrian improvement project, and bank stabilization measures for protection of the existing road and proposed sidewalk. | CHERRY HILL TOWNSHIP | Chris Squazzo, Dominick Cardella |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/18/2024 | | |
| Application Administratively Complete | | 12/20/2024 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|-------------|-----------------|
| 0501-04-0053.2 - LUP - 240001 | 1628 1658 OCEAN DR | Waterfront Development Permit Application - Reconstruction of Existing Bulkhead (In-place), Authorization of Existing Docking Facility | RUNZER JOHN | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------------|---------------------------------|
| 0501-05-0021.1 - LUP - 240001 | 501 42ND ST | Waterfront Development Permit Application - Authorization of Existing Bulkhead In-Place, Proposed Docking Facility - Coastal General Permit No. 5 Application - Authorization of Existing Single-Family Dwelling and Accessory Structures | JPM AVALON PROPERTIES LP | Albi Kovatcheva, Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/18/2024 | | |
| Application Administratively Complete | | 09/18/2024 | | |
| Amended Application Received | | 09/19/2024 | | |
| Approved | | 12/11/2024 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------|------------------|
| 0501-07-0035.1 - LUP - 240001 | 69 PELICAN DR | Waterfront Development Permit Application - Reduction and Authorization of Existing Docking Facility, Proposed Maintenance Dredging | THE 69 PELICAN DR TRUST | Stephen Mitchell |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2024 | | |
| Application Administratively Complete | | 09/25/2024 | | |
| Approved | | 12/23/2024 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|------------|-----------------|
| 0501-24-0009.1 - LUP - 240003 | 4585 FOURTH AVENUE | Legalize existing docking facilities for personal pleasure craft by legalizing the boat lift & 6.1 feet float. Reduce the 12 feet float to 8 feet and then legalize that float. | SERWO JOHN | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/04/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Cape May - Avalon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|---|-------------------------------|
| 0501-24-0020.1 - LUP - 240001 | 4640 OCEAN DRIVE | A Coastal General Permit No. 5 and Freshwater Wetlands Transition Area Waiver is requested for the reconstruction of the single family dwelling and accessory development, including the proposed pool, spa, and cabana. Additionally, a waterfront development permit and freshwater wetlands general permits no. 19 & 20 are required for the reconstruction of the bulkhead in- place and the proposed docking facility. | WINFIELD DEVELOPMENT-46 40 OCEAN DRIVE | Alison Astalos, Scott Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Freshwater Wetlands General Permit | | FWW GP19 Docks/Piers | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Cape May - Cape May City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--|--------------------------------|
| 0502-06-0006.5 - LUP - 240001 | 714 BOARDWALK | CAFRA Individual Permit Application | CAPE MAY CITY MAHANEY EDWARD DR MAYOR | Alison Astalos, Cecelia Avalos |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/09/2024 | | |
| Application Administratively Complete | | 08/09/2024 | | |
| Complete for Final Review | | 11/14/2024 | | |

Cape May - Cape May City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|---|-----------------|
| 0502-24-0001.2 - FWW - 240001 | 601 PITTSBURGH AVE | The applicant is requesting a letter of interpretation line verification on the above reference site. | EAST CAPE MAY ASSOCIATES@ PITTSBURH AVE | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Cape May - Cape May City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|--|-----------------|
| 0502-24-0001.3 - FWW - 240001 | 609 PITTSBURGH AVE | The applicant is requesting a letter of interpretation line verification on the above reference site. | EAST CAPE MAY ASSOC@ PITTSBURG AVE | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|--|-------------------|-----------------|
| 0505-01-1002.1 - CZM - 240001 | 9901 SEAPOINTE BOULEVARD | The applicant is requesting an extension of the previously issued Coastal General Permit 2 to perform routine beach and dune maintenance activities and a Coastal General Permit 22 for the construction of structures related to the tourism industry, including existing seasonal storage shed and lockers, food concession stands, and deck, picnic table, wooden walkway/decks and recreational facilities including fire pit, volleyball and tether ball. | SEAPOINTE VILLAGE | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/01/2024 | | |
| Application Administratively Complete | | 02/01/2024 | | |
| Approved | | 07/16/2024 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|--|-------------------|-----------------|
| 0505-01-1002.1 - CZM - 240002 | 9901 SEAPOINTE BOULEVARD | The applicant is requesting an extension of the previously issued Coastal General Permit 2 to perform routine beach and dune maintenance activities and a Coastal General Permit 22 for the construction of structures related to the tourism industry, including existing seasonal storage shed and lockers, food concession stands, and deck, picnic table, wooden walkway/decks and recreational facilities including fire pit, volleyball and tether ball. | SEAPOINTE VILLAGE | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/01/2024 | | |
| Application Administratively Complete | | 02/01/2024 | | |
| Approved | | 07/16/2024 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------------------|---------------------------------|
| 0505-03-0004.4 - LUP - 240001 | 9701 ATLANTIC AVE | Proposed beach amenities associated with the Hotel Icona | ACHRISTAVEST PIER 6600 LLC | Albi Kovatcheva, Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP22 Tourism Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/06/2024 | | |
| Application Administratively Complete | | 08/22/2024 | | |
| Withdrawn | | 12/17/2024 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------------------------|-----------------|
| 0505-05-0009.2 - CZM - 240002 | 9601 ATLANTIC AVE | The applicant is requesting an extension of the previously issued Coastal General Permit 2 to perform routine beach and dune maintenance activities and a coastal general permit 22 for the construction of structures related to the tourism industry as previously approved. | THE GRAND @ DIAMOND BEACH CONDO ASSOC | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/26/2024 | | |
| Application Administratively Complete | | 11/27/2024 | | |
| Approved | | 12/17/2024 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------------------------|-----------------|
| 0505-05-0009.2 - CZM - 240003 | 9601 ATLANTIC AVE | The applicant is requesting an extension of the previously issued Coastal General Permit 2 to perform routine beach and dune maintenance activities and a coastal general permit 22 for the construction of structures related to the tourism industry as previously approved. | THE GRAND @ DIAMOND BEACH CONDO ASSOC | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | CZMGP Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/26/2024 | | |
| Application Administratively Complete | | 11/27/2024 | | |
| Approved | | 12/17/2024 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------------|------------------------------|
| 0505-06-0017.1 - LUP - 240001 | 1286 WILSON DR | The project consists of the construction of new dock structures at the subject property. | 1288 WILSON DR CONDO ASSOC | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|--|------------------------|-----------------|
| 0505-17-0008.2 - LUP - 240001 | 1014 WEST RIO GRANDE AVENUE | The project involves the in-line and landward reconstruction of a failed timber bulkhead with a new vinyl bulkhead, reconstruction of existing dock, and the construction of a new fixed pier. | 1014 W. RIO GRANDE AVE | Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/30/2024 | | |
| Application Administratively Complete | | 08/30/2024 | | |
| Withdrawn | | 12/18/2024 | | |

Cape May - Lower Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|------------------------------|
| 0505-24-0012.1 - LUP - 240001 | 1068 SEASHORE RD | South Jersey Gas is proposing to install a new 2 plastic gas pipeline along Church St in Lower Township to provide gas service to new residential customers along that proposed road. | SJG CHURCH ST | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/22/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|----------------------|-----------------|
| 0506-02-0029.17 - LUP - 240001 | 5 LANGFORD BLVD | The applicant, Michael Hollenbach, is seeking the reissuance of a Freshwater Wetlands Transition Area Waiver (TAW)-Averaging Plan (N.J.A.C. 7:7A-8.2) from the NJ Department of Environmental Protection (NJDEP) to reauthorize the previously verified residential developable footprint (NJDEP File No.: 0506-02-0029.1 FWW 020001 & FWW020003) to construct a single- family home with associated structures within portions of an intermediate resource value wetland 50-foot transition area. | 5 LANGFORD BOULEVARD | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/04/2024 | | |
| Application Administratively Complete | | 12/04/2024 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------------|-----------------|
| 0506-04-0030.1 - LUP - 240001 | 9 FIRST DR | The project consists of the reconstruction of the existing timber bulkhead a maximum 30 inches waterward with a new vinyl bulkhead | VENZIE HOWARD D & PAMELA A | Alison Astalos |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2024 | | |
| Application Administratively Complete | | 09/23/2024 | | |
| Approved | | 12/18/2024 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------|------------------------------|
| 0506-09-0009.2 - LUP - 240001 | 48 CHANNEL RD | A coastal General Permit No. 5 is requested for the proposed expansion of the single-family dwelling. | KW CAPITAL HOLDINGS LLC | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/10/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|------------------------------|
| 0506-11-0021.1 - LUP - 240001 | 101 DELAWARE AVE | Authorization of Existing Bulkhead, Single-Family Dwelling, and Associated Upland Improvements | 101 DELAWARE AVE | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit- SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/02/2024 | | |
| Application Administratively Complete | | 08/02/2024 | | |
| Complete for Final Review | | 12/05/2024 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|-------------------|---------------------------------|
| 0506-16-0003.1 - LUP - 240001 | 709 STONE HARBOR BLVD | The project consists of the construction of a new-single family dwelling and associated site improvements | KRISTIRE KIMBERLY | Albi Kovatcheva, Alison Aсталos |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-SFH/Duplex | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/28/2024 | | |
| Application Administratively Complete | | 08/28/2024 | | |
| Amended Application Received | | 11/15/2024 | | |
| Approved | | 12/24/2024 | | |

Cape May - Middle Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|-----------------|-----------------|
| 0506-24-0007.1 - LLI - 240001 | 580 GOSHEN ROAD | FWLI4 - Verification over an acre | 580 GOSHEN ROAD | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/22/2024 | | |
| Application Administratively Complete | | 05/22/2024 | | |
| Issued | | 12/19/2024 | | |

Cape May - North Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-----------------------------|----------------------------|
| 0500-07-0006.9 - LUP - 240001 | VARIOUS LOCATIONS | This submission is for CAFRA and WFD Individual Permits to authorize the outshore replacement of existing, currently serviceable, approved, bulkhead along the waterfront of Surfside Pier located in the Cities of Wildwood and North Wildwood, Cape May County, New Jersey. The application proposes the construction of a 560 LF bulkhead with 2 bulkhead return extensions on the north and south sides of the amusement pier, being 222 LF and 230 LF, respectively. | THE MOREY ORGANIZATION, INC | Kip LeWam, Sherwood Lennon |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Cape May - North Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-------------------------|---------------------------|
| 0507-24-0003.1 - LUP - 240001 | 229 E. 1ST AVENUE | The construction of a single family dwelling with accessory structures and a proposed pool & cabana. | KLEIN 229 E. 1ST AVENUE | Cecelia Avalos, Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/18/2024 | | |
| Application Administratively Complete | | 10/24/2024 | | |
| Amended Application Received | | 11/26/2024 | | |
| Amended Application Received | | 12/16/2024 | | |

Cape May - North Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|-----------------------|-------------------------------|
| 0507-24-0004.1 - LUP - 240002 | 231 EAST FIRST AVENE | Proposed Single-family dwelling | 231 EAST FIRST AVENUE | Cecelia Avalos, Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Cape May - Ocean City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|--|--------------------------|-----------------------------|
| 0508-04-0018.2 - LUP - 240002 | 3704 3706 WATERVIEW BLVD | CAFRA GP5 FOR RECONSTRUCTION OF SINGLE FAMILY DWELLING IN OCEAN CITY, CAPE MAY COUNTY. | 3704 3706 WATERVIEW BLVD | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Cape May - Ocean City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|-----------------|
| 0508-09-0079.2 - LUP - 240001 | 107 ANCHOR ROAD | Waterfront Development Permit Application - Proposed Bulkhead Reconstruction (28" Outshore of Former), Proposed Reduction and Modification of Existing Docking Facility | 107 ANCHOR RD | Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/22/2024 | | |
| Application Administratively Complete | | 08/22/2024 | | |
| Approved | | 12/13/2024 | | |

Cape May - Ocean City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------|-----------------|
| 0508-09-0094.1 - LUP - 240001 | 273 BAY SHORE DR | The project consists of the authorization of the waterfront structures at the subject property. | 273 BAY SHORE DR | Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/20/2024 | | |
| Application Administratively Complete | | 08/20/2024 | | |
| Approved | | 12/16/2024 | | |

Cape May - Ocean City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------------|--|------------|-----------------|
| 0508-10-0032.1 - WFD - 240001 | BAYBACK & SPECIFIC LAGOON CANALS | modification to add Surrans as an AUD for beneficial reuse | OCEAN CITY | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/31/2024 | | |
| Application Administratively Complete | | 10/31/2024 | | |
| Approved | | 12/19/2024 | | |

Cape May - Ocean City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------|--------------------------------|
| 0508-24-0016.1 - LUP - 240001 | 3212 WESLEY AVE | An application for a coastal general permit no.5 for the proposed reconstruction of a duplex dwelling & accessory structures and proposed pool. | 3212 WESLEY AVE | Albi Kovatcheva, Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/24/2024 | | |
| Application Administratively Complete | | 09/24/2024 | | |
| Approved | | 12/16/2024 | | |

Cape May - Sea Isle City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|------------------------------------|-----------------------------|
| 0509-10-0011.2 - LUP - 240001 | 7702 ROBERTS STREET | A waterfront development permit is required for the reconstruction of the bulkhead in-place. A coastal general permit no. 4 is also requested for the construction of the proposed single family dwelling with proposed pool (7702 Roberts Street) and the proposed addition to the existing dwelling (7714 Roberts Street). | EDWARDI 7702 & 7714 ROBERTS STREET | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Cape May - Sea Isle City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------|--------------------------------|
| 0509-13-0009.1 - LUP - 240001 | 900 LANDIS AVE | A coastal general permit no.4 is requested for the construction of a duplex dwelling with associated structures and a proposed septic bed. | INTEL ASSOCIATES LLC | Albi Kovatcheva, Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2024 | | |
| Application Administratively Complete | | 10/03/2024 | | |
| Approved | | 12/23/2024 | | |

Cape May - Sea Isle City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|----------------------|--------------------------------|
| 0509-13-0010.1 - LUP - 240001 | 1102-1104 LANDIS AVE | An application for a coastal general permit no. 4 for the proposed development of a duplex dwelling with associated structures and a proposed septic bed. | INLET ASSOCIATES LLC | Albi Kovatcheva, Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2024 | | |
| Application Administratively Complete | | 10/03/2024 | | |
| Approved | | 12/23/2024 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---|-----------------------------|
| 0510-07-0012.2 - CZM - 240001 | 2 & 498TH STREET | The project consists of the minor modification of the approval NJDEP permit to include the construction of a new open air roofed timber deck that is not attached to the single-family dwelling. | JAKE JAINDL/ NEW SINGLE-FAMILY DWELLING | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | Permit Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/02/2024 | | |
| Application Administratively Complete | | 10/02/2024 | | |
| Approved | | 12/16/2024 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------------|-----------------------------|
| 0510-09-0021.1 - LUP - 240001 | 8415 THIRD AVE | Construct a new single family dwelling, pool and retaining walls. Reconstruct existing bulkhead a maximum of 24" outshore of existing. | CONNOLLY FAMILY PARTNERSHIP | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP10 Reconstruction of Existing Bulkhead | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------|------------------------------|
| 0510-22-0004.2 - LUP - 240002 | 8527 3RD AVENUE | The project consists of the waterward replacement of the legally existing functioning timber bulkhead with a new vinyl bulkhead in-line with the adjacent bulkheads. | GEBERT | Alison Astalos, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZMGP14 Bulkhead/Fill SFH/Duplex-Natural Waterbody | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/08/2024 | | |
| Application Administratively Complete | | 07/08/2024 | | |
| Withdrawn | | 09/05/2024 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|----------------------|---|----------------------|-------------------------------------|
| 0510-23-0011.1 - LUP - 230001 | 11841 PARADISE DRIVE | The proposed project involves a second-floor addition to the existing single-family dwelling, expansion of the existing 1st floor screened porch, and associated site improvements. | 11841 PARADISE DRIVE | Dominick Cardella, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/20/2023 | | |
| Application Administratively Complete | | 11/21/2023 | | |
| Technical Deficiency Information Received | | 01/12/2024 | | |
| Technical Information Requested | | 01/26/2024 | | |
| Technical Deficiency Information Received | | 08/16/2024 | | |
| Approved | | 11/26/2024 | | |
| Technical Information Requested | | 12/19/2024 | | |

Cape May - Stone Harbor Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---|------------------------|-----------------------------|
| 0510-23-0012.1 - LUP - 240001 | 10617 GOLDEN GATE ROAD | Coastal General Permit No. 5 Application - Reconstruction of Existing Single-Family Dwelling & Associated Structures, Proposed Pool | 10617 GOLDEN GATE ROAD | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/09/2024 | | |
| Application Administratively Complete | | 12/09/2024 | | |

Cape May - Upper Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|-----------------------------|
| 0511-07-0006.2 - LUP - 240001 | 13 NJ ROUTE 50 | This project is proposing a commercial development within a CAFRA Center. | TSC SEAVILLE | Katelyn Spina, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/21/2024 | | |
| Application Administratively Complete | | 12/12/2024 | | |

Cape May - Upper Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---------------------------|------------------|-----------------|
| 0511-10-0011.1 - LGP - 240001 | 308 SOUTH BAYVIEW DR | GP10 - Bulkheads | WEILER MICHAEL P | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |
| Approved | | 12/13/2024 | | |

Cape May - West Wildwood Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|---------------------------------|-----------------|
| 0513-10-0008.3 - LGP - 240001 | NEPTUNE AVENUE | GP10 - Bulkheads | WEST WILDWOOD BORO@ NEPTUNE AVE | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/10/2024 | | |
| Application Administratively Complete | | 12/10/2024 | | |
| Cancelled | | 12/12/2024 | | |

Cape May - Wildwood City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|------------------------------|------------------------------|
| 0500-07-0006.8 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | Proposed Boardwalk Expansion of Wildwood Boardwalk within the CAFRA area. | WILDWOOD BOARDWALK EXPANSION | Kara Turner, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/11/2024 | | |
| Application Administratively Complete | | 07/31/2024 | | |
| Complete for Final Review | | 10/28/2024 | | |
| Approved | | 12/16/2024 | | |

[Cumberland](#)

Cumberland - Downe Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|-----------------------------------|--------------------------------|
| 0604-24-0005.1 - LUP - 240001 | 150 NEW JERSEY AVENUE | The project includes the construction of a 26 x 29 elevated concrete masonry unit (CMU) well house building with a finished floor elevation (F.F.E.) of 13.50 feet (NAVD 88) to replace existing well. The project will also include the construction of a 4-inch thick concrete sidewalk, fiberglass stairs to a 4-foot wide elevated catwalk on the eastern side of the building. A portion of the driveway will be widened and reconditioned with 4-inch thick stone. | MIDDLESEX WATER CO MAIN WELL BLDG | Stephen Mitchell, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/20/2024 | | |
| Application Administratively Complete | | 05/20/2024 | | |
| Complete for Final Review | | 11/01/2024 | | |
| Approved | | 12/23/2024 | | |

Cumberland - Upper Deerfield Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------|---|----------------------|-----------------|
| 0613-24-0002.1 - FWW - 240001 | 1019 WEST PARSONAGE RD | Letter of interpretation line verification of a 51- acre lot. | 1019 W. PARSONAGE RD | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL14 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/20/2024 | | |
| Application Administratively Complete | | 12/23/2024 | | |

Cumberland - Vineland City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|-----------|--------------------|
| 0614-05-0012.1 - FWW - 240001 | WEST LANDIS AVE | Commercial development. | GL REALTY | Christopher Blaine |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/12/2024 | | |
| Application Administratively Complete | | 04/12/2024 | | |
| Issued | | 12/13/2024 | | |

Cumberland - Vineland City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|------------|------------------------------------|
| 0614-22-0001.1 - LUP - 240001 | 328 RIVERSIDE DRIVE | the proposed activities include replacement of a failed individual subsurface sewage disposal system | NJHR 2 LLC | Dominick Cardella, Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/27/2024 | | |
| Application Administratively Complete | | 08/27/2024 | | |
| Approved | | 12/23/2024 | | |

Cumberland - Vineland City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|----------------------------|---------------------|-----------------|
| 0614-23-0006.1 - FWW - 230001 | 1427 S. LINCOLN AVE | Residential. | 1427 S. LINCOLN AVE | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/04/2023 | | |
| Application Administratively Complete | | 12/04/2023 | | |
| Issued | | 12/13/2024 | | |

Cumberland - Vineland City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|---|-----------|--------------------|
| 0614-24-0009.1 - FWW - 240001 | 2070 2028 2044 S. DELSEA DR | Request freshwater wetlands letter of interpretation. | AMR LLC | Christopher Blaine |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/03/2024 | | |
| Application Administratively Complete | | 05/03/2024 | | |
| Issued | | 12/19/2024 | | |

Cumberland - Vineland City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|----------------|-----------------|
| 0614-24-0020.1 - FWW - 240001 | S. LINCOLN AVE | Line verification | S. LINCOLN AVE | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/18/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Cumberland - Vineland City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---------------------------------|-----------------|
| 0614-24-0021.1 - FWW - 240001 | 1667 E LANDIS AVE | Applicants are requesting an Letter of interpretation, presence/absence determination and a Flood Hazard area applicability determination. | 1667 E LANDIS WELLNESS PARK LLC | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/20/2024 | | |
| Application Administratively Complete | | 12/23/2024 | | |

Essex - Cedar Grove Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|-----------------|------------------------------|
| 0704-20-0003.1 - LUP - 240001 | 151 LITTLE FALLS ROAD | Construction of a single family home and associated driveway. | DELANOY WILLIAM | Cindy Rivera, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/17/2024 | | |
| Application Administratively Complete | | 09/17/2024 | | |
| Approved | | 12/13/2024 | | |

Essex - Cedar Grove Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|---------------|------------------------------|
| 0704-22-0002.1 - LUP - 240001 | 12 LYNWOOD ROAD | This application has been prepared for a NJDEP Individual Permit aiming for retroactive approval concerning a previously completed stream bank stabilization project located behind 12 Lynwood Road, Cedar Grove Township, Essex County, NJ. Despite the project's completion, regulatory approval is required, prompting the retrospective epermit application to the NJDEP. Primary objective is to formalize and legitimize the built Gabion Wall efforts undertaken in the past. | 12 LYNWOOD RD | Cindy Rivera, Danielle Jones |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/02/2024 | | |
| Application Administratively Complete | | 02/02/2024 | | |
| Technical Information Requested | | 02/29/2024 | | |
| Technical Deficiency Information Received | | 10/03/2024 | | |
| Approved | | 12/17/2024 | | |

Essex - Fairfield Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|---|-------------------|-------------------------------|
| 0707-24-0003.1 - LUP - 240001 | 87 FAIRFIELD ROAD | The applicant is proposing to construct a concrete ramp in the rear to allow for vehicular access into the building. The project also includes the reconstruction of the existing parking lot, as well as the addition of two ADA parking spaces and two EV parking spaces. | 87 FAIRFIELD ROAD | Audra Didzbalis, Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/30/2024 | | |
| Application Administratively Complete | | 10/30/2024 | | |
| Technical Information Requested | | 11/29/2024 | | |
| Technical Deficiency Information Received | | 12/16/2024 | | |

Essex - Maplewood Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------------------|--|---|-------------------------------|
| 0711-21-0001.2 - LUP - 220001 | STREET ADDRESS NOT IDENTIFIED | This project proposes to replace approximately 250 linear feet of an existing open watercourse with piping, and backfilling to address flooding and safety concerns. | MAPLEWOOD: MAPLE TERRACE DRAINAGE IMPROVEMENT | Dennis Contois, Rebecca Grike |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Open Water (not SFH/Duplex) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/01/2022 | | |
| Application Administratively Complete | | 07/13/2023 | | |
| Technical Information Requested | | 11/28/2022 | | |
| Technical Deficiency Information Received | | 07/13/2023 | | |
| Amended Application Received | | 08/23/2024 | | |
| Approved | | 12/17/2024 | | |

Essex - Montclair Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|---|-------------------------------|
| 0713-24-0002.1 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | The superstructure of the Label Street culvert over Toney's Brook (a tributary of Second River) in Montclair NJ will be replaced in its entirety with a precast continuous concrete slab superstructure. | SUPERSTRUCTUR E REPLACEMENT, LABEL ST CULVERT | Albi Kovatcheva, Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP10 Bridge/Culvert Across Water >= 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/20/2024 | | |
| Application Administratively Complete | | 12/20/2024 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------------------------|-----------------|
| 0000-02-0043.7 - CDT - 240001 | 3 BREWSTER RD | This project is to demolish, remove, and restore the Multilateration Remote Unit 8 (MRU 8) located on Newark Liberty International Airport directly east of runway 4R. | FEDERAL AVIATION ADMINISTRATION @ EWR | Becky Mazzei |
| Permit Category | | Permit/Authorization Type | | |
| Consistency Determination | | FC Negative Determination | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------------------|-------------------------------|
| 0714-07-0008.2 - LUP - 240003 | TERMINAL A | Construct an approximately 40' x 94' column supported, elevated platform to support a 2000KW standby generator and supporting equipment at Newark Liberty International Airport (EWR) to provide power to the City of Newark pump station in the event of an emergency or storm to prevent flooding at EWR and the City of Newark | PORT AUTHORITY NY & NJ @AIRIS DR | Becky Mazzei, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/28/2024 | | |
| Application Administratively Complete | | 08/28/2024 | | |
| Amended Application Received | | 10/03/2024 | | |
| Approved | | 12/24/2024 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------------------|-------------------------------|
| 0714-07-0008.2 - LUP - 240006 | TERMINAL A | The P4 toll plaza will be relocated inside of the P4 Parking Garage and reduced to four (4) lanes. Additionally other tolling equipment and a security booth will be relocated to the P4 Garage. There aren't any proposed structural improvements to the garage, but modifications to approximately fifty (50) parking spaces within the garage are necessary. North of the garage, minor modifications for the toll lanes that will intersect with Martin Road | PORT AUTHORITY NY & NJ @AIRIS DR | Cindy Rivera, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/19/2024 | | |
| Application Administratively Complete | | 11/19/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|---------------------|------------------------------------|
| 0714-24-0001.1 - LUP - 240001 | 672 696 DOREMUS AVE | The applicant is proposing to cap the hazardous materials onsite. | 672-696 DOREMUS AVE | Cecelia Avalos, Magda Usarek-Witek |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/04/2024 | | |
| Application Administratively Complete | | 11/26/2024 | | |
| Technical Information Requested | | 12/23/2024 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|--|--|-------------------------------|
| 0714-24-0010.1 - LUP - 240001 | 228 FRELINGHUYSEN AVENUE | THE PROJECT SITE IS ALMOST ENTIRELY IN THE 100-YEAR FLOODPLAIN, WITH A BFE OF 11 FEET; SMALL AREA CENTRALLY LOCATED ON THE PROJECT SITE IS IN THE 500-YEAR FLOOD). THE PROJECT SITE IS BOTH OUTSIDE OF THE DETERMINED FLOODWAY AND GREATER THAN 25 FEET FROM THE ELIZABETH CHANNEL TRIBUTARY (I.E., THE EXISTING BANKS OF THE ELIZABETH CHANNEL TRIBUTARY IS THE LIMIT OF THE DETERMINED FLOODWAY. | NEW MOTOR VEHICLE COMMISSION NEWARK FACILITY | Cindy Rivera, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/26/2024 | | |
| Application Administratively Complete | | 08/29/2024 | | |
| Approved | | 12/24/2024 | | |

Essex - Newark City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|-------------------------|-------------------------------|
| 0714-24-0014.1 - LUP - 240001 | 2120 MCCARTER HIGHWAY | The proposed development consists of the regrading and repaving of the truck parking terminal. Associated improvements will include truck parking areas, a modular office, driveways, utilities, landscaping and stormwater management improvements. | 2120 MCCARTER OWNER LLC | Cindy Rivera, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/07/2024 | | |
| Application Administratively Complete | | 11/20/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Essex - Roseland Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|--|---------------------------|
| 0718-24-0002.1 - LUP - 240001 | CONDIT COURT | The replacement of a 7.9'x5.6' corrugated metal pipe(CMP) with a proposed 5.0'x7.4' concrete box culvert | CONDIT COURT CULVERT REPLACEMENT | Cindy Rivera, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/26/2024 | | |
| Application Administratively Complete | | 07/26/2024 | | |
| Technical Information Requested | | 08/20/2024 | | |
| Technical Deficiency Information Received | | 09/27/2024 | | |
| Approved | | 12/23/2024 | | |

Essex - West Orange Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--|---|-------------------------|-------------------------------|
| 0722-24-0002.1 - LUP - 240001 | 102-164 RANDOLPH PL, 2-32 MCCLELLAN TERR | Reconstruction of two (2) damaged stormwater outfalls | H&L ORANGE LLC, WHS LLC | Audra Didzbalis, Cindy Rivera |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

[Gloucester](#)

Gloucester - Deptford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|--|-----------------|
| 0802-24-0003.1 - LUP - 240002 | STREET ADDRESS NOT IDENTIFIED | The project is intended to restore the streams capacity and flow rates to its original condition by removing obstacles such as fallen limbs, roots, and large stones. It will also improve the streams water quality by removing vegetative debris and other sediment that gets carried downstream. | STREAM CLEANING FROM ARLINE AVE TO LEE AVE | Lauren Seip |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP25 Stream Cleaning-Local Gov Agencies | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/26/2024 | | |
| Application Administratively Complete | | 09/13/2024 | | |
| Approved | | 12/11/2024 | | |

Gloucester - East Greenwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|------------------------------------|-------------------|
| 0803-20-0002.1 - FWW - 220001 | 122 & 124 TIMBERLANE RD | Proposed three lot subdivision and construction of three residential dwellings. | EAST GREENWICH TWP @ TIMBERLANE RD | Christopher Jones |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/25/2022 | | |
| Application Administratively Complete | | 07/25/2022 | | |
| Issued | | 12/19/2024 | | |

Gloucester - East Greenwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------|---|------------------------------------|-------------------|
| 0803-20-0002.1 - LUP - 230001 | 122 & 124 TIMBERLANE RD | Proposed filing of an isolated wetland area for the construction of a single-family dwelling. | EAST GREENWICH TWP @ TIMBERLANE RD | Christopher Jones |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/26/2023 | | |
| Application Administratively Complete | | 03/01/2023 | | |
| Withdrawn | | 12/19/2024 | | |

Gloucester - Elk Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|--|-----------------|
| 0800-07-0006.1 - FWW - 240001 | 707 NEW JERSEY AVE | Freshwater wetlands letter of interpretation line verification. | SPEZIALI FRANK C/O MARY CAT PROPERTIES INC | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 01/11/2024 | | |
| Application Administratively Complete | | 01/11/2024 | | |
| Issued | | 12/13/2024 | | |

Gloucester - Franklin Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|------------------------------|--------------------|-----------------|
| 0805-24-0012.1 - LGP - 240001 | 281 CLEARFIELD AVENUE | GP24 - Malfunctioning Septic | 281 CLEARFIELD AVE | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |
| Approved | | 12/16/2024 | | |

Gloucester - Logan Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|--|---|-----------------|
| 0000-11-0041.2 - CDT - 240003 | JACKSON ST/ COLUMBUS BLVD | The applicant seeks an acceptable use determination to dispose of approximately 107,177 cubic yards of dredge material from Philaport’s Pier 82 Terminal at Weeks Basin disposal facility Logan Township Gloucester County NJ. | PHILADELPHIA REGIONAL PORT AUTH @ PIER 82 | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Consistency Determination | | Water Quality Certificate | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/29/2024 | | |
| Application Administratively Complete | | 11/29/2024 | | |

Gloucester - Logan Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------------|---|------------------------------|-----------------|
| 0809-04-0010.2 - CDT - 240001 | WHITES BASIN REHANDLING FACILITY | The project involves maintenance dredging approximately 10,000 cubic yards at the existing berthing area to 32-ft, MLLW including 2-feet of over depth at BWC terminals. Dredged material will be disposed of at White' Basin Disposal area located in Logan Township NJ. Weeks Marine's US Army Corps blanker Permit will be used to dispose of the material at this location. Maintenance dredging is required at BWC terminals to maintain safe and efficient shipping operations. | BWC TERMINALS / CRAIG PATAKY | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Consistency Determination | | Water Quality Certificate | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/16/2024 | | |
| Application Administratively Complete | | 10/30/2024 | | |
| Approved | | 12/24/2024 | | |

Gloucester - Swedesboro Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|----------------------------|------------|-----------------|
| 0817-23-0001.1 - FWW - 230001 | 437 BROAD STREET | Presence/Absence | RUSSO CORP | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL11 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/11/2023 | | |
| Application Administratively Complete | | 08/11/2023 | | |
| Issued | | 12/13/2024 | | |

Gloucester - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------------|-------------------------------|
| 0818-05-0008.1 - LUP - 240001 | BLACK HORSE PK | Flood hazard area verification method 6 calculation method. | TURNVERSVILLE EQUITIES LLC | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/16/2024 | | |
| Application Administratively Complete | | 09/16/2024 | | |
| Approved | | 12/13/2024 | | |

Gloucester - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|-------------------------------------|-----------------------------------|-----------------|
| 0818-21-0003.2 - LLI - 230001 | 212 BLACKWOOD-BARNSBORO ROAD | FWLI4 - Verification over an acre | JPC WASHINGTON URBAN RENEWAL, LLC | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/25/2023 | | |
| Application Administratively Complete | | 10/26/2023 | | |
| Issued | | 12/19/2024 | | |

Gloucester - West Deptford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|--------------------------------|-------------------------------|
| 0820-04-0002.6 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | On behalf of the applicant, we are hereby requesting a Flood Hazard General Permit 9 and Freshwater Wetland General Permit 10a for the proposed culvert replacement project which crosses wetland and flood hazard resources. | GLOUCESTER CNTY@ OGDEN STATION | Maxwell Dolphin, Todd Stueber |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP9 Bridge/Culvert Across Water < 50 acres | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/18/2024 | | |
| Application Administratively Complete | | 12/23/2024 | | |

Gloucester - West Deptford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|----------------------|-----------------|
| 0820-04-0009.1 - FWW - 240001 | CROWN PT RD | TAW Modification | CROWN POINT OWNER LP | |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWTWM modification TAW | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/03/2024 | | |
| Application Administratively Complete | | | | |

Gloucester - West Deptford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|----------------------|-----------------|
| 0820-04-0009.1 - WFD - 240001 | CROWN PT RD | Major Technical Modification | CROWN POINT OWNER LP | |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/03/2024 | | |
| Application Administratively Complete | | | | |

Gloucester - West Deptford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 0820-24-0005.1 - FWW - 240001 | 1676 MILLER AVE | Request for verification letter of interpretation. | 1676 MILLER AVE | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4P partial verification public agency LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Gloucester - Woolwich Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|---|------------------------|-----------------|
| 0824-24-0003.1 - FWW - 240001 | 222 MORAVIAN CHURCH ROAD | Applicant is requesting an updated letter of Interpretation (LOI) issued on August 11,1993. The property once contained residential home which has been demolished. | 222 MORAVIAN CHURCH RD | Maxwell Dolphin |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/24/2024 | | |
| Application Administratively Complete | | 12/24/2024 | | |

Hudson - Hoboken City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|------------------------------|-----------------|
| 0905-22-0001.2 - LUP - 240001 | BETWEEN 14TH STREET | Five (5) in-water borings are proposed in the Hudson River. The area of temporary open water impacts may include the footprint of the spuds and casing for the barge and the pipe casing and drill casing for any work platform. Minimal disturbance is expected, and the river bottom is expected to return to pre-existing conditions. Temporary impacts to open waters for the in- water borings will not exceed 0.01 acres due to the temporary nature of the Project. | AMTRAK@HUDSON TUNNEL PROJECT | Serena Lutz |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP23 Geotechnical Survey Borings | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/02/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|-----------------------------------|------------------------------------|
| 0906-05-0008.1 - LUP - 240001 | GREENE ST | The projects consist of the construction of a mixed-use residential building with retail space and structured parking. | HARBORSIDE PLAZA 4 ASSOCIATES LLC | Ariana Tsiattalos, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/15/2024 | | |
| Application Administratively Complete | | 10/17/2024 | | |
| Technical Information Requested | | 11/15/2024 | | |
| Technical Deficiency Information Received | | 12/09/2024 | | |
| Technical Information Requested | | 12/23/2024 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|--------------------------|--|-----------------------|-----------------------------|
| 0906-15-0019.3 - LUP - 210001 | 7-41 & 8-50 AETNA STREET | The project includes the construction of the following in the Coastal, Flood Hazard, and Freshwater Wetlands regulated areas: A large, combined sewer overflow storage facility with appurtenant facilities and a concrete box culvert outfall extension; Ecological restoration of a degraded tidal ditch; Land rise for tidal flood resiliency; A new network of roads and new public utility infrastructure; Several high-rise, mixed-use buildings; Environmental remediation of soil and sediment per SRRA. | GRAND JERSEY BDA -CSO | Mark Davis, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP26 Redevelopment-Previously Disturbed Areas | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/08/2021 | | |
| Application Administratively Complete | | 02/22/2021 | | |
| Technical Information Requested | | 03/19/2021 | | |
| Technical Deficiency Information Received | | 07/06/2023 | | |
| Technical Information Requested | | 07/20/2023 | | |
| Withdrawn | | 12/18/2024 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|--|---|------------------------------------|
| 0906-24-0008.1 - LUP - 240001 | 437 MARIN BOULEVARD | The project consists of the construction of a multi-family residential building. The building includes a stacked parking garage, ground floor lobby, an amenity deck, and residential units. The project also includes an elevated public walkway. | JERSEY CITY EMBANKMENT ASSOCIATES LLC 437 MAR | Ariana Tsiattalos, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2024 | | |
| Application Administratively Complete | | 10/08/2024 | | |
| Technical Information Requested | | 11/06/2024 | | |
| Technical Deficiency Information Received | | 12/04/2024 | | |
| Technical Information Requested | | 12/18/2024 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-------------------------------|-----------------------------------|
| 0906-24-0009.1 - LUP - 240001 | 111-113 COLDENST. | The project site is located at 111-113 Colden Street in the City of Jersey City, Hudson County, New Jersey. It is situated in the Mixed Use Zone, Block 13801, and Lots 7 & 8 and encompasses approximately 5,000 sf (0.11 acres) as shown on the tax map of Jersey City. The property is bounded by a mixture of residential and commercial uses. The New Jersey State Plane Coordinates for the center of the property are E (x) 615,638.53743 and N(y) 686,661.76447, as illustrated on the NJDEPs Geographic Inf | 111-113 COLDEN ST-JERSEY CITY | Ariana Tsiattalos, Cecelia Avalos |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/03/2024 | | |
| Application Administratively Complete | | 11/19/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------|------------------------------------|
| 0906-24-0011.1 - LUP - 240001 | 33 PACIFIC AVE | 1.1Project Location The project site is located at 33 Pacific Avenue in the City of Jersey City, Hudson County, New Jersey. It is situated in Block 21509, and Lot 3 and encompasses approximately 22,500 sf (0.517 acres) as shown on the tax map of Jersey City. The property is bounded by mainly commercial uses. The New Jersey State Plane Coordinates for the center of the property are E(x) 610,866.21198 and N(y) 682,141.89488, as illustrated on the NJDEPs Geographic Information System (NJ- GeoWeb).The | 33 PACIFIC AVE | Ariana Tsiattalos, Sherwood Lennon |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/22/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Hudson - Jersey City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|---------------------------------------|
| 0906-24-0013.1 - LUP - 240001 | 200 CHAPEL AVE | The proposed redevelopment project includes the removal of existing pavement and gravel onsite, and construction of 19 residential buildings consisting of stacked townhomes with a total of 168 dwelling units. The project also includes the construction of auto parking spaces, landscaped parks with outdoor seating, access drives, walkways, utilities, stormwater management system, landscaping, lighting improvements, as well as a sidewalk along a portion of the Chapel Avenue Right-of-Way. | LIBERTY WATCH | Ariana Tsiattalos, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/19/2024 | | |

Hudson - Kearny Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------------------------|------------------------------------|
| 0907-24-0002.1 - LUP - 240001 | MEADOWS | Installation of a construction trestle in the Passaic River, surcharge embankment, utility and rail systems relocation | SAWTOOTH BRIDGES EARLY ENABLING PHASE | Matthew Resnick, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Wetlands (not SFH/Duplex) | | |
| No Match | | Meadowlands District Water Quality Certificate | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/22/2024 | | |
| Application Administratively Complete | | 12/12/2024 | | |

Hudson - Secaucus Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|---|--|----------------------------------|
| 0000-24-0022.1 - LUP - 240001 | VARIOUS LOCATIONS | The project proposes transitway improvements, including a bus terminal, intersection improvements, and traffic improvements, milling and paving, utilities, and drainage installation, within the regulated flood hazard area of the Hackensack River and Hackensack River Unnamed Tributary (UNT). | NJ TRANSIT SMT FIFA-BUILD TRANSITWAY | Matthew Resnick, Sherwood Lennon |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/16/2024 | | |
| Application Administratively Complete | | 08/23/2024 | | |
| Technical Information Requested | | 09/20/2024 | | |
| Amended Application Received | | 10/17/2024 | | |
| Technical Deficiency Information Received | | 10/21/2024 | | |
| Approved | | 12/23/2024 | | |

Hudson - Secaucus Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|-----------------------------------|-----------------|
| 0909-18-0001.2 - CDT - 240001 | SEAVIEW DR | | NORFOLK SOUTHERN RAILWAY CO | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Consistency Determination | | HMC | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/17/2024 | | |
| Application Administratively Complete | | 09/16/2024 | | |
| Approved | | 10/10/2024 | | |

Hudson - Secaucus Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------------|---|---|-----------------------------------|
| 0909-23-0005.1 - FHA - 240001 | STREET ADDRESS NOT IDENTIFIED | In response to structural issues with the existing flyover bridge for existing southbound traffic at interchange 17, the New Jersey Turnpike Authority proposes to install a new bridge and extend the deceleration lane to comply with design standards and improve driver safety. | NJTA T3826 STRUCTURES 112.95A AND E112.95B | Damian Friebe, Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Major Technical Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/02/2024 | | |
| Application Administratively Complete | | 08/02/2024 | | |
| Approved | | 12/18/2024 | | |

Hudson - Secaucus Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|--------------------------------------|
| 0909-24-0001.1 - LUP - 240001 | 244 MEADOW LANE | Planning and development purposes. | 244 MEADOW LN | Ariana Tsiattalos, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/03/2024 | | |
| Application Administratively Complete | | 12/09/2024 | | |

Hudson - Weehawken Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|---|-----------------------------------|-----------------------------------|
| 0911-24-0002.1 - LUP - 240001 | 200 AVENUE AT PORT IMPERIAL | Applicant seeks an Upland Waterfront Development Permit | PORT IMPERIAL LLC@PARCEL 2 BLDG 2 | Sheldon Piggot, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/26/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Hunterdon - Bloomsbury Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------|--------------------------|
| 1003-07-0002.1 - LUP - 240001 | 27 CHURCH ST | Convert and existing unused mill building for retail/commercial use, construct a new septic system and expand and pave an existing parking lot | 27 CHURCH ST | Erin Signor, Lauren Seip |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/18/2024 | | |
| Application Administratively Complete | | 11/18/2024 | | |
| Technical Information Requested | | 12/13/2024 | | |

Hunterdon - Holland Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|-----------------|
| 1015-24-0001.1 - LUP - 240001 | 144 CHURCH RD | This project will restore a wetland that has been altered by historic agricultural practices. Microtopographic features will be enhanced and create vernal habitat for reptiles and amphibians. Treatment of invasive species will enhance the vegetative community of the site. All areas of disturbance will be revegetated to limit erosion and promote native regeneration. | 144 CHURCH RD | Lauren Seip |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP16 Habitat Creation/Restoration/Enhancement | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Hunterdon - Kingwood Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------|-----------------|
| 1016-02-0007.2 - FWW - 240001 | 863 RT 12 | The applicant is requesting a letter of interpretation for future development of the site. | RT 12-5 PROPERTIES LLC | Lauren Seip |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/12/2024 | | |
| Application Administratively Complete | | 12/12/2024 | | |

Hunterdon - Lebanon Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|---------------------------------|
| 1019-23-0002.1 - LUP - 240003 | 325 OLD FARM RD | Construction of new dwelling, driveway and septic | YARNELL JOHN | Christopher Martin, Lauren Seip |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2024 | | |
| Application Administratively Complete | | 10/08/2024 | | |
| Withdrawn | | 11/19/2024 | | |

Hunterdon - Lebanon Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|--------------------------|
| 1019-24-0003.1 - LUP - 240001 | 58 HOLLOW ROAD | Existing single-family dwelling within flood hazard area and riparian zone to be raised and expanded. | 58 HOLLOW ROAD | Erin Signor, Lauren Seip |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/20/2024 | | |
| Application Administratively Complete | | 11/26/2024 | | |
| Technical Information Requested | | 12/24/2024 | | |

Hunterdon - Milford Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---|-----------------------------|
| 1020-14-0001.2 - LUP - 240001 | 30 WATER STREET | RESTORATION OF STREAM BANK AT MILFORD CREEK, BALLFIELD RESTORATION AND TENNIS COURT RESTORATION FROM HURRICANE IDA AT 30 WATER STREET PARK MILFORD NJ 08848 | MILFORD BORO BALLFIELD & PARK IMPROVMENTS | Dennis Contois, Lauren Seip |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/29/2024 | | |
| Application Administratively Complete | | 12/04/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Hunterdon - Readington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|-----------------------------------|-------------------------------|
| 1022-23-0001.1 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | REPLACEMENT OF EXISTING WOODEN BRIDGE IN DISPREPAIR WITH A NEW BRIDGE | OH ROW BRIDGE BRANCHBURG-NEW YORK | Ashleigh Windawi, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/06/2024 | | |
| Application Administratively Complete | | 08/28/2024 | | |
| Withdrawn | | 12/24/2024 | | |

Mercer - Hamilton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------|--------------------------------|
| 1103-03-0024.4 - LUP - 240001 | ELECTRONICS DR | REPLACEMENT OF EXISTING WOODEN BRIDGE IN DISPREPAIR WITH A NEW BRIDGE | PSE&G @BASIN RD | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/26/2026 | | |
| Application Administratively Complete | | 08/26/2024 | | |
| Approved | | 12/18/2024 | | |

Mercer - Hamilton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|-------------------|
| 1103-24-0004.1 - FWW - 240001 | 65 TATTLETOWN RD | Letter of interpretation line verification of wetlands and wetlands buffer widths on approximate 2.58-acre tract. | 65 TATTLETOWN ROAD LLC | Ariana Tsiattalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/24/2024 | | |

Mercer - Lawrence Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|----------------|-------------------|
| 1107-24-0003.1 - FWW - 240001 | 235 ELDRIDGE AVENUE | Letter of Interpretation - Line Verification on an approximate 0.34 acre site. | D R HORTON INC | Ariana Tsiattalos |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/24/2024 | | |
| Application Administratively Complete | | 06/25/2024 | | |
| Issued | | 12/17/2024 | | |

Mercer - Princeton

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|--------------------------------|
| 1110-04-0003.1 - LUP - 240001 | 29 THANET RD | This application proposes to verify the Flood hazard area existing on-site associated with Harry's Brook Branch 2 via method 3, and the unnamed tributary traversing the site that drains to Harry's Brook Branch 2 via method 6. | TCG 29 THANET HOLDINGS | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2024 | | |
| Application Administratively Complete | | 09/25/2024 | | |
| Approved | | 12/20/2024 | | |

Mercer - Princeton

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--|--------------------------------|
| 1110-09-0004.1 - LUP - 240001 | MOUNTAIN LAKE | Friends of Princeton Open Space (FOPOS) proposes a restoration project to on the Billy Johnson Mountain Lakes Preserve. The work includes invasive species removal and planting native trees, shrubs, and wildflowers providing ecological uplift to Mountain Lake and Mountain Brook and its tributaries. | PRINCETON TWP@BILLY JOHNSON MOUNTAIN LAKES | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP4 Habitat Creation/Restoration/Enhancement | | |
| Freshwater Wetlands General Permit | | FWW GP16 Habitat Creation/Restoration/Enhancement | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/19/2024 | | |
| Application Administratively Complete | | 12/19/2024 | | |

Mercer - Robbinsville Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------------|--------------------------------|
| 1112-24-0005.1 - LUP - 240001 | 66 SHARON ROAD | The Township of Robbinsville seeks to improve existing pedestrian walkways within Miry Run Park and establish a new trailhead joining a proposed pedestrian walkway to the existing Richardson Road sidewalk. | SHARON RD/ MIRY RUN PARK | Ariana Tsiattalos, Erin Signor |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/23/2024 | | |
| Application Administratively Complete | | 08/26/2024 | | |
| Amended Application Received | | 11/20/2024 | | |
| Approved | | 12/19/2024 | | |

Mercer - Trenton City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------------|--|-------------------------------------|-----------------|
| 1111-21-0002.1 - WFD - 240001 | RT 29 FROM CASS ST TO N. CALHOUN ST | The New Jersey department of transportation is proposing modifications to the previously permitted Route 29 drainage improvements project between mileposts 2.9 and 4.34 in the City of Trenton, Mercer County. The proposed modification involves changes to the proposed grading and park features shown on the plans and removal of work within the DRCC Zone A approved as part of Permit. | NJDOT @ RT 29 DRAINAGE IMPROVEMENTS | |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | | | |

[Middlesex](#)

Middlesex - Carteret Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|---|---------------------------------|
| 1201-20-0001.4 - LUP - 240001 | 78 LAFAYETTE STREET | Kinder Morgan is proposing the installation of approximately 31,000 linear feet of pipe primarily on existing above grade pipe racks, two butane storage spheres, replacement of specific pipe support foundations, installation of buildings, and associated equipment at its existing Carteret Terminal. A third butane sphere is planned to be constructed at a later date. | KINDER MORGAN CARTERET BUTANE SPHERES PROJECT | Sumantha Prasad, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Freshwater Wetlands General Permit | | FWW GP21 Above Ground Utility Lines | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/16/2024 | | |
| Application Administratively Complete | | 08/22/2024 | | |
| Approved | | 12/18/2024 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---|-------------------------------|
| 1200-06-0005.5 - LUP - 240002 | 1970 DOCK ROAD | Federal Business Centers (FBC) is proposing the redevelopment of existing impervious fill within freshwater wetlands transition areas including the placement of additional fill, regrading, paving existing impervious surfaces, and the placement of new structures within a mapped tidal flood hazard area of the Raritan River. The proposed project is located on an approximately 2-acre portion of Block 395, Lot 3.06 in Edison Township, Middlesex County, New Jersey. | FEDERAL BUSINESS CENTERS 1970 DOCK ROAD | Andrew Mazza, Sherwood Lennon |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/07/2024 | | |
| Application Administratively Complete | | 10/07/2024 | | |
| Withdrawn | | 12/17/2024 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|--|----------------------------|-------------------------------|
| 1200-13-0002.1 - LUP - 240001 | ORCHARD ST | Middlesex County will be replacing the culvert on Orchard Street in Edison and Metuchen with a culvert of similar design and two utility line crossings. | MIDDLESEX CNTY @ORCHARD ST | Andrew Mazza, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/06/2024 | | |
| Application Administratively Complete | | 06/06/2024 | | |
| Technical Information Requested | | 07/05/2024 | | |
| Technical Deficiency Information Received | | 08/02/2024 | | |
| Technical Information Requested | | 08/16/2024 | | |
| Technical Deficiency Information Received | | 09/23/2024 | | |
| Approved | | 12/17/2024 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|-------------------------|-----------------|
| 1205-04-0004.2 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | Perform an environmental site assessment of the former Edison Township Landfill and Environmental Benefit Area. The Township is proposing test pits, soil gas, groundwater, leachate, landfill gas, surface water, and monitoring well sampling, install temporary well points, and surveying the Edison Landfill and Environmental Benefit Area. | EDISON LANDFILL CLOSURE | Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP23 Geotechnical Survey Borings | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2024 | | |
| Application Administratively Complete | | 09/20/2024 | | |
| Approved | | 12/18/2024 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|----------------------------------|
| 1205-08-0005.3 - LUP - 240001 | EISENHOWER DRIVE | Proposed day care facility | BLUEBERRY VILLAGE, INC | Scarlett Simpson, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands General Permit | | FWW GP7 Human-made Ditches/Swales in Headwaters | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/09/2024 | | |
| Application Administratively Complete | | 02/09/2024 | | |
| Approved | | 12/18/2024 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|------------------|
| 1205-24-0002.1 - FWW - 240001 | 15 CORNELL ST | The project will consist of alterations and additions to the existing building. | 15 CORNELL ST | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4P partial verification public agency LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 03/06/2024 | | |
| Application Administratively Complete | | 03/06/2024 | | |
| Issued | | 12/13/2024 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------------------|------------------------------|
| 1205-24-0007.1 - LUP - 240001 | 1249 INMAN AVE | Timberline Condominium Association is proposing to perform stream restoration work on a tributary to Robinsons Branch of the Rahway River. The restoration work will include replacing existing failed stream bank stabilization, new vegetated bank stabilization, installation of new scour protection at culverts and stream sediment removal by hand. | TIMBERLINE CONDOMINIUM ASSOCIATION | Andrew Mazza, Cecelia Avalos |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/20/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Middlesex - Edison Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------|-----------------|
| 1205-24-0008.1 - FWW - 240001 | 17 MAIDA ROAD | Letter of interpretation presence/absence. | 17 MAIDA RD | Andrew Mazza |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/10/2024 | | |
| Application Administratively Complete | | 12/10/2024 | | |

Middlesex - Metuchen Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|---|----------------------------|
| 1210-13-0001.5 - LUP - 240001 | 212 DURHAM AVENUE | Flood Hazard Individual Permit and Permit by rule 22. Wetlands General Permit #17 & #19. | 212 DURHAM URBAN RENEWAL LLC MULTI-FAMILY DEV | Adam Fallone, Andrew Mazza |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Freshwater Wetlands General Permit | | FWW GP19 Docks/Piers | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/19/2024 | | |

Middlesex - New Brunswick City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------|-----------------|
| 1214-24-0003.1 - FWW - 240002 | 1 MAY STREET | The applicant is requesting a freshwater wetlands letter of interpretation line verification for the property. | 1 MAY ST | Alyssa Wheeldon |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Middlesex - North Brunswick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|----------------------------|-----------------|-----------------|
| 1215-24-0001.1 - FWW - 240001 | 730 MYRTLE ROAD | Presence/Absence | 730 MYRTLE ROAD | Alyssa Wheeldon |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI1 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Middlesex - Piscataway Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------------|----------------------------|
| 1217-20-0001.1 - LUP - 240001 | 1112 BROOKSIDE RD | Construct a sidewalk within riparian zone and within 25 feet of a stream. | FAROOQI RAFAGATH | Adam Fallone, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/29/2024 | | |
| Application Administratively Complete | | 12/23/2024 | | |

Middlesex - Piscataway Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------------------|----------------------------|
| 1217-24-0010.1 - LUP - 240001 | JOHNSON DR | Verification on two waterways within the property | MIDDLESEX CNTY JOHNSON PARK | Adam Fallone, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/09/2024 | | |
| Application Administratively Complete | | 12/10/2024 | | |

Middlesex - Sayreville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|-------------------|----------------------------------|
| 1219-11-0004.7 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | PROJECT INCLUDES VEGETATION CLEARING AND GRUBBING IN RIPARIAN ZONE AND FHA; INSTALLATION OF TEMPORARY IMPOUNDMENT STRUCTURE IN CHANNEL AND PERMANENT 42-INCH STORMWATER DRAINAGE PIPE IN FHA FOR TEMPORARY BYPASS OF LSI INFLOWS TO EXISTING NJPDES-PERMITTED OUTFALL; DRAWDOWN OF LSI POND; INSTALLATION OF NEW IMPERMEABLE LINER WITHIN EXTENTS OF LSI; EXCAVATION OF SHALLOW TRENCH TO ACCOMMODATE LINER KEY-IN IN RIPARIAN ZONE AND FHA; AND STABILIZATION OF ALL AREAS USED FOR ACCESS AND CONSTRUCTION. | DUPONT PARLIN LSI | Sumantha Prasad, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/09/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Middlesex - Sayreville Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------------|--|------------------------|------------------------------|
| 1219-24-0003.1 - LUP - 240001 | 50 SOUTH MINNISINK AVENUE | The project consists of aboveground electrical infrastructure improvements proposed on a previously developed tract. The improvements include 29 new utility poles, 4 of which are located in freshwater wetlands and 16 of which are located in freshwater wetland transition areas, and new overhead electric utility lines to be placed over existing herbaceous and scrub- shrub vegetation that will be maintained on an as-needed basis in the future. | ATC-1 OFFSITE ELECTRIC | George Perez, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP21 Above Ground Utility Lines | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/10/2024 | | |
| Application Administratively Complete | | 06/11/2024 | | |
| Approved | | 12/23/2024 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--|-------------------------------|
| 1225-19-0009.2 - LUP - 240001 | VALLEY ROAD | Parts of the Valley Road Tributary stream in Woodbridge Township were damaged during Hurricane Ida. Woodbridge Township is proposing this stabilization project in order to repair and to protect the damaged sections. Various stream stabilization methods have been proposed in this project. | VALLEY ROAD TRIBUTARY STREAM STABILIZATION | Adam Fallone, Alyssa Wheeldon |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Open Water (not SFH/Duplex) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/22/2024 | | |
| Application Administratively Complete | | 11/22/2024 | | |
| Technical Information Requested | | 12/19/2024 | | |

Middlesex - Woodbridge Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|--|---------------------------------------|-----------------------------|
| 1225-24-0010.1 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | The proposed project involves the installation of a 470 linear foot marsh sill, the creation of a small sand berm, and the planting of approximately 0.5 acres of salt marsh. The marsh sill will consist of seven, 50-foot-long trapezoidal prism shaped sections with 15-foot-long breaks between them. It will be composed of rock (d50=1.25 feet). Approximately 5,000 plugs will be planted in the intertidal zone, and a small sand berm will be built landward of the plantings. | CAPTAIN CARLSEN PARK LIVING SHORELINE | Adam Fallone, Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP24 Habitat Creation/Restoration/Enhancement | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/28/2024 | | |
| Application Administratively Complete | | 09/04/2024 | | |
| Approved | | 12/23/2024 | | |

Monmouth - Asbury Park City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--|--|---|------------------------------------|
| 1303-24-0001.1 - LUP - 240001 | 900 OCEAN AVENUE. 1500 OCEAN AVENUE NORTH | The City of Asbury Park intends to replace the existing temporary modular restrooms, currently located on the Asbury Park Boardwalk at approximately 900 Ocean Avenue and 1150 Ocean Avenue North, respectively, with permanent restroom facilities. | ASBURY PARK RESTROOM IMPROVEMENTS PROJECT | Michael Sheehan, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP13 Recreational Facility at Public Park | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/07/2024 | | |
| Application Administratively Complete | | 11/19/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Monmouth - Belmar Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------|-----------------|
| 1306-01-1001.5 - WFD - 240001 | RT 35 | Demolition and replacement of an existing concrete floating fuel dock in the Belmar Manutti Municipal Marina | BELMAR BORO@ RT 35 | Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Zane Letter | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/25/2024 | | |
| Application Administratively Complete | | 11/01/2024 | | |
| Issued | | 12/19/2024 | | |

Monmouth - Brielle Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|---------------------------------|-----------------|
| 0000-24-0026.1 - WFD - 240001 | BRIELLE DRAWBRIDGE | Due to the age and severe deterioration of the timber pile foundations, NJ Transit is proposing to install scour countermeasures at Piers 11, 12, & 13 construct a supplementary bent at Pier 12, and replace the fender system at Piers 7 & 8. | NJ TRANSIT @ BRIELLE DRAWBRIDGE | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | IP Emergency | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |
| Withdrawn | | 12/18/2024 | | |

Monmouth - Brielle Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------|----------------------------|
| 1308-12-0002.5 - LUP - 240001 | 608 GREEN AVENUE | Maintenance Dredging | HOFFMAN'S MARINA WEST | Chingwah Liang, Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/27/2024 | | |
| Application Administratively Complete | | 09/19/2025 | | |
| Approved | | 12/16/2024 | | |

Monmouth - Brielle Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-------------------|-------------------|
| 1308-23-0001.1 - LUP - 240001 | 20 CRESCENT DRIVE | The removal of an existing dock, boatlift and mooring pilings, and the construction of a new dock, boatlift and mooring pilings. | 20 CRESCENT DRIVE | Natalie Gunderson |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/09/2024 | | |
| Application Administratively Complete | | 12/12/2024 | | |

Monmouth - Colts Neck Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|--|---------------|---------------------------------|
| 1309-21-0003.1 - LUP - 220002 | 193 STONE HILL RD | Flood Hazard Area Verification and Individual Permit for Stormwater Outfall Pipe | SHERMAN TERRY | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/21/2022 | | |
| Application Administratively Complete | | 10/21/2022 | | |
| Technical Information Requested | | 10/10/2023 | | |
| Technical Deficiency Information Received | | 06/18/2024 | | |
| Technical Information Requested | | 07/02/2024 | | |
| Technical Deficiency Information Received | | 08/28/2024 | | |
| Withdrawn | | 12/24/2024 | | |

Monmouth - Colts Neck Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-------------------|--|---------------|---------------------------------|
| 1309-21-0003.1 - LUP - 220003 | 193 STONE HILL RD | Flood Hazard Area Verification and Individual Permit for Stormwater Outfall Pipe | SHERMAN TERRY | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/21/2022 | | |
| Application Administratively Complete | | 10/21/2022 | | |
| Technical Information Requested | | 10/10/2023 | | |
| Technical Deficiency Information Received | | 06/18/2024 | | |
| Technical Information Requested | | 07/02/2024 | | |
| Technical Deficiency Information Received | | 08/28/2024 | | |
| Approved | | 12/24/2024 | | |

Monmouth - Colts Neck Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|----------------|---------------------------------|
| 1309-24-0005.1 - LUP - 240001 | 18 SARATOGO DRIVE | PROPOSED 24' X 29' DETACHED GARAGE | 18 SARATOGA DR | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/27/2024 | | |
| Application Administratively Complete | | 11/27/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Monmouth - Fair Haven Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|-------------------------------------|
| 1313-24-0006.1 - LUP - 240001 | 25 BROOKSIDE AVE | demolish existing house to construct a new house within a 300 foot riparian zone. Also applied for LOI due to State open water on site. No activities proposed in the SOW. | 25 BROOKSIDE AVE | Christopher Martin, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2024 | | |
| Application Administratively Complete | | 09/25/2024 | | |
| Approved | | 12/23/2024 | | |

Monmouth - Farmingdale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|-----------------|
| 1319-24-0014.1 - FWW - 240001 | 97 MERRICK RD | The applicant seeks to establish a footprint of the disturbance of Freshwater Wetlands on the above reference property. | 97 MERRICK RD | Avery Thomas |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI2 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Monmouth - Freehold Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|----------------------------------|------------------------------|
| 1316-13-0002.2 - LUP - 240001 | 315 MONMOUTH ROAD | The project is proposed expansion and upgrade of the existing JCP&L Smithburg Substation that will result in impacts to forested and maintained freshwater wetlands and transition area, and riparian zone. This application includes a Freshwater Wetland Individual Permit and Flood Hazard Individual Permit and Verification (Method 6) | JCP&L NJCEC SMITHBURG SUBSTATION | Avery Thomas, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands Individual Permit | | FWW Individual Permit-Wetlands (not SFH/Duplex) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/18/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Monmouth - Hazlet Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|----------------|-----------------------------|
| 1339-07-0003.2 - LUP - 190001 | 455 469 S LAUREL AVE | Construction of natural gas regulator with heater on a disturbed site on Hazlet. The project is required to replace an existing under-sized facility that cannot be expanded. The project is needed to provide safe and reliable gas services at appropriate pressure throughout Hazlet and the surrounding area. | NJ NATURAL GAS | Chingwah Liang, Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/05/2019 | | |
| Application Administratively Complete | | 10/29/2019 | | |
| Complete for Final Review | | 02/13/2020 | | |
| Cancelled | | 12/11/2024 | | |

Monmouth - Highlands Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------|-------------------|
| 1317-23-0001.2 - LUP - 240001 | 48 FIFTH STREET | PROPOSING VARIOUS DOCK STRUCTURES | 23-043 FIFTH STREET | Natalie Gunderson |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/19/2024 | | |
| Application Administratively Complete | | 08/22/2024 | | |
| Approved | | 12/19/2024 | | |

Monmouth - Highlands Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------|-----------------|
| 1317-24-0006.1 - FHC - 240001 | 12 FIFTH ST | FHGPC6 Construct Single Family in Tidal | 12 FIFTH ST | |
| Permit Category | | Permit/Authorization Type | | |
| FHA Permit by Certification | | FHGPC6 Construct Single Family in Tidal | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/18/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |
| Approved | | 12/18/2024 | | |

Monmouth - Highlands Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------|----------------------------------|
| 1317-24-0006.1 - LUP - 240001 | 12 FIFTH ST | Demolish single-family dwelling and construct one new single-family dwelling. | 12 FIFTH ST | Albi Kovatcheva, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/04/2024 | | |
| Application Administratively Complete | | 10/04/2024 | | |
| Approved | | 12/18/2024 | | |

Monmouth - Howell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------|-----------------|
| 1319-18-0005.1 - FWW - 240001 | 395 KENT RD | The applicant is seeking to extend LOI Line Verification approval. | YESHIVAS EMEK HATORAH | Avery Thomas |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/30/2024 | | |
| Application Administratively Complete | | 07/30/2024 | | |
| Issued | | 12/16/2024 | | |

Monmouth - Howell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------|-----------------|
| 1319-23-0011.1 - FWW - 230001 | 74 FORD RD | Letter of interpretation line verification on an approximate 8.36-acre site. | 74 FORD RD | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/15/2023 | | |
| Application Administratively Complete | | 09/15/2023 | | |
| Issued | | 12/24/2024 | | |

Monmouth - Howell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------------------|-------------------------------------|-----------------------|-----------------------------------|
| 1319-23-0012.1 - LUP - 230001 | 72 LAKEWOOD FARMINGDALE ROAD | Warehouse Building | GATEWAY BUSINESS PARK | Chingwah Liang, Christopher Jones |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/31/2023 | | |
| Application Administratively Complete | | 10/31/2023 | | |
| Technical Information Requested | | 12/28/2023 | | |
| Withdrawn | | 12/19/2024 | | |

Monmouth - Howell Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------------|---|--------------------------------------|------------------------------|
| 1319-24-0013.1 - LUP - 240001 | 331 GEORGE TAVERN ROAD | Construction of an approximately 30 x 50 timber frame pavilion at Manasquan Reservoir, 250 west of the Environmental Center. The pavilion will be set on a concrete slab with a concrete sidewalk connecting to an asphalt service drive. | MONMOUTH COUNTY PARK SYSTEM PAVILION | Avery Thomas, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/25/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Monmouth - Little Silver Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------|--|-------------------------|-----------------|
| 1323-06-0001.1 - LUP - 240001 | 670 LITTLE SILVER POINT RD | Extension of a legally existing dock along with the installation of two boat lifts | 670 LITTLE SILVER PT RD | Jordan Gyuresak |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/01/2024 | | |
| Application Administratively Complete | | 10/01/2024 | | |
| Approved | | 12/19/2024 | | |

Monmouth - Long Branch City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|---|------------------------------|
| 1325-16-0001.2 - CAF - 240001 | 390-392 OCEAN AVENUE | Minor technical modification to CAFRA Individual Permit | 390 OCEAN OWNER LLC - THE ATLANTIC CLUB | Kara Turner, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/12/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |
| Approved | | 12/26/2024 | | |

Monmouth - Long Branch City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------|------------------------------|
| 1325-19-0005.1 - LUP - 240001 | 11 PULLMAN AVE | EXPANSION TO A SINGEL FAMILY RESIDENTIAL FOOTPRINT | CAYRE JACK | Kara Turner, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/16/2024 | | |
| Application Administratively Complete | | 09/16/2024 | | |
| Approved | | 12/10/2024 | | |

Monmouth - Long Branch City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-----------------------|---|---------------------|------------------------------|
| 1325-23-0011.1 - LUP - 230001 | 336 BRANCHPORT AVENUE | The applicant is requesting authorization to construct a multi-story mixed use building, associated parking, and related site improvements including stormwater outfall structures and a public access walkway. | BRANCHPORT CROSSING | Kara Turner, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA IP- Residential Development-not SFH/Duplex | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/14/2023 | | |
| Application Administratively Complete | | 11/15/2023 | | |
| Technical Information Requested | | 12/12/2023 | | |
| Technical Deficiency Information Received | | 08/09/2024 | | |
| Amended Application Received | | 10/30/2024 | | |
| Complete for Final Review | | 10/30/2024 | | |
| Approved | | 12/11/2024 | | |

Monmouth - Long Branch City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------|--|---------------------|------------------------------|
| 1325-24-0007.1 - LUP - 240001 | 110 ATLANTIC AVENUE | 2,330 square foot addition to existing single- family home | 110 ATLANTIC AVENUE | Kara Turner, Sherwood Lennon |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/06/2024 | | |
| Application Administratively Complete | | 08/06/2024 | | |
| Technical Information Requested | | 08/26/2024 | | |
| Technical Deficiency Information Received | | 09/27/2024 | | |
| Approved | | 12/18/2024 | | |

Monmouth - Long Branch City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|------------------|----------------------------------|
| 1325-24-0009.1 - LUP - 240001 | 369-375 BROADWAY | FHA Individual Permit and Verification via Method 2 | 369-375 BROADWAY | Michael Sheehan, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/11/2024 | | |
| Application Administratively Complete | | 09/23/2024 | | |
| Technical Information Requested | | 10/21/2024 | | |
| Technical Deficiency Information Received | | 12/18/2024 | | |

Monmouth - Manalapan Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|--------------------|------------------------------------|
| 1326-07-0005.1 - LUP - 220001 | MAIN ST | THE APPLICANT IS SEEKING FWW GP'S AND FHA IP ASSOCIATED WITH THE CONSTRUCTION OF A STORAGE FACILITY IN MANALAPAN TOWNSHIP. | TRIPLET SQUARE LLC | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/09/2022 | | |
| Application Administratively Complete | | 06/09/2022 | | |
| Technical Information Requested | | 07/08/2022 | | |
| Technical Deficiency Information Received | | 12/14/2022 | | |
| Approved | | 12/16/2024 | | |

Monmouth - Marlboro Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--|-------------------------------------|
| 1328-24-0008.1 - LUP - 240001 | 33 MANOR DRIVE | The Applicant is proposing to replace approximately 302 linear Ft. of 12" dia. clay sanitary sewer pipe with a 16" dia. HDPE pipe. The section of sanitary sewer line being replaced is a portion of the Tepehemus Brook Interceptor line operated by the Western Monmouth Utilities Authority. The existing pipeline is located within the riparian zone and flood hazard area of Tepehemus Brook. Wetlands within the project limits have been delineated and are shown on the Statewide General Permit Plan. | TEPEHEMUS BROOK INTERCEPTOR IMPROVEMENTS | Ashleigh Windawi, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/19/2024 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|---------------------------------|
| 1331-23-0004.1 - LUP - 240001 | 73 SOUTH END AVE | Applicants need verification for the site NJAC 7:13. | BSB BUILDERS LLC | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-----------------------|--|---------------------|-----------------------------|
| 1331-24-0014.1 - LUP - 240001 | 439 LOCUST POINT ROAD | WFD IP & CSW for construction of pier, ramp, floats and boat lift. CAF GP5 for construction of building. | 439 LOCUST POINT RD | Catherine Sand, Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-SFH/Duplex | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Freshwater Wetlands General Permit | | FWW GP19 Docks/Piers | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/01/2024 | | |
| Application Administratively Complete | | 08/01/2024 | | |
| Technical Information Requested | | 08/19/2024 | | |
| Amended Application Received | | 12/16/2024 | | |
| Technical Deficiency Information Received | | 12/23/2024 | | |

Monmouth - Middletown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------|----------------------------------|
| 1331-24-0023.1 - LUP - 240001 | 128 CENTER AVE | New Single Family Residence | 128 CENTER AVE | Albi Kovatcheva, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/22/2024 | | |
| Application Administratively Complete | | 11/26/2024 | | |
| Technical Information Requested | | 12/23/2024 | | |

Monmouth - Monmouth Beach Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-------------------|------------------------------|
| 1333-05-0011.3 - LUP - 240001 | 68 NAVESINK DRIVE | The applicant is requesting a CAFRA GP 4 and WFD IP for the construction of a single family house, driveway, pool, and associated dock configuration. | 68 NAVESINK DRIVE | Albi Kovatcheva, Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/12/2024 | | |
| Application Administratively Complete | | 11/18/2024 | | |
| Technical Information Requested | | 12/16/2024 | | |

Monmouth - Oceanport Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|--|------------------|-------------------------------|
| 1338-17-0006.1 - LUP - 240001 | 66 RIVERSIDE AVE | Construct one single family residence and driveway | 66 RIVERSIDE AVE | Albi Kovatcheva, Becky Mazzei |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Freshwater Wetlands General Permit | | FWW GP6 Non-Tributary Wetlands | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/01/2024 | | |
| Application Administratively Complete | | 12/02/2024 | | |
| Amended Application Received | | 12/20/2024 | | |

Monmouth - Oceanport Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|-----------------------------------|-----------------|
| 1338-24-0003.1 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | Proposed sanitary sewer improvements within the Oceanport section of Fort Monmouth. | TWO RIVERS WATER RECLAMATION AUTH | Alyssa Wheeldon |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/27/2024 | | |
| Application Administratively Complete | | 06/27/2024 | | |
| Approved | | 12/17/2024 | | |

Monmouth - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|---------------------|-----------------|
| 1337-24-0001.1 - LUP - 240001 | 1012 NORWOOD AVENUE | The applicant is proposing to construct a single-family home and accessory improvements within wetlands transition area. | 1012 NORWOOD AVENUE | Avery Thomas |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP6A TA Adjacent to Non-Tributary Wetlands | | |
| Milestone | | Completed Date | | |
| Application Received | | 05/16/2024 | | |
| Application Administratively Complete | | 05/16/2024 | | |
| Withdrawn | | 12/11/2024 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------|---------------------------------|
| 1342-03-0004.1 - LUP - 240002 | 163 RUMSON RD | Rumson Country Club is requesting a letter of interpretation (LOI) line verification and a Flood Hazard area verification to confirm the location of wetlands, wetlands transition areas, flood hazard area and riparian zones onsite. This application also includes a Flood Hazard Area applicability determination for two additional ponds/streams onsite. | RUMSON COUNTRY CLUB | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/20/2024 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|-------------------|-----------------|
| 1342-03-0014.1 - CZM - 240001 | 181 RUMSON RD | Emergency Permit | PS ENTERPRISE LLC | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Coastal General Permits | | Coastal Emergency Permit | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/26/2024 | | |
| Application Administratively Complete | | 11/26/2024 | | |
| Denied | | 12/13/2024 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------|-----------------|
| 1342-03-0014.1 - WFD - 240001 | 181 RUMSON RD | Zane exemption for reconstruction of existing bulkhead in-place in-kind. | PS ENTERPRISE LLC | Becky Mazzei |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Zane Letter | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/12/2024 | | |
| Application Administratively Complete | | 11/19/2024 | | |
| Withdrawn | | 12/23/2024 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|--------------------------|-----------------|
| 1342-10-0018.2 - LUP - 240001 | STREET ADDRESS NOT IDENTIFIED | WFD IP for Maintenance Dredging of a Man Made Lagoon. | RIVERS EDGE HARBOR ASSOC | Jeff Thein |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Residential Dev(Not SFH/Duplex) Waterward | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/16/2024 | | |
| Application Administratively Complete | | 11/14/2024 | | |
| Technical Information Requested | | 12/11/2024 | | |

Monmouth - Rumson Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------|---------------------------------|
| 1342-24-0007.1 - LUP - 240001 | 6 HEATHCLIFF RD | Construction of a single-family dwelling and ancillary improvements in a fluvial flood hazard area. | 6 HEATHCLIFF ROAD | Chingwah Liang, Taryn Pittfield |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/13/2024 | | |
| Application Administratively Complete | | 11/14/2024 | | |
| Technical Information Requested | | 12/11/2024 | | |

Monmouth - Sea Girt Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--|-----------------------------|
| 1344-03-0001.2 - CAF - 230001 | SEA GIRT AVE | Construction of a running track and physical fitness purpose. Additionally, the construction of a new storage building at the National Guard training facility. | NJ DEPT OF MILITARY & VETERANS AFFAIRS | Chingwah Liang, Kara Turner |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/20/2023 | | |
| Application Administratively Complete | | 04/20/2023 | | |
| Approved | | 12/18/2024 | | |

Monmouth - Tinton Falls Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|--------------------|-----------------|
| 1336-24-0003.1 - FWW - 240001 | 1517 WEST PARK AVE | Applicant is seeking an absence LOI to confirm the absence of freshwater wetlands transition areas, and State open waters within the site. | 1517 WEST PARK AVE | Avery Thomas |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLII presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Monmouth - Wall Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------|-------------------------------|
| 1352-06-0014.1 - LUP - 240001 | 2567 RIVER RD | The property owner/applicant is seeking the authorization of the Division of Land Resource Protection in order to legalize an existing retaining wall constructed by a prior property owner, shallow water features, stone shoreline revetments, a recreational dock extension and covered deck present at the above-referenced property. | DAY KEVIN PATRICK SR | Chingwah Liang, Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit- SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2024 | | |
| Application Administratively Complete | | 09/27/2024 | | |
| Complete for Final Review | | 12/20/2024 | | |

Monmouth - Wall Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|--------------------|---------------------------------|
| 1352-23-0003.1 - FHA - 240001 | 803-819 & 812-818 | the applicant is proposing to modify the previously approved Flood Hazard area individual permit. | EAST FOURTH AVENUE | Avery Thomas, Chingwah Liang |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Major Technical Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Monmouth - Wall Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|--------------------------------|
| 1352-24-0009.1 - LUP - 240001 | 2611 RIVER ROAD | GP-5 | 2611 RIVER ROAD | Becky Mazzei, Stephen Tursi |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/13/2024 | | |
| Application Administratively Complete | | 09/16/2024 | | |
| Approved | | 12/11/2024 | | |

Morris - Boonton Town

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|--|-----------------|
| 1400-24-0007.1 - LUP - 240001 | VARIOUS LOCATIONS | Project activities at Site 60 include the installation of underground ITS utility lines including fiber optic conduit and cable. | NJDOT SMART MOVES 2021 NORTH - SITE 60 | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Morris - Chester Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------------------|------------------|
| 1400-21-0001.3 - APD - 240001 | 98 PARKER RD | Development of ground-mounted solar panels on the existing landfill. Panels will be limited to existing area of disturbance of landfill. Application is begin amended to include an interconnection route along section of East Valley Brook Rd, Route 24 and Furnace Rd. The revised impervious cover equals 2091 sq. ft. on site and 915 sq. ft. off site totaling 3,009 sf. | PARKER RD SOLAR FARM LLC | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/02/2024 | | |
| Application Administratively Complete | | 08/28/2024 | | |
| Approved | | 12/12/2024 | | |

Morris - Hanover Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------------------------|-----------------|
| 0000-24-0028.1 - LUP - 240001 | VARIOUS LOCATIONS | Project activities at Site 61 include the installation of underground ITS utility devices including fiber optic conduit and cable. | SMART MOVES 2021 NORTH - SITE 61 | Matthew Resnick |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Morris - Kinnelon Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|------------------|-----------------|
| 1415-23-0002.1 - FWW - 230001 | 11 SPICE BUSH RD | Applicant seeks an FWW LOI. | 11 SPICE BUSH RD | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/12/2023 | | |
| Application Administratively Complete | | 07/12/2023 | | |
| Issued | | 12/12/2024 | | |

Morris - Long Hill Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------------|-----------------|
| 1430-24-0006.1 - LUP - 240001 | 277 MAIN AVENUE | Redevelop the property with a two-story mixed- use building having 3,200 square feet of retail/ office space on the first floor and two apartments on the second floor. Construction of a 19-car parking area is also proposed. Property is within the flood hazard area of the Passaic River with Long Hill Twp. | 277 MAIN AVENUE REDEVELOPMENT | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/19/2024 | | |
| Application Administratively Complete | | 12/22/2024 | | |

Morris - Morris Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|-------------------------|---------------------------------|
| 1400-21-0003.1 - LUP - 210001 | MT KEMBLE RD | The applicant proposes the demolition of a portion of the existing wooded area, to develop a 96 unit residential townhouse development. Proposed improvements include site paving, curbing, above ground and below ground stormwater basins, underground utilities, landscaping and lighting. | S/K MT KEMBLE ASSOC LLC | Neelofar Qureshi, Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/23/2021 | | |
| Application Administratively Complete | | 02/23/2021 | | |
| Approved | | 12/16/2024 | | |

Morris - Morris Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|--------------|-----------------|
| 1422-04-0009.1 - LUP - 200001 | STARLIGHT DR | TAW Averaging Plan and GP10 associated with residential subdivision for NJDEP regulated activates within 50-foot wetlands transition area on block 2301 lot 8 in Morris Township. | STARLIGHT DR | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10A Very Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 02/13/2020 | | |
| Application Administratively Complete | | 02/13/2020 | | |
| Technical Information Requested | | 05/21/2020 | | |
| Amended Application Received | | 06/09/2021 | | |
| Technical Deficiency Information Received | | 03/15/2022 | | |
| Approved | | 12/20/2024 | | |

Morris - Mount Olive Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------------------|--|-----------------------------------|------------------|
| 1427-04-0014.4 - FWW - 230001 | 217 & 219 WATERLOO VALLEY RD | Application for freshwater wetlands LOI (line verification). | MORRIS MOUNT OLIVE ASSOICATES LLC | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/16/2023 | | |
| Application Administratively Complete | | 08/16/2023 | | |
| Issued | | 12/18/2024 | | |

Morris - Mount Olive Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------------------|---------------------------|-----------------------------------|----------------------------------|
| 1427-04-0014.4 - LUP - 230001 | 217 & 219 WATERLOO VALLEY RD | Office Warehouse | MORRIS MOUNT OLIVE ASSOICATES LLC | Dennis Contois, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/15/2023 | | |
| Application Administratively Complete | | 10/16/2023 | | |
| Approved | | 12/18/2024 | | |

Morris - Riverdale Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------------|------------------------------------|-----------------|
| 1433-23-0003.1 - FWW - 230001 | 10 DALTON DR | Footprint of Disturbance | RIVERDALE BORO @ INDEPENDENCE PARK | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI2 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2023 | | |
| Application Administratively Complete | | 12/11/2023 | | |
| Withdrawn | | 12/16/2024 | | |

Morris - Rockaway Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|-----------------|
| 1435-24-0002.1 - APD - 240001 | 1 OLD LANE | The applicant plans to construct a pole barn in their maintenance yard. | GREEN POND CORPORATION | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/17/2024 | | |
| Application Administratively Complete | | 04/17/2024 | | |
| Issued | | 12/20/2024 | | |

Morris - Roxbury Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------------|------------------|
| 1436-05-0004.1 - FWW - 240001 | 1923 RT 46 | Applicant seeks an letter of interpretation line verification extension for the above referenced property. | SOUTHWIND PARTNERSHIP | Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/23/2024 | | |
| Application Administratively Complete | | 12/23/2024 | | |

Morris - Roxbury Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|------------------------------------|
| 1436-24-0009.1 - LUP - 240001 | 1345 ROUTE 46 | Verification of existing parcel bordered by the Ledgewood Brook. | 1345 ROUTE 46 | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/12/2024 | | |
| Application Administratively Complete | | 12/12/2024 | | |

Morris - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|--|------------------------------------|
| 1400-03-0011.2 - LUP - 240001 | VARIOUS LOCATIONS | Flood Hazard Area Riparian Zone Verification and Flood Hazard Area Individual Permit Application for the construction of an 18.3 MW DC ballast-mounted solar farm (proposed outside of areas regulated by DLRP), 0.7+/- miles of pole-mounted power transmission line and 2.0+/- miles of underground power transmission line. | PARKER RD SOLAR FARM/ FURNACE RD INTERCONNECT | Neelofar Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Utility | | |
| Flood Hazard Verification | | Verification-Delineation of Riparian Zone Only | | |
| Milestone | | Completed Date | | |
| Application Received | | | | |
| Application Administratively Complete | | 08/15/2024 | | |
| Technical Information Requested | | 09/12/2024 | | |
| Approved | | 12/12/2024 | | |

Morris - Washington Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------|--|--------------------------|------------------------------------|
| 1438-24-0027.1 - LUP - 240001 | 128 WEST SPRINGTOWN ROAD | CONSTRUCTION OF A SHED, INSTALLATION OF A GENERATOR, INSTALLATION OF UNDERGROUND UTILITY LINES, AND OTHER ASSOCIATED IMPROVEMENTS. | 128 WEST SPRINGTOWN ROAD | Mohammad Qureshi, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Freshwater Wetlands General Permit | | FWW GP8 House Additions | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/19/2024 | | |

Ocean - Barnegat Light Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---|-------------------------------|
| 1501-24-0003.1 - LUP - 240001 | 208 BROADWAY | The project consists of placing 27,540 cubic yards of sand to restore approximately six acres of beach at Barnegat Light State Park. The project will accept sand material hydraulically dredged from State navigation channels #126 and #127 using a hydraulic cutterhead pipeline. The project will place the material within an existing beach template to elevation 9.0 NAVD88. Work includes repairs to the existing jetty's inner riprap revetment to reinforce the embankment and prevent further sand loss. | BARNEGAT LIGHT STATE PARK BEACH RESTORATION | Andre Thompson, Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP24 Habitat Creation/Restoration/Enhancement | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/29/2024 | | |
| Application Administratively Complete | | 11/14/2024 | | |
| Approved | | 12/13/2024 | | |

Ocean - Beach Haven Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|-----------------------|---|---------------------------|----------------------------------|
| 1503-04-0005.3 - LUP - 230001 | 116 NORTH WEST AVENUE | CAFRA IP FOR IMPROVEMENTS AND SECOND STORY EXPANSION TO LEGALLY EXISTING RESTAURANT IN BOROUGH OF BEACH HAVEN | PARKERS GARAGE RESTAURANT | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 06/15/2023 | | |
| Application Administratively Complete | | 06/26/2023 | | |
| Technical Information Requested | | 07/24/2023 | | |
| Technical Deficiency Information Received | | 08/28/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|----------------------------------|-----------------|
| 1505-02-0033.1 - LGP - 240001 | 221 MAGNOLIA DR | GP10 - Bulkheads | MCALEAVEY MICHAEL & ELAINE | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP10 - Bulkheads | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/20/2024 | | |
| Application Administratively Complete | | 12/20/2024 | | |
| Approved | | 12/20/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|----------------------------------|-----------------|
| 1505-02-0033.1 - LGP - 240002 | 221 MAGNOLIA DR | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | MCALEAVEY MICHAEL & ELAINE | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/20/2024 | | |
| Application Administratively Complete | | 12/20/2024 | | |
| Approved | | 12/20/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------------|-------------------------------------|
| 1505-06-0032.1 - LUP - 240001 | 204 N BAY DR | For the construction of two (2) new single-family homes and accessory structures | SALZER MICHAEL AND DEANNE | Carlene Purzycki, Catherine Sand |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP10 Reconstruction of Existing Bulkhead | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/09/2024 | | |
| Application Administratively Complete | | 09/09/2024 | | |
| Amended Application Received | | 12/16/2024 | | |
| Approved | | 12/31/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|-----------------|
| 1505-24-0045.1 - LUP - 240001 | CYPRESS DRIVE | Construct new bulkhead 24 inches out from existing | CAPUANO BULKHEAD | Katie Lihou |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/17/2024 | | |
| Application Administratively Complete | | 09/17/2024 | | |
| Approved | | 12/12/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|------------------|-----------------|
| 1505-24-0046.1 - LUP - 240001 | 91 OCEAN GATE AVE | Construct new bulkhead 24 inches out from existing | CAMARGO BULKHEAD | Katie Lihou |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2024 | | |
| Application Administratively Complete | | 09/19/2024 | | |
| Approved | | 12/17/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|---------------|------------------|
| 1505-24-0047.1 - LUP - 240001 | 29 TOPPINGLIFT DRIVE | Construct new bulkhead 24 inches out from existing | VISO BULKHEAD | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2024 | | |
| Application Administratively Complete | | 09/26/2024 | | |
| Approved | | 12/18/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------------|------------------|
| 1505-24-0048.1 - LUP - 240001 | 27 TOPPINGLIFT DR | Construct new bulkhead 24 inches out from existing | SIMOSKEVITZ BULKHEAD | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2024 | | |
| Application Administratively Complete | | 09/26/2024 | | |
| Approved | | 12/18/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|--------------|------------------|
| 1505-24-0053.1 - LUP - 240001 | 26 TOPPINGLIFT DRIVE | Construct new bulkhead 24 inches out from existing | HOM BULKHEAD | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/03/2024 | | |
| Application Administratively Complete | | 10/08/2024 | | |
| Approved | | 12/23/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|------------------|--------------------|
| 1505-24-0063.1 - LUP - 240001 | 64 OCEAN GATE AVE | Construct new bulkhead 24 inches out from existing | LAPENTA BULKHEAD | Stephanie Barletta |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/04/2024 | | |
| Application Administratively Complete | | 11/04/2024 | | |
| Approved | | 12/11/2024 | | |

Ocean - Berkeley Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|-----------------|----------------------------------|
| 1505-24-0064.1 - LUP - 240001 | 246 NORTH BAY DRIVE | APPLICANT PROPOSES TO BUILD A NEW SINGLE FAMILY HOME ON A VACANT BULKHEADED WATERFRONT LOT. PROPERTY WAS PREVIOUSLY DEVELOPED PRIOR TO SUPERSTORM SANDY. APPLICANT ALSO PROPOSES TO REPLACE THE BULKHEAD TO A HIGHER ELEVATION AND INSTALL A FIXED DOCK PARALLEL TO THE BULKHEAD. OTHER SITE IMPROVEMENTS INCLUDE A DRIVEWAY, POOL, DECKS, PORCHES, RETAINING WALLS AND HARDSCAPING. | WALSH RESIDENCE | Andre Thompson, Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP10 Reconstruction of Existing Bulkhead | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/21/2024 | | |
| Application Administratively Complete | | 12/09/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|--------------------|-----------------|
| 1506-09-0177.2 - LUP - 240001 | 802 MANTOLOKING ROAD | Legalization of certain existing dock structures. | 802 MANTOLOKING RD | Bryan Carter |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/10/2024 | | |
| Application Administratively Complete | | 09/19/2024 | | |
| Approved | | 12/16/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|-----------------|
| 1506-09-0202.1 - LUP - 240001 | 46 ISLAND DR | The removal of an existing dock, boatlift, and five (5) mooring pilings, and the construction of a new 6 wide x 100 long dock and two (2) boatlifts. | VIVOLA PHILIP | Bryan Carter |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/10/2024 | | |
| Application Administratively Complete | | 12/10/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|----------------|-----------------|
| 1506-10-0033.1 - WFD - 240001 | 41 TUNES BROOK RD | This application is for a major modification of a waterfront development individual permit and a minor modification of a CAFRA modification of the CAFRA IP consists of the removal of the area of the rock groins from the upland area. | BRICK TOWNSHIP | |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | Modification | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/12/2024 | | |
| Application Administratively Complete | | | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-----------------------------|-----------------|
| 1506-15-0024.3 - FWW - 240001 | 1930 ROUTE 88 | The redevelopment project consists of improvements to two outparcel buildings and associated parking lots. The project activities will require 0.60 acre of transition area impacts for the drive-thru and accessory improvements to Building 2, mill and overlay of existing pavement, stormwater improvements and associated grading in the transition area. In addition, the parking upgrades and grading will result in approximately 0.19 acres of existing paved riparian zone disturbance. | LAUREL SQUARE REDEVELOPMENT | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/12/2024 | | |
| Application Administratively Complete | | 12/12/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|------------------|---|-----------------------------|-----------------------------------|
| 1506-15-0024.3 - LUP - 240001 | 1930 ROUTE 88 | The redevelopment project consists of improvements to two outparcel buildings and associated parking lots. The project activities will require 0.60 acre of transition area impacts for the drive-thru and accessory improvements to Building 2, mill and overlay of existing pavement, stormwater improvements and associated grading in the transition area. In addition, the parking upgrades and grading will result in approximately 0.19 acres of existing paved riparian zone disturbance. | LAUREL SQUARE REDEVELOPMENT | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/04/2024 | | |
| Application Administratively Complete | | 12/12/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|---------------------------|---|--------------------|-----------------|
| 1506-23-0055.1 - LUP - 240001 | 235 RIVERSIDE DRIVE NORTH | Modifications to the existing docking facility. This existing fixed pier will be elevated and reduced and removal of the PWC float. A new 3' ramp will be installed and with the existing float will be within the grandfathered alignment. | 235 RIVERSIDE DR N | Katelyn Spina |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP19 Docks/Piers | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2024 | | |
| Application Administratively Complete | | 09/12/2024 | | |
| Technical Information Requested | | 10/09/2024 | | |
| Technical Deficiency Information Received | | 12/19/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|------------------|-----------------|
| 1506-24-0065.1 - LGP - 240001 | 197 CARTAGENA DRIVE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | DAVID MCKENDRICK | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |
| Approved | | 12/11/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 1506-24-0066.1 - LGP - 240001 | 109 MIZZEN ROAD | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | 109 MIZZEN ROAD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |
| Approved | | 12/17/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|---------------------|-----------------|
| 1506-24-0067.1 - LGP - 240001 | 315 BRIGANTINE LANE | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | 315 BRIGANTINE LANE | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/18/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |
| Approved | | 12/18/2024 | | |

Ocean - Brick Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------------|--|-----------------------------|-----------------|
| 1506-24-0068.1 - LGP - 240001 | 109 AND 111 SOUTHVIEW COURT | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | 109 AND 111 SOUTHVIEW COURT | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP15 - Coastal Docks, Piers, JetSki Ramp in Man-made Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/23/2024 | | |
| Application Administratively Complete | | 12/23/2024 | | |
| Approved | | 12/23/2024 | | |

Ocean - Jackson Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|--------------------|------------------------------|
| 1511-24-0014.1 - LUP - 240001 | PERRINEVILLE ROAD | The project is a residential subdivision/ development that will result in disturbance in a riparian zone that requires authorization pursuant to a Flood Hazard Individual Permit. | EL AT JACKSON, LLC | Andre Thompson, Avery Thomas |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/14/2024 | | |
| Application Administratively Complete | | 11/25/2024 | | |
| Technical Information Requested | | 12/19/2024 | | |

Ocean - Lacey Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------|--------------------|
| 1512-24-0035.1 - LUP - 240001 | 808 TILLER DRIVE | To construct a 24" step out to 75LF of bulkhead with a 5'X75' piling dock outside of proposed bulkhead. | HOLLAND CHRISTOPHER | Stephanie Barletta |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/26/2024 | | |
| Application Administratively Complete | | 09/26/2024 | | |
| Approved | | 12/18/2024 | | |

Ocean - Lakewood Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------|------------------------------|
| 1514-07-0013.2 - LUP - 240001 | RT 70 | Flood hazard area verification method 6. | 40 GSP LLC | Andre Thompson, Avery Thomas |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/19/2024 | | |
| Application Administratively Complete | | 08/19/2024 | | |
| Approved | | 12/13/2024 | | |

Ocean - Lavallette Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|------------------------|---------------------------------|
| 1515-10-0012.3 - LUP - 240001 | 153 PERSHING BLVD. | To construct two single family dwellings and pools. To reconstruct the existing 5.9' x 49' fixed dock and to construct a 6'x 16' dock extension, install 5 mooring piles and a 16' x 16' boatlift on Lot 14. To remove 4 mooring piles. | BLOOMIN PROPERTIES LLC | Kathleen Preston, Stephen Tursi |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/25/2024 | | |
| Application Administratively Complete | | 09/25/2024 | | |
| Approved | | 12/17/2024 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|---|-----------------|
| 1516-04-0038.3 - WFD - 240001 | 800 GREAT BAY BLVD | The proposed project involves dredging 3,800 CY of material from the RUMFS channel and disposing the material on the adjacent shoreline for beneficial reuse. | RUMFS DOCK RECONSTRUCTION & MARINA DREDGING | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Development | | IP Emergency | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |
| Approved | | 12/26/2024 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-------------------|-----------------|
| 1516-24-0023.1 - LUP - 240001 | 38 NORTH BOOM WAY | New vinyl bulkhead with 24" of timber bulkhead and a new dock along the bulkhead. | 38 NORTH BOOM WAY | Jordan Gyurcsak |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/19/2024 | | |
| Application Administratively Complete | | 09/19/2024 | | |
| Approved | | 12/12/2024 | | |

Ocean - Little Egg Harbor Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|---|------------------------|-----------------|
| 1516-24-0027.1 - LUP - 240001 | 113 SEA MEEADOW DRIVE | Lease 620 is located in Little Egg Harbor Bay, Ocean County. East of Little Egg Harbor Twp.2 acres utilized for the purpose of aqua farming eastern oysters in floating mesh bags secured to anchored long lines. | SEA MEADOW OYSTER FARM | Kip LeWam |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP30 Commercial Shellfish Aquaculture Activity | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/18/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------------------|-----------------------------|
| 1517-02-0067.1 - LUP - 240001 | HIDEAWAY BAY DR | CZM General Permit 5 application for expansion of the footprint of a bayfront single-family home, proposed swimming pool, and other accessory development. | CALLAN & MOELLER CONSTRUCTION | Bryan Carter, Stephen Tursi |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2024 | | |
| Application Administratively Complete | | 09/23/2024 | | |
| Approved | | 12/18/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-----------------------|--|---------------|-----------------|
| 1517-11-0023.1 - CRR - 190001 | 1107B LONG BEACH BLVD | : Applicant requests partial release of deed restriction to remove area that is disputed as not being a dune on a single family property | BARRY MICHAEL | Ryan Anderson |
| Permit Category | | Permit/Authorization Type | | |
| Conservation Restriction Release | | DR – Partial Release | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/21/2019 | | |
| Application Administratively Complete | | 10/11/2019 | | |
| Project Manager Assigned | | 10/11/2019 | | |
| Denied | | 12/19/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-----------------|--------------------|
| 1517-21-0008.1 - LUP - 240001 | 87 BAYVIEW AVENUE | new vinyl bulkhead within 24: of timber, new dock, dual jet ski lift, whips and kayak launch | EPHRAIM WILLIAM | Stephanie Barletta |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/30/2024 | | |
| Application Administratively Complete | | 09/30/2024 | | |
| Approved | | 12/23/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---|-----------------------------------|
| 1517-22-0028.1 - LUP - 240001 | 40 AUBURN ROAD | A Waterfront Development Permit and a Freshwater Wetlands General Permit No. 19 are requested for the authorization of the existing stairs and existing davit. | SARAH A SCHRAISHUHN REVOCABLE TRUST DATED OCT | Andre Thompson, Natalie Gunderson |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/19/2024 | | |
| Application Administratively Complete | | 08/19/2024 | | |
| Approved | | 12/16/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---|-----------------------------------|
| 1517-22-0028.1 - LUP - 240002 | 40 AUBURN ROAD | A Waterfront Development Permit and a Freshwater Wetlands General Permit No. 19 are requested for the authorization of the existing stairs and existing davit. | SARAH A SCHRAISHUHN REVOCABLE TRUST DATED OCT | Andre Thompson, Natalie Gunderson |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP19 Docks/Piers | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/19/2024 | | |
| Application Administratively Complete | | 08/19/2024 | | |
| Withdrawn | | 12/16/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------|--------------------------------|
| 1517-24-0004.1 - LUP - 240002 | 5304 WEST AVENUE | The applicant proposes to construct a single family dwelling, driveway and an in ground swimming pool on this property located on a property with frontage on Little Egg Harbor Bay. The single family dwelling will be constructed within the footprint shown on the plans that accompany this application. The proposed building will replace a single family dwelling that was removed in the spring of 2021. The new building will be elevated on a pile foundation. | 5304 WEST AVENUE | Andre Thompson, Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-------------------|-------------------------------|
| 1517-24-0023.1 - LUP - 240001 | 208 E 20TH STREET | RECONSTRUCTION OF EXPANSION OF AN EXISTING SINGLE FAMILY HOME | 208 E 20TH STREET | Catherine Sand, Lindsey Davis |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/06/2024 | | |
| Application Administratively Complete | | 09/06/2024 | | |
| Approved | | 12/24/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------|--|----------------------------|-----------------------------|
| 1517-24-0025.1 - LUP - 240001 | 35 WEST MISSISSIPPI AVENUE | Legalize a modified pier at the property,2 new boatlifts and a new inground pool and pavers. | 35 WEST MISSISSIPPI AVENUE | Bryan Carter, Stephen Tursi |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/18/2024 | | |
| Application Administratively Complete | | 09/18/2024 | | |
| Approved | | 12/11/2024 | | |

Ocean - Long Beach Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|--|----------------------|------------------------------|
| 1517-24-0038.1 - LUP - 240001 | 213 EAST 17TH STREET | The applicant proposes to reconstruct and expand the existing duplex as a single family dwelling with an in-deck swimming pool at this property located adjacent to a dune fronting on the Atlantic Ocean. The new building will be elevated on a pile foundation. The new building will be constructed within the footprint shown on the plans that accompany this application. A silt fence will be erected and maintained for the duration of construction. | 213 EAST 17TH STREET | Andre Thompson, Bryan Carter |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/06/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Ocean - Mantoloking Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|------------------------------------|
| 1519-07-0004.1 - LUP - 240001 | 974 BARNEGAT LN | Existing dock to be removed, bulkhead to be replaces in the same location and a proposed 4' x 28' pier dock with a 4' x 24' "I" section and a 10' x 14' open type boat lift added. | 974 BARNEGAT LN | Andre Thompson, Stephanie Barletta |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP10 Reconstruction of Existing Bulkhead | | |
| CZM General Permit | | CZM GP15 Construction-Piers/Docks/Ramps- Lagoons | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/24/2024 | | |
| Application Administratively Complete | | 09/24/2024 | | |
| Approved | | 12/16/2024 | | |

Ocean - Mantoloking Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|--------------------------------|
| 1519-14-0006.3 - LUP - 240001 | 955 EAST AVE | Construct a single-family replacement dwelling on the above captioned lot. | EHINGER ANTHONY | Brett Kosowski, Catherine Sand |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 2 (FEMA Tidal Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/27/2024 | | |
| Application Administratively Complete | | 09/27/2024 | | |
| Approved | | 12/11/2024 | | |

Ocean - Ocean Gate Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------------------|---|-----------------|-----------------|
| 1521-10-0002.4 - LUP - 240001 | E RIVIERA AVE & W RIVIERA AVE | Beach and dune maintenance. | OCEAN GATE BORO | Bryan Carter |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP2 Beach/Dune Maintenance Activities | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/12/2024 | | |
| Application Administratively Complete | | 09/19/2024 | | |
| Approved | | 12/17/2024 | | |

Ocean - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|--|-----------------|
| 1500-24-0002.1 - LUP - 240001 | VARIOUS LOCATIONS | The project consists of maintenance dredging of the Waretown and Barnegat Light Complex, State channels #117-135. Total volume is 166,450 cy from approximately 110,784 linear feet for channel. Project is located in the boroughs of Barnegat Light and Harvey Cedars, and townships of Barnegat, Long Beach, in Ocean County. Dredged material from all 19 channels will be placed at Oyster Creek CDF. Sand material from Channels 126 and 127 will be placed at Barnegat Light State Park. | WARETOWN/ BARNEGAT LIGHT MAINTENANCE DREDGING | Mark Davis |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/17/2024 | | |
| Application Administratively Complete | | 11/01/2024 | | |
| Approved | | 12/13/2024 | | |

Ocean - Ocean Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------|-----------------|
| 1520-04-0041.1 - FWW - 240001 | 18 SOUTHWIND DR | Proposed house on lots that have wetlands, with transition area averaging previous approval for 2 houses expired. | K & R CUSTOM HOMES | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Ocean - Point Pleasant Beach Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------------|----------------------------------|
| 1525-07-0002.4 - LUP - 240002 | 300 OCEAN AVE | We are hereby requesting a CAFRA Individual Permit on the above referenced property located within Borough of Point Pleasant Beach, Ocean County. This project is proposed in areas that are regulated pursuant to the jurisdiction of the Coastal Zone Management Rules (N.J.A.C.7:7). The project includes the in-kind replacement of an existing retaining wall along Manasquan Inlet. | HARBORHEAD CONDO ASSOCIATION | Andre Thompson, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA Individual Permit-Commercial/Industry/Public | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/24/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Ocean - Seaside Heights Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------|----------------------------------|
| 1526-07-0001.1 - LUP - 240001 | 1511 OCEAN TER | THREE STORY CONDO BUILDING WITH 20 ASSOCIATED PARKING SPACES | CALI GIOVANNI | Andre Thompson, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CAFRA Individual Permit | | CAFRA IP- Residential Development-not SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/04/2024 | | |
| Application Administratively Complete | | 11/26/2024 | | |
| Technical Information Requested | | 12/23/2024 | | |

Ocean - Ship Bottom Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-------------------------------|
| 1528-24-0006.1 - LUP - 240001 | 131 13TH STREET | New in-ground pool and pavers. | 131 13TH STREET | Stephen Tursi, Vivian Fanelli |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/30/2024 | | |
| Application Administratively Complete | | 09/30/2024 | | |
| Approved | | 12/23/2024 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|--|-------------------------|-----------------|
| 1530-09-0055.1 - LUP - 240001 | 1975 MILL CREEK RD | On behalf of the applicants, Ron Ritz, we are hereby requesting a NJDEP Waterfront Development Individual Permit to authorize the jet ski davit at an existing single family home on the Manahawkin Bay. These improvements are in areas that are regulated pursuant to the jurisdiction of the Coastal Zone Management Rules (N.J.A.C.7:7). | RITZ RONALD & BETTY LEW | Jordan Gyuresak |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/23/2024 | | |
| Application Administratively Complete | | 09/26/2024 | | |
| Approved | | 12/20/2024 | | |

Ocean - Stafford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|---|----------------------|-------------------|
| 1530-24-0033.1 - LUP - 240001 | 2047 MILL CREEK ROAD | New inline bulkhead, new fixed pier, breakwater and 2 boatlifts | 2047 MILL CREEK ROAD | Natalie Gunderson |
| Permit Category | | Permit/Authorization Type | | |
| Coastal Wetlands Individual Permit | | Coastal Wetlands-SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/30/2024 | | |
| Application Administratively Complete | | 09/30/2024 | | |
| Amended Application Received | | 12/19/2024 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------------------|------------------|
| 1507-07-0058.1 - LUP - 240001 | 6 SANDY LN | The removal of an existing jet ski lift and the construction of a new dock and two (2) new boatlifts. | PIXLEY JOHN S & JANICE C | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/27/2024 | | |
| Application Administratively Complete | | 09/27/2024 | | |
| Approved | | 12/16/2024 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------------|----------------------------------|
| 1507-07-0130.1 - LUP - 240001 | 280 SOUTH SHR DR | New larger SFD and in-ground pool. Inline vinyl bulkhead replacement. New docks, 2 boatlifts and 1 jet ski float. | KRESON GEORGE & BARBARA | Andre Thompson, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP5 Expansion or Reconstruction SFH/Duplex | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/06/2024 | | |
| Application Administratively Complete | | 12/06/2024 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|------------------|
| 1507-17-0010.1 - LUP - 240001 | 313 W BAYVIEW DR | The removal of one (1) existing jet ski lift, and the construction of a new 4 wide x 46 long dock and two (2) 15 x 15 boatlifts. | 313 BAYVIEW LLC | Carlene Purzycki |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/27/2024 | | |
| Application Administratively Complete | | 09/27/2024 | | |
| Approved | | 12/19/2024 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------------|------------------------------------|-----------------|
| 1507-24-0004.1 - LLI - 240002 | 1 COLLEGE DRIVE | FWLI2 - Footprint of Disturbance | OCEAN CNTY COLLEGE - GRUNIN CENTER | Brett Kosowski |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI2 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/10/2024 | | |
| Application Administratively Complete | | 12/24/2024 | | |
| Issued | | 12/30/2024 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|------------------|----------------------------------|
| 1507-24-0038.1 - LUP - 240001 | 2 CEDAR TREE LANE | APPLICANT PROPOSES TO BUILD 2 SINGLE FAMILY DWELLINGS WITH TYPICAL RESIDENTIAL ACCESSORY IMPROVEMENTS SUCH AS DECKS, INGROUND POOLS, PORCHES, RETAINING WALLS, HARDSCAPING AND LANDSCAPING. ALSO PROPOSED IS 2 FIXED DOCKS, 2 FLOATING DOCKS AND A BOATLIFT. | ROSSI RESIDENCES | Catherine Sand, Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| CZM General Permit | | CZM GP10 Reconstruction of Existing Bulkhead | | |
| CZM General Permit | | CZM GP4 Development 1 or 2 SFH/Duplexes | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/30/2024 | | |
| Application Administratively Complete | | 09/30/2024 | | |
| Approved | | 12/21/2024 | | |

Ocean - Toms River Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------|------------------|
| 1507-24-0039.1 - LUP - 240001 | 17 CURACO AVENUE | The removal of an existing dock, and the construction of a new bulkhead 24 outshore of an existing bulkhead and a new fixed dock. | 17 CURACO AVE | Kathleen Preston |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | | | |
| Application Administratively Complete | | 10/02/2024 | | |
| Approved | | 12/23/2024 | | |

Out Of State

Out Of State - Out of State

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------|------------------|
| 9999-11-0001.1 - CDT - 240001 | 4101 POST RD | Monroe Energy plans to conduct maintenance dredging activities. Dredged material will be disposed of in White Basin. | MONROE ENERGY LLC | Stephen Mitchell |
| Permit Category | | Permit/Authorization Type | | |
| Consistency Determination | | Water Quality Certificate | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/27/2024 | | |
| Application Administratively Complete | | 09/27/2024 | | |
| Approved | | 12/24/2024 | | |

Passaic

Passaic - Pompton Lakes Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|------------------------|-----------------------------|
| 1609-09-0006.2 - LUP - 240001 | 316 LAKESIDE AVE | Establish areas regulated by the NJDEP DLRP | LAKESIDE MIDDLE SCHOOL | Catherine Sand, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/26/2024 | | |
| Application Administratively Complete | | 08/26/2024 | | |
| Approved | | 12/18/2024 | | |

Passaic - Pompton Lakes Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-------------------|------------------------------|
| 1609-24-0010.1 - LUP - 240001 | 260 WANAQUE AVE | The Applicant proposes to elevate the building in the rear of the subject property. The lowest floor of the proposed home will be elevated above the NJ Flood Hazard Area Design Flood Elevation. Exterior stairs will be constructed to access the units, mechanical equipment, and utilities. The elevation of the building will not increase offsite flooding or flood damage potential and will not result in any additional obstruction to the flow of floodwaters. | JANEL WANAQUE LLC | Audra Didzbalis, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP5 Reconstructr/Elevate Building in Floodway | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/18/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |

Passaic - Ringwood Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|--|-----------------------|--|------------------------------|-------------------------------|
| 1611-21-0006.1 - LUP - 220002 | 400 MARGARET KING AVE | Relocate an existing driveway with a GP #10B and a GP # 11 for a 24" RCP culvert. Construct a Small Scale Bioretention Basin with Stormwater discharge via a GP # 11. Provide water quality and stormwater management measures for a 3.01 acres new car storage area with Permeable Pavement, Extensive site restoration and re-vegetation. Restore natural drainage patterns. | LITHIA NORTHEAST REAL ESTATE | Dennis Contois, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Averaging Plan | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Redevelopment | | |
| Freshwater Wetlands Transition Area Waiver | | TAW - Special Activity Stormwater | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/27/2022 | | |
| Application Administratively Complete | | 10/27/2022 | | |
| Amended Application Received | | 03/21/2024 | | |
| Approved | | 12/23/2024 | | |

Passaic - Wanaque Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--|---|---|-----------------|
| 1613-24-0006.1 - APD - 240001 | CONKLINTOWN, CRESCENT, REDMAINE & PARK | Asphalt overlay with ADA ramps on Conklintown Rd, Crescent Rd, Redmine Rd, Park Ave & Boulevard Ave | WANAQUE BORO@ CONKLINTOWN, CRESENT, REDMINE | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/18/2024 | | |
| Application Administratively Complete | | 11/18/2024 | | |

Passaic - West Milford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--|-----------------|
| 1615-09-0027.2 - APD - 230001 | 1468 MACOPIN RD | Project proposes the rehabilitation of existing volleyball fields at Bubbling Springs Park. in addition to the construction of 2 ADA parking spaces and 10 x 15 HMA pad and bleachers | WEST MILFORD TWP BUBBLING SPRINGS PARK | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/11/2023 | | |
| Application Administratively Complete | | 08/11/2023 | | |
| Issued | | 12/20/2024 | | |

Passaic - West Milford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|---|---------------------|--------------------------------|
| 1615-24-0018.1 - LUP - 240001 | 355 LAKESHORE DRIVE | Construct Single Family Dwelling | 355 LAKESHORE DRIVE | Audra Didzbalis, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 3 (FEMA Fluvial Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/14/2024 | | |
| Application Administratively Complete | | 11/15/2024 | | |
| Technical Information Requested | | 12/13/2024 | | |

Passaic - West Milford Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------|-------------------------------|
| 1615-24-0025.1 - LUP - 240001 | 3 BURR COURT | Dwelling reconstruction and installation of septic system. | 3 BURR CT | Dennis Contois, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/10/2024 | | |
| Application Administratively Complete | | 12/10/2024 | | |

Salem

Salem - Lower Alloways Creek Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------------------|------------------------------|-----------------------------------|-----------------|
| 1704-24-0003.1 - LGP - 240001 | 416 SALEM HANCOCKS BRIDGE ROAD | GP24 - Malfunctioning Septic | TIMOTHY HARDY SEPTIC REPAIR | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |
| Approved | | 12/16/2024 | | |

Somerset

Somerset - Bound Brook Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|---------------------------|------------------------------|
| 1804-04-0002.2 - LUP - 240001 | 100 W MAIN ST | The applicant seeks a FHA Verification. | BROOK INDUSTRIAL PARK LLC | Danielle Jones, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| No Match | | Letter of Interpretation | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |

Somerset - Bridgewater Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|--|-------------------|-----------------------------|
| 1806-05-0016.1 - LUP - 240001 | 100 POLHEMUS LANE | Install a protective screen on the exterior face of the intake in the river to shield it from debris and to construct low knee walls (42 tall) around the grates covering the channel from the intake, matching the height of existing walls protecting valve stems. | NJ AMERICAN WATER | Danielle Jones, Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/19/2024 | | |
| Application Administratively Complete | | 08/19/2024 | | |
| Approved | | 12/13/2024 | | |

Somerset - Franklin Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------|------------------------------|--------------------|-----------------|
| 1808-24-0006.1 - FWW - 240001 | 161 CEDAR GROVE LANE | Presence/Absence application | AWAKENING DAWN LLC | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWL11 presence/absence LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/20/2024 | | |
| Application Administratively Complete | | 12/20/2024 | | |

Somerset - Green Brook Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|----------------|------------------------------|
| 1809-16-0001.1 - LUP - 240001 | 367 ROUTE 22 EAST | Construction of a self-storage facility with parking garage in a fluvial flood hazard area. | PIMENTA XAVIER | Danielle Jones, Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Flood Hazard Verification | | Verification-Method 1 (DEP Delineation) | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/20/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |
| Technical Information Requested | | 12/17/2024 | | |

Somerset - Hillsborough Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|----------------------------------|-----------------|
| 1810-19-0015.1 - FWW - 240001 | AMWELL RD | Applicants are seeking an LOI Line verification extension for the subject property. | CYZNER IRV C/O CYZNER PROPERTIES | Mark Harris |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLIRI re-issuance of LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/23/2024 | | |
| Application Administratively Complete | | 12/23/2024 | | |

Somerset - Warren Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|------------------|-----------------|
| 1820-15-0004.1 - FWW - 240001 | MOUNTAIN AVE | Line Verification | 234 MOUNTAIN AVE | Kate Lamotta |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |

Sussex - Andover Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|------------------------------------|-----------------|
| 1900-06-0003.2 - FWW - 240001 | RT 206 | Application is for a letter of interpretation to verify wetlands and transition areas. | RT 206 ACCESS/ COCCHI-CLUB LAKE RD | Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/02/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Sussex - Byram Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|--------------|-----------------|
| 1904-24-0010.1 - LGP - 240001 | 23 TAMARACK RD | GP24 - Malfunctioning Septic | GLANCEY GP24 | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/20/2024 | | |
| Application Administratively Complete | | 12/20/2024 | | |
| Approved | | 12/20/2024 | | |

Sussex - Hampton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|--|--------------|-----------------------------------|
| 1910-06-0005.1 - LUP - 240001 | 36 HAMPTON HOUSE RD | Construction of a self-storage facility and associated improvements on a portion of the property currently occupied by the Hampton Diner. An extension of an existing drainage culvert is part of the proposed work. | CAROPROT LLC | Audra Didzbalis, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP11 Outfalls/Intake Structures | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/30/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Sussex - Ogdensburg Boro

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|---------------------|------------------------------|------------|-----------------|
| 1916-24-0003.1 - LGP - 240001 | 36 RICHARDSVILLE RD | GP24 - Malfunctioning Septic | KEXEL GP24 | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |
| Approved | | 12/13/2024 | | |

Sussex - Vernon Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------|---|----------------------------------|-------------------------------|
| 1900-24-0002.2 - LUP - 240001 | 1547 COUNTY RD 565 | The proposed repairs on the Dagmar Dale Nature trail will involve replacing failed culverts which cross under the trail, resurfacing and regrading damaged portions of the trail surface, and installing cellular confinement system (CCS) along trail soft spots. Proposed repairs on the Liberty Loop Trail will involve rehabilitation of approximately 4,871 linear feet of the trail surface consisting of deep patch repairs and installation of CCS. | WALLKILL RIVER NWR TRAIL REPAIRS | Danielle Jones, Stephen Dench |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Freshwater Wetlands General Permit | | FWW GP10B Minor Road Crossings | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/07/2024 | | |
| Application Administratively Complete | | 08/21/2024 | | |
| Approved | | 12/23/2024 | | |

Sussex - Wantage Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|------------------------------|-------------|-----------------|
| 1924-24-0008.1 - LGP - 240001 | 91 SKYTOP RD | GP24 - Malfunctioning Septic | LALLEY GP24 | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/18/2024 | | |
| Application Administratively Complete | | 12/18/2024 | | |
| Approved | | 12/18/2024 | | |

[Union](#)

Union - Elizabeth City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|--------------------------------------|--|---|-------------------------------|
| 0000-24-0005.1 - LUP - 240002 | NEWARK LIBERTY INTERNATIONAL AIRPORT | Rehabilitation activities primarily consist of mill and overlay of existing asphalt/concrete (approximately 94 acres), removal of a former paved parking area to be restored with turf (approximately 4.5 acres), and a minor alignment adjustment to approximately 120 linear feet of the existing air rescue and firefighting (AARF) runway access. Portions of the project area are located within the flood hazard area associated with Peripheral Ditch/Newark Bay. | AMEX LOUNGE BLDG @ NEWARK INTNL AIRPORT | Cindy Rivera, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Other | | |
| Milestone | | Completed Date | | |
| Application Received | | 09/20/2024 | | |
| Application Administratively Complete | | 09/24/2024 | | |
| Approved | | 12/17/2024 | | |

Union - Elizabeth City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|-----------------|-----------------|
| 2004-06-0005.2 - FHA - 240001 | 217 S 1ST ST | Remediation activities, specifically hot spot excavation, removal, and disposal of impacted soils in the flood hazard area of the Elizabeth River, within the resident hazardous waste treatment, storage and transfer facility. | CYCLE CHEM CORP | Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Area | | Extension | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/10/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Union - Linden City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|---------------|------------------------------------|
| 2009-07-0004.7 - LUP - 240001 | MARSHES DOCK ROAD | Kinder Morgan Liquids Terminals, L.L.C. is proposing to perform maintenance on their existing 8-inch CANJ-801-Buckeye Pipeline. The maintenance activities will consist of excavating and exposing approximately 5 feet of the pipeline and to a depth of at least 2 feet below the pipeline. Shoring support is expected due to the nature of the onsite soils. Repair of the pipe is anticipated to be either a recoat or the addition of a sleeve around the pipe. | MOC 60327 DIG | Natalie Gunderson, Sherwood Lennon |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP1 Maintenance/Repair of Existing Features | | |
| Waterfront Individual Permit | | WFD IP-Commercial/Industrial/Public(Waterward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/04/2024 | | |
| Application Administratively Complete | | 12/10/2024 | | |

Union - Linden City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|----------------------|--|--|-------------------------------|
| 2009-23-0004.1 - LUP - 230001 | LINDEN LOGISTICS WAY | Installation of 2 12 inch petroleum pipelines within new right of way including 339 feet of guided bore. | BUCKEYE PARTNERS LP - L601 AND L602 PIPELINE | Becky Mazzei, Michael Sheehan |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands General Permit | | FWW GP2 Underground Utility Lines | | |
| Waterfront Individual Permit | | WFD-IP-Commercial/Industry/Public(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/20/2023 | | |
| Application Administratively Complete | | 07/25/2023 | | |
| Technical Information Requested | | 08/21/2023 | | |
| Amended Application Received | | 11/19/2024 | | |
| Technical Deficiency Information Received | | 11/19/2024 | | |
| Technical Information Requested | | 12/11/2024 | | |

Union - Rahway City

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|-------------------|------------------------------|
| 2013-06-0002.1 - LUP - 240001 | 147 W MAIN ST | The applicant proposes to re-submit an application for a Waterfront Development IP, to authorize the construction of a multi-family residential building. | 141 W MAIN ST LLC | Becky Mazzei, Sheldon Piggot |
| Permit Category | | Permit/Authorization Type | | |
| Waterfront Individual Permit | | WFD Individual Permit-SFH/Duplex(Landward) | | |
| Milestone | | Completed Date | | |
| Application Received | | 08/20/2024 | | |
| Application Administratively Complete | | 08/20/2024 | | |
| Approved | | 12/16/2024 | | |

Union - Scotch Plains Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|--------------|----------------------------------|
| 2016-20-0001.1 - LUP - 240001 | 2229 PAFF PL | Addition to a single-family dwelling | 2229 PAFF PL | Andrew Mazza, Christopher Martin |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit--SFH/Duplex | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/05/2024 | | |
| Application Administratively Complete | | 12/05/2024 | | |
| Amended Application Received | | 12/17/2024 | | |

Union - Union Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|--|---------------------------|-----------------|
| 2019-13-0001.2 - FWW - 240001 | DAVIES LN | Project consists of the installation of a 150' monopole within a chain link fence compound to support the relocated antennas and associated equipment on the water tank. | NEW JERSEY AMERICAN WATER | Andrew Mazza |
| Permit Category | | Permit/Authorization Type | | |
| Freshwater Wetlands | | FWLI2 Footprint of Disturbance LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/16/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

Union - Union Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---|------------------|---|------------------------------------|---------------------------|
| 2019-17-0001.2 - LUP - 240001 | 545 GREEN LANE | THIS PROJECT IS PROPOSING THE CONSTRUCTION OF A PARK WHICH INCLUDES A TRAIL AND FOOTBRIDGE. | UNION COUNTY IMPROVEMENT AUTHORITY | Andrew Mazza, Dhruv Patel |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Indiv Permit-Bridge/Culvert/Footbridge/Low Dam | | |
| Flood Hazard Verification | | Verification-Method 6 (Calculation Method) | | |
| Freshwater Wetlands General Permit | | FWW GP17 Trails/Boardwalks | | |
| Milestone | | Completed Date | | |
| Application Received | | 04/17/2024 | | |
| Application Administratively Complete | | 05/07/2024 | | |
| Technical Information Requested | | 06/04/2024 | | |
| Technical Deficiency Information Received | | 08/16/2024 | | |
| Amended Application Received | | 08/23/2024 | | |
| Approved | | 12/12/2024 | | |

Warren - Blairstown Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|-------------------------------------|-------------------|------------------|
| 2104-23-0005.1 - LLI - 230001 | 311 ROUTE 94 | FWLI4 - Verification over an acre | TRITOP REALTY LLC | Michael Tropiano |
| Permit Category | | Permit/Authorization Type | | |
| Land Use LOI | | FWLI4 Verification over an acre LOI | | |
| Milestone | | Completed Date | | |
| Application Received | | 07/20/2023 | | |
| Application Administratively Complete | | 07/24/2023 | | |
| Issued | | 12/13/2024 | | |

Warren - Franklin Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---|--------------|--------------------------------|
| 2105-05-0002.1 - LUP - 240001 | 2260 RT 57 W | The project was to construct three retaining walls to reconstruct the existing roadway. Sections of embankment were stabilized with grouted rip rap and sediment deposits were relocated from pre- storm channel and placed in areas to re-establish former stream channel alignment. | 2260 RT 57 W | Brett Kosowski, Dennis Contois |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard Individual Permit | | FHA Individual Permit-Bank/Channel | | |
| Freshwater Wetlands General Permit | | FWW GP20 Bank Stabilization | | |
| Milestone | | Completed Date | | |
| Application Received | | 10/04/2024 | | |
| Application Administratively Complete | | 10/07/2024 | | |
| Approved | | 12/24/2024 | | |

Warren - Independence Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|---------------------------|-----------------|-----------------|
| 2112-23-0004.1 - LGP - 240001 | 4 CATSWAMP ROAD | GP8 - House Addition | 4 CATSWAMP ROAD | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP8 - House Addition | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/13/2024 | | |
| Application Administratively Complete | | 12/13/2024 | | |
| Approved | | 12/13/2024 | | |

Warren - Independence Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|------------------|----------------------------------|------------------------------|-----------------|
| 2112-24-0007.1 - LGP - 240001 | 56 WATER STREET | GP24 - Malfunctioning Septic | CAMPAGNOLA SEPTIC ALTERATION | |
| Permit Category | | Permit/Authorization Type | | |
| Land Use General Permit | | GP24 - Malfunctioning Septic | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/17/2024 | | |
| Application Administratively Complete | | 12/17/2024 | | |
| Approved | | 12/17/2024 | | |

Warren - Knowlton Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|----------------------------|---|--------------------------|-----------------------------------|
| 2113-05-0002.1 - LUP - 240001 | LIME KILN RD & DELAWARE RD | PROPOSED SINGLE FAMILY RESIDENCE AND DRIVEWAY AND WELL WITHIN RIPARIAN BUFFER | MARKSBORO HOLDING CO LLC | Audra Didzbalis, Scarlett Simpson |
| Permit Category | | Permit/Authorization Type | | |
| Flood Hazard General Permit | | FHA GP6 Development SFH/Duplex and Driveway | | |
| Flood Hazard Verification | | Verification-Method 5 (Approximation Method) | | |
| Milestone | | Completed Date | | |
| Application Received | | 12/11/2024 | | |
| Application Administratively Complete | | 12/11/2024 | | |

Warren - Liberty Twp

| Activity Number | Project Location | Project Description | Applicant | Project Manager |
|---------------------------------------|-------------------|---|-------------------|-----------------|
| 2114-24-0003.1 - APD - 240001 | 402 MOUNT LAKE RD | Rebuild house add 2nd floor, keep well & foundation new septic. | 402 MOUNT LAKE RD | Lauren Seip |
| Permit Category | | Permit/Authorization Type | | |
| Applicability Determination | | HAD | | |
| Milestone | | Completed Date | | |
| Application Received | | 11/12/2024 | | |
| Application Administratively Complete | | 12/16/2024 | | |

NO TWA UPDATES



New Jersey Department of Environmental Protection

Department of Environmental Protection

Visit the NJDEP home page on the Internet at:

<http://www.nj.gov/dep/>

View and download NJDEP information such as permit application forms, checklists, regulations and rule proposals. Access publications, including the DEP Bulletin, as well as phone directories and public participation calendars.

- Air Quality Permitting Program (AQPP)
- Bureau of Air Monitoring
- Bureau of Air Quality Planning
- Bureau of Discharge Prevention
- Bureau of Freshwater & Biological Monitoring
- Bureau of Marine Water Monitoring
- Bureau of Recycling and Planning
- Clean Air Council
- Commissioner's Office
- Community Forestry
- Community Right to Know
- Compliance and Enforcement
- Dam Safety
- Delaware River Basin Commission
- Division of Fish & Wildlife
- Division of Parks & Forestry
- Division of Science and Research
- Division of Solid and Hazardous Waste
- Division of Water Quality
- Division of Watershed Management
- Geographic Information Systems (GIS) Unit
- Hazardous Waste and Transfer Facilities
- Hazardous Waste Regulation
- Division of Land Resource Regulation
- Landfill and Recycling Management
- Natural Heritage Program
- New Jersey Geological Survey
- New Jersey Historic Trust
- NJ Forest Service
- Office of Green Acres
- Office of Legal Affairs
- Office of Natural Resource Damages
- Office of Pollution Prevention and Right To Know
- Pinelands Commission
- Radiation Protection Programs
- Regulation Development Section
- Resource Recovery and Technical Programs
- Site Remediation Program
- Solid Waste Regulation
- Toxic Catastrophe Prevention Act Program
- Water Monitoring Management
- Water Supply Administration

DEP Permit Liaisons and Other Governmental Contacts

Any additional information concerning the permits may be obtained by contacting the appropriate person listed below.

N.J. DEPARTMENT OF ENVIRONMENTAL PROTECTION P.O. Box 402, Trenton, N.J. 08625-0402

General Information:

(609) 777-DEP3
(866) DEP-KNOW
609) 292-3131

Automated Directory Assistance

AIR QUALITY REGULATION P.O. Box 027, Trenton, NJ 08625-0027

New Source Review

(609) 633-2753
Ruth Foster (609) 292-3600
John Smith (609) 984-9482

ENVIRONMENTAL IMPACT STATEMENTS AND ASSESSMENTS

BUREAU OF COMPLIANCE SUPPORT & POLLUTION PREVENTION

DIVISION OF LAND REGULATION Mail Code 501-02A, P.O. Box 420, Trenton, NJ 08625-0420

(609) 777-0454

For Coastal Permits (Cafra, Coastal Wetlands, Waterfront Development Permits), Freshwater Wetlands Permits, Flood Hazard Area Permits, Highlands Applicability Determinations, Highland Approvals and Federal Consistency inquire according to location:

INLAND REGIONS

609-633-6563

Bergen, Essex, Hudson, Somerset and Union

Middlesex and Morris

1

Hunterdon, Mercer, Passaic, Sussex and Warren

COASTAL REGIONS

609-633-2289

Atlantic, Cape May, Monmouth and Ocean County

Burlington, Camden, Cumberland, Gloucester, and Salem

URBAN GROWTH AND REDEVELOPMENT

(609)984-6216

All Municipal, County and State Roads Applications

All Urban areas

DIVISION OF SOLID AND HAZARDOUS WASTE, Mail Code 401-02C, P.O. Box 420, Trenton, NJ 08625-0420

| | | |
|------------------------------------|------------|---------------|
| Class B Recycling Center Approvals | Karen Kloo | (609)984-3438 |
|------------------------------------|------------|---------------|

| | | |
|---------------------------|-----------------|---------------|
| Sanitary Landfill Permits | Anthony Fontana | (609)292-9880 |
|---------------------------|-----------------|---------------|

| | | |
|-----------------------------------|-----------------|---------------|
| Incinerator Permits (RRF Permits) | Anthony Fontana | (609)292-9880 |
|-----------------------------------|-----------------|---------------|

Transfer Station/Material Recovery

Facility Permits

| | |
|-----------------|---------------|
| Anthony Fontana | (609)292-9880 |
|-----------------|---------------|

| | | |
|--|-----------------|---------------|
| Resource Recovery Facility Permits (Incinerator) | Anthony Fontana | (609)292-9880 |
|--|-----------------|---------------|

| | | |
|------------------------------------|------------|---------------|
| Class C Recycling Center Approvals | Karen Kloo | (609)984-3438 |
|------------------------------------|------------|---------------|

| | | |
|------------------------------------|------------|---------------|
| Class D Recycling Center Approvals | Karen Kloo | (609)984-3438 |
|------------------------------------|------------|---------------|

| | | |
|---|------------|---------------|
| Solid Waste Composting Facility Permits (Class C) | Karen Kloo | (609)984-3438 |
|---|------------|---------------|

| | | |
|--|------------|---------------|
| Hazardous Waste Facility (HWF) Permits | Karen Kloo | (609)984-3438 |
|--|------------|---------------|

DIVISION OF WATER QUALITY, Mail Code 401-02B, PO Box 420, Trenton, NJ 08625-0420

Office of the Director

Watershed Permitting

(Including New Jersey Pollutant Discharge Elimination System (NJPDES) Permits)

| | | |
|------------------------------------|-------------------|----------------|
| Bureau of Surface Water Permitting | Susan Rosenwinkel | (609) 292-4860 |
|------------------------------------|-------------------|----------------|

| | | |
|--------------------------------------|--------|----------------|
| Bureau of Pretreatment and Residuals | Vacant | (609) 984-4428 |
|--------------------------------------|--------|----------------|

| | | |
|-------------------------------|--------|----------------|
| Permit Administration Section | Vacant | (609) 984-4428 |
|-------------------------------|--------|----------------|

- NJPDES Fee inquiries

- NJPDES DMR inquiries

- NJPDES Permit application requirements

| | | |
|--------------------------------------|---------------|----------------|
| Bureau of Nonpoint Pollution Control | Gabriel Mahon | (609) 633-7021 |
|--------------------------------------|---------------|----------------|

- Stormwater and Ground Water Permits

MUNICIPAL FINANCE AND CONSTRUCTION ELEMENT, Mail code is 401-03D PO Box 420, 3rd Floor, Trenton, NJ 08625-0420

(Including Technical Review of Treatment Works Approvals)

| | | |
|--|------------------------|----------------|
| Bureau of Environmental Engineering & Permitting | Charles Jenkins, Chief | (609) 633-1170 |
|--|------------------------|----------------|

| | | |
|--|-------------------------|----------------|
| Bureau of Construction, Payments, & Administration | Paul Hauch, P.E., Chief | (609) 292-3114 |
|--|-------------------------|----------------|

| | | |
|---|---------------------------|----------------|
| Treatment Works Approvals (Administrative Review) | John Maselli, Lisa Oakley | (609) 984-4429 |
|---|---------------------------|----------------|

The DEP has developed a Permit Readiness Checklist which will indicate all DEP permits that may be needed for a proposed project. Forms are available from the Office of Permit Coordination and Environmental Review at <http://www.nj.gov/dep/pcer> or at (609)292-3600

