

New Jersey Department of Environmental Protection Division of Water Quality

REQUEST FOR AUTHORIZATION (RFA) CHECKLIST

Category CG – General Non-Contact Cooling Water (NJ0070203)

This checklist is provided to you as guidance for completing a Request for Authorization under NJPDES/DSW Master CG General Non-Contact Cooling Water Permit NJ0070203.

Should you have any questions regarding the completion of the application, please contact the Bureau of Surface Water and Pretreatment Permitting by phone at (609) 292-4860 or by email at dwq_bswp@dep.nj.gov. If an item is not applicable, enter "N/A" or a similarly appropriate response.

To help us process your application more efficiently, please provide all applicable items.

CG Supplemental Form - Instructions below as described on the form.	s are provided on the form. Please include the applicable attachments
https://dep.nj.gov/wp-content/uploads/d	dwq/pdf/permits and related documents/supplemental form cg.pdf
Facility Diagram	Public Notice and Proof of Notice
Treatment Flow Diagram	USGS Map
SDS Sheets (If Applicable)	Priority Pollutant Scan (New Applicants Only)
Evidence of Application Submission (New Applicants Only)	to the affected Sewerage Entities and Municipalities
Signed and Dated Notices to	The Affected Sewerage Entity(ies) And Municipality
Copies of the Dated Certified Receipt	Mail Return Receipts or Other Means of Verification of the

COMPLETE AND SUBMIT APPLICATION TO:

dwq pas@dep.nj.gov

Please note that additional technical information based on site specific conditions may be required by the Department pursuant to N.J.A.C. 7:14A-2.12(b) and N.J.A.C. 7:14A-4.3(e).