



State of New Jersey

PHILIP D. MURPHY
Governor

DEPARTMENT OF ENVIRONMENTAL PROTECTION
Mail Code 401-02B

SHAWN M. LATOURETTE
Commissioner

TASHESHA L. WAY
Lt. Governor

Division of Water Quality
Bureau of Ground Water, Residuals, and Permit Administration
P.O. Box 420 – 401 E State St
Trenton, NJ 08625-0420
Phone: (609) 984-4428
www.state.nj.us/dep/dwq/

February 12, 2025

Re: DRAFT NJPDES-DGW MASTER GENERAL PERMIT RENEWAL

Category: K2 – Dental Facilities Onsite Wastewater Treatment Systems (GP)

NJPDES Permit No.: NJ0168416; Program Interest No. 50577

NJPDES Master General Permit Program Interest
Statewide

Dear Interested Party:

Enclosed is a **draft** New Jersey Pollutant Discharge Elimination System (NJPDES) permit action identified above which has been issued in accordance with N.J.A.C. 7:14A. This permit is for new or existing dental facilities that generate amalgam waste through the removal or placement of amalgams and that discharge to an onsite subsurface sewage disposal system (commonly called septic system) or a Class V Underground Injection Control (UIC) well. Consistent with N.J.A.C. 7:14A-21.12, this permit (Category K2) requires dental facilities that generate amalgam waste to implement Best Management Practices (BMPs) and install an amalgam separator.

A full copy of this draft renewal master K2 general permit is available on the Department's website at https://dep.nj.gov/dwq/permitting_information/permits_application_forms_and_checklists/#DGW.

Notice of this draft permit action will appear in the February 19, 2025 *DEP Bulletin*. The *DEP Bulletin* is available on the internet at <http://www.state.nj.us/dep/bulletin>. In addition, notice of this draft permit will appear in the newspapers listed below:

Newspaper	County
<i>Courier Post</i>	Burlington, Camden, Cape May, and Gloucester
<i>The Daily Record</i>	Morris
<i>The Democrat</i>	Hunterdon
<i>The Press of Atlantic City</i>	Atlantic, Cumberland, and Ocean
<i>The Star Ledger</i>	Bergen, Essex, Hudson, Hunterdon, Mercer, Middlesex, Monmouth, Morris, Passaic, Somerset, Sussex, Union and Warren
<i>The Times</i>	Mercer
<i>South Jersey Times</i>	Salem

In accordance with N.J.A.C. 7:14A-15.10(c).1.i., the public comment period will close thirty days after the last newspaper publication. The procedures for submitting comments or requesting a public hearing on this draft action are detailed in the enclosed public notice.

If you have questions or comments regarding the draft action, please contact Sarah Witt of my staff at Sarah.Witt@dep.nj.gov.

Sincerely,

A handwritten signature in black ink that reads "Kerri Standowski". The signature is written in a cursive, slightly informal style.

Kerri Standowski, Environmental Specialist 3
Ground Water Permitting and Onsite Unit
Bureau of Ground Water, Residuals, and Permit Administration

Enclosures

c: Permit Distribution List (available upon request)

Table of Contents

This Permit Package Contains the Items Listed Below

1. Cover Letter
2. Table of Contents
3. List of Acronyms
4. Public Notice
5. Fact Sheet
6. NJPDES Permit Authorization Page for Master General Permit No. NJ0168416
7. Part I General Narrative Requirements

List of Acronyms

BEEP	Bureau of Environmental Engineering and Permitting
BGRPA	Bureau of Ground Water, Residuals and Permit Administration
BMP	Best Management Practice
DGW	Discharge to Ground Water
GP	General Permit
ISO	International Standard Organization
K2	Discharge to Ground Water - Dental Facilities Utilizing Onsite Wastewater Treatment Systems
N.J.A.C.	New Jersey Administrative Code
N.J.S.A	New Jersey Statutes Annotated
NJDEP	New Jersey Department of Environmental Protection
NJPDES	New Jersey Pollutant Discharge Elimination System
RFA	Request for Authorization
SIU	Significant Indirect User
TWA	Treatment Work Approval
UIC	Underground Injection Control

New Jersey Department of Environmental Protection
Division of Water Quality
Bureau of Ground Water, Residuals, and Permit Administration

PUBLIC NOTICE

Notice is hereby given that the New Jersey Department of Environmental Protection (Department/NJDEP) proposes to issue a Ground Water Master General Permit New of New Jersey Pollutant Discharge Elimination System (NJPDES) Discharge to Ground Water Permit NJ0168416 in accordance with N.J.A.C. 7:14A, and by authority of the Water Pollution Control Act at N.J.S.A. 58:10A-1 et seq., for the following discharge:

Applicant or Permittee:

NJPDES Master General Permit
Discharge Category K2
Per Individual Notice of Authorization

Facility:

NJPDES Master General Permit
Discharge Category K2
Per Individual Notice of Authorization

This action is a renewal Ground Water Master General Permit (NJ0168416) for new or existing dental facilities that generate amalgam waste through the removal or placement of amalgams and that discharge to an onsite subsurface sewage disposal system (commonly called septic system) or a Class V Underground Injection Control (UIC) well. Consistent with N.J.A.C. 7:14A-21.12, this permit (Category K2) requires dental facilities that generate amalgam waste to implement Best Management Practices (BMPs) and install an amalgam separator. This permit is being issued on a Statewide basis.

The Department has determined that the types of facilities covered by this Master General Permit involve the same or substantially similar operations with respect to the nature of the discharge activity and the type of waste discharged and are more appropriately controlled under a general permit than under separate, individual permits, which is consistent with N.J.A.C. 7:14A-6.13(b)4. This category of facilities engage in similar disposal practices, require the same or similar operating conditions and standards for disposal, and require the same monitoring and/or inspections of the system.

This draft renewal NJPDES Master General Permit has been prepared on the administrative record filed at the NJDEP, 401 East State Street, Trenton, New Jersey 08625. Copies of the draft document are obtainable, for a nominal charge, and the administrative record is available for inspection by appointment only, Monday through Friday. If you are interested in scheduling an appointment or requesting specific information regarding the draft document, please contact the Bureau of Ground Water, Residuals, and Permit Administration staff at dwq_groundwater@dep.nj.gov.

Comments, or a request that the Department hold a non-adversarial public hearing on the draft document, must be submitted in writing (return receipt requested or other method to verify delivery) to the Department to Attention: Jason Lonardo, Chief, Comments on Public Notice NJPDES Permit No. NJ0168416, Mail Code 401-02B, Bureau of Ground Water, Residuals, and Permit Administration, P.O. Box 420, Trenton, NJ 08625-0420 or by email to dwq_groundwater@dep.nj.gov. Comments shall be submitted by the close of the public comment period, which is thirty (30) calendar days after the last newspaper publication. All persons who believe that any condition of this draft document is inappropriate or that the Department's decision to issue this draft document is inappropriate, must raise all reasonable arguments and factual grounds supporting their position, including all supporting materials, during the public comment period.

The Department will respond to all significant, timely and relevant comments upon issuance of the final permit decision. Each person who has submitted written comments or requested notice will receive notice of the Department's permit decision.

New Jersey Department of Environmental Protection
Division of Water Quality
Bureau of Ground Water, Residuals, and Permit Administration
401 East State Street, Trenton, NJ 08625

FACT SHEET

This fact sheet sets forth the principal facts and the significant factual, legal, and policy considerations examined during preparation of the permit.

1 Permit Action:

Ground Water Master General Permit Renewal for NJ0168416

2 Permit Category:

K2 – Discharge to Ground Water – Dental Facilities Utilizing Onsite Wastewater Treatment Systems

3 Description of the Permit:

On September 5, 2006 at 38 N.J.R. 3393(a), amendments were proposed to N.J.A.C. 7:14A-21.12 to regulate dental facilities that discharge to sanitary sewer treatment facilities through the establishment of Best Management Practices (BMPs) authorized by the New Jersey Pollutant Discharge Elimination System-Significant Indirect User (NJPDES-SIU) regulations to remove mercury amalgam prior to entering the waste stream. The purpose of this general NJPDES-DGW permit NJ0168416 (Category K2) is to implement similar requirements for those dental facilities that discharge to individual subsurface sewage disposal systems, which when properly maintained, are pumped and solids are disposed at sanitary sewer treatment facilities.

This New Jersey Pollutant Discharge Elimination System-Discharge to Ground Water (NJPDES-DGW) General Permit No. NJ0168416 is being renewed in accordance with the NJPDES Regulations, N.J.A.C. 7:14A-1 et seq. This permit is for new or existing dental facilities that generate amalgam waste through the removal or placement of amalgams and that discharge to an onsite subsurface sewage disposal system (commonly called septic system) or a Class V Underground Injection Control (UIC) well. Typically, these types of systems include septic tanks discharging to seepage pits and septic tanks discharging to disposal fields.

In addition to sanitary sewage, which is defined at N.J.A.C. 7:14A-1.2, dental facilities have the potential to discharge wastes containing dental amalgam to individual subsurface sewage disposal systems. Dental amalgam is formed by the reaction of mercury, which is a pollutant of concern, with amalgam alloy containing silver, tin and copper. Consistent with N.J.A.C. 7:14A-21.12, this permit (Category K2) requires dental facilities that generate amalgam waste to implement Best Management Practices (BMPs) and install an amalgam separator to prevent the discharge of amalgam from the facility.

This category of discharges can be regulated under this general permit because these discharges involve the same or substantially similar operations with respect to the nature of the discharge activity, discharge the same type of wastes and engage in similar disposal practices, require the same operating conditions and standards for disposal, and require the same monitoring and/or inspections of the system as a first defense against threat to human health and the environment. Based on these attributes, it is the opinion of the Department that this category of discharges is more appropriately controlled under a general permit than under separate, individual permits.

4 Description of Eligible Facilities/Sites:

Eligibility for this permit is limited to new or existing dental facilities that generate amalgam waste through the removal or placement of amalgams and that discharge to an onsite subsurface sewage disposal system (commonly called septic system) or a Class V Underground Injection Control (UIC) well. The following specialty facilities where no other routine dental services are practiced, are exempt from the requirement to obtain this permit: orthodontics, periodontics, endodontics, oral and maxillofacial surgery, oral and maxillofacial radiology and oral and maxillofacial pathology.

Table A of this Fact Sheet lists the names of the permittees currently authorized under this general permit.

5 Summary of Permit Conditions:

Consistent with N.J.A.C. 7:14A-21.12, this permit (Category K2) requires dental facilities that generate amalgam waste to implement Best Management Practices (BMPs) and install an amalgam separator. An amalgam separator is equipment designed to remove amalgam waste contained in rinse or wastewater from chair-side water collection and discharge systems. In accordance with this general permit, the amalgam separator is required to be certified to perform at ninety-eight (98) percent or greater efficiency in accordance with the testing methodologies required by the International Standard Organization (ISO) 11143 protocol, which requires a minimum ninety-five (95) percent efficiency to be certified. The installation and proper operation of these amalgam separators will prevent ninety-eight (98) percent of the amalgam waste from entering an individual subsurface sewage disposal system.

In addition, this permit continues to require the submission of a K2 Certification Form which is required to be submitted annually to the Department indicating that amalgam waste from the amalgam separator has been properly recycled in accordance with the manufacturer's specifications.

Additional notifications are required by this permit for any changes involving the facility:

- The permittee shall request a permit revocation when site operations no longer require a NJPDES permit, such as closure of the facility;
- When contact information for the facility changes, the permittee shall submit updated information on the Contact Information Update (NJPDES-2) form within thirty (30) days of the change; and
- Pursuant to N.J.A.C. 7:14A-16.2(d)1, the permittee shall provide written notice to the Department at least thirty (30) days prior to any change in ownership and/or permittee/operating entity. This written notice shall be in the form of a completed Application for Transfer of a NJPDES Permit form, which is available on the Department's website or by contacting the appropriate permitting program.

Further, clarification on previously referenced requirements has been incorporated into this permit.

6 Contact Person, Bureau, and Phone Number:

Sarah Witt, Environmental Services Trainee
Bureau of Groundwater, Residuals, and Permit Administration - (609) 984-4428

7 Administrative Record:

The following items were used to formulate the basis of the permit:

1	N.J.S.A. 58:10A-1 <i>et seq.</i> , New Jersey Water Pollution Control Act.*
2	N.J.A.C. 7:14A-1 <i>et seq.</i> , New Jersey Pollutant Discharge Elimination System Regulations*
3	N.J.A.C. 7:15-1 <i>et seq.</i> , Statewide Water Quality Management Planning Rules*
4	N.J.A.C. 7:9C-1 <i>et seq.</i> , Ground Water Quality Standards*
5	N.J.A.C. 7:9A -1 <i>et seq.</i> , Standards for Individual Subsurface Sewage Disposal Systems*
6	NJPDES-DGW Permit NJ0168416 effective on November 1, 2018; November 1, 2013; and October 1, 2007.

*The document is part of the administrative record but is not physically included in the record.

The discharge described above is a regulated activity under the New Jersey Water Pollution Control Act, N.J.S.A. 58:10A-1 *et seq.*, and its implementing regulations, the New Jersey Pollutant Discharge Elimination System (NJPDES) N.J.A.C. 7:14A-1 *et seq.* The permit has been developed pursuant to these regulations and is based on the administrative record, the Fact Sheet and documents cited therein, the draft permit, and any past permits issued to the facilities under these regulations.

Table A – List of Permittees Currently Authorized under the Master Permit Renewal

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0170607	463146	RVR ASSOCIATES LLC	Bergen	Oakland Boro
NJG0170615	127595	LONG HILL MEDICAL DENTAL CENTER CONDO ASSOC	Bergen	Oakland Boro
NJG0170721	463716	DELPRETE JOSEPH DMD	Bergen	Franklin Lakes Boro
NJG0171638	474160	CENTURY OAKS BUILDING	Bergen	Franklin Lakes Boro
NJG0172197	479005	OLD TAPPAN PROF BLDG	Bergen	Old Tappan Boro
NJG0172251	479307	PICCOLI ROBERT T DDS	Bergen	Franklin Lakes Boro
NJG0172260	479313	SABRA REALTY ASSOC	Bergen	Franklin Lakes Boro
NJG0172341	479433	SUSAN T. KWEE DDS	Bergen	Old Tappan Boro
NJG0172499	480036	393 RVR LLC	Bergen	Oakland Boro
NJG0172502	480037	L L PROPERTIES GRP	Bergen	Franklin Lakes Boro
NJG0173029	480980	MICHAEL D TSUBOTA	Bergen	Oakland Boro
NJG0173223	482264	JAMES SCILLIERI DMD	Bergen	Oakland Boro
NJG0173304	482708	MARK JOHNSON DDS	Bergen	Old Tappan Boro
NJG0173363	483266	COLONIAL PARK SHOPPING CENTER	Bergen	Saddle River Boro
NJG0173517	483748	THOMAS HAFNER DDS	Bergen	Upper Saddle River Boro
NJG0279030	190821	SR BARNSTABLE	Bergen	Saddle River Boro
NJG0300837	830273	OAKLAND SMILE STATION	Bergen	Oakland Boro
NJG0170232	461155	INDIAN MILLS DENTAL ASSOC	Burlington	Shamong Twp
NJG0170470	462397	QUALITY DENTAL CARE	Burlington	North Hanover Twp

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0170585	463141	JOHN C. HOFFMEIER DDS	Burlington	Cinnaminson Twp
NJG0170828	464423	MEDFORD FAMILY & COSMETIC DENTISTRY	Burlington	Medford Twp
NJG0171026	465336	COLUMBUS DENTAL ARTS LLC	Burlington	Mansfield Twp
NJG0171441	470943	EDWARD B. BESKIN DDS	Burlington	Mount Laurel Twp
NJG0172120	478053	RANCOCAS WOODS FAMILY DENTISTRY	Burlington	Mount Laurel Twp
NJG0172332	479431	GOOD SHEPPARD CLINIC	Burlington	Southampton Twp
NJG0172464	479766	SHANKER BENNETT R	Burlington	Tabernacle Twp
NJG0172677	480471	TRANGLE MEDICAL ARTS BLDG	Burlington	Moorestown Twp
NJG0172693	480486	PINELANDS FAMILY DENTAL CARE PA	Burlington	Medford Twp
NJG0172910	480737	MATTMULLER KYLE	Burlington	Palmyra Boro
NJG0271349	760092	MANSFIELD DENTAL CENTER	Burlington	Mansfield Twp
NJG0296473	809717	DANGELO LOUIS	Burlington	Medford Twp
NJG0170321	461663	BARRY POLANSKY DMD	Camden	Cherry Hill Twp
NJG0170844	464513	STROSBERG HOWARD DDS	Camden	Winslow Twp
NJG0172847	480599	MONICA K. SINGH DMD, LLC	Camden	Winslow Twp
NJG0181471	532071	ANCORA PSYHIATRIC HOSPITAL	Camden	Winslow Twp
NJG0170356	461819	ROCHFORD JAMES M DMD	Cape May	Cape May City
NJG0171191	467961	WOODBINE DENTAL PA	Cape May	Woodbine Boro
NJG0172367	479449	MARMORA FAMILY DENTAL ASSOCIATES PC	Cape May	Upper Twp

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0172715	480499	CHRISTOPHER L KNUPP DMD	Cape May	Upper Twp
NJG0170348	461719	P. JOHN MARCUCCI JR DDS	Cumberland	Vineland City
NJG0179540	527477	DENTAL HEALTH CENTER	Cumberland	Vineland City
NJG0172685	480485	ROBERT V. HOFSTETTER DDS	Gloucester	Mantua Twp
NJG0173673	486041	HELWIG THOMAS W - DMD	Gloucester	Harrison Twp
NJG0170682	463688	ORLANDO FAMILY DENTISTRY LLC	Hunterdon	East Amwell Twp
NJG0170739	463717	PERRYVILLE FAMILY DENTISTRY	Hunterdon	Bethlehem Twp
NJG0170810	464415	BRIDGE SMILES DENTAL GROUP PA	Hunterdon	Readington Twp
NJG0171468	470954	ABHISHEK CHANDRA	Hunterdon	Franklin Twp
NJG0171719	474859	ROBIN HILL PROFESSIONAL CENTER CONDO ASSC INC	Hunterdon	Hampton Boro
NJG0171999	476986	DRS JOSEPH F. & CAROL A. DE GEORGE DMD	Hunterdon	Lebanon Boro
NJG0172375	479452	CLINTON DENTAL GROUP	Hunterdon	Clinton Town
NJG0173100	481123	CHARLES F. SGROI DMD	Hunterdon	Lebanon Boro
NJG0175081	508797	WALNUT POND PROFESSIONAL BLDG DMD	Hunterdon	Clinton Twp
NJG0170879	464773	RODNEY DENTAL OFFICE	Mercer	Hopewell Twp
NJG0172171	478916	PRACTICE SQUARE	Mercer	East Windsor Twp
NJG0172235	479241	PRINCETON HIGHTSTOWN OFFICE PARK	Mercer	East Windsor Twp
NJG0172430	479731	PENNINGTON POINT EAST	Mercer	Pennington Boro
NJG0172928	480759	SERENITY PLAZA	Mercer	Pennington Boro
NJG0172979	480885	RS FAMILY DENTAL	Mercer	Hamilton Twp

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0190519	555218	WINDSOR SIGNATURE SMILES LLC	Mercer	East Windsor Twp
NJG0172901	480726	RICKARDS ROBERT	Middlesex	Milltown Boro
NJG0173843	488399	GREEN MARK R DDS	Middlesex	Middlesex Boro
NJG0194964	561919	ALPHA OMEGA PRACTICE LLC	Middlesex	Monroe Twp
NJG0170119	459933	KENSINGTON ORGANIZATION LLC	Monmouth	Millstone Twp
NJG0170381	461848	DEFILIPPIS JAMES DDS	Monmouth	Millstone Twp
NJG0170593	463143	MANALAPAN PROFESSIONAL CENTER	Monmouth	Manalapan Twp
NJG0170704	463694	MASSA REALTY BUILDING, LLC.	Monmouth	Holmdel Twp
NJG0170836	464465	WYCKOFF BUILDING DENTIST OFFICE	Monmouth	Marlboro Twp
NJG0171352	469932	JERRY N. FALK FAMILY DENTISTRY	Monmouth	Millstone Twp
NJG0171425	470784	HOWARD DOPPELT DMD	Monmouth	Holmdel Twp
NJG0171590	471538	JAMES C BURDEN DMD	Monmouth	Millstone Twp
NJG0171689	474764	ATLANTIC BUILDING THE	Monmouth	Colts Neck Twp
NJG0172570	480308	DEFABIO EDWARD C DDS	Monmouth	Colts Neck Twp
NJG0172596	480313	ATLANTIC DENTAL ARTS	Monmouth	Manasquan Boro
NJG0172863	480608	ESTEBAN CHAN DMD LLC	Monmouth	Holmdel Twp
NJG0173274	482585	GROWING SMILES	Monmouth	Upper Freehold Twp
NJG0173703	486120	DENTAL HEALTH CENTER OF HOLMDEL	Monmouth	Holmdel Twp
NJG0178250	520370	CARING DENTAL SOUTH PA	Monmouth	Marlboro Twp
NJG0183334	535718	MICHAEL COHEN DDS LLC	Monmouth	Marlboro Twp

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0211168	594420	NEW PARADIGM DENTISTRY	Monmouth	Millstone Twp
NJG0170178	460408	ROGER M CASULLI DDS	Morris	Mount Olive Twp
NJG0170216	460926	DOUGLAS BUSH DMD	Morris	Chester Boro
NJG0170402	461906	FLANDERS OFFICE & RESEARCH PARK	Morris	Mount Olive Twp
NJG0170461	462283	RANDOLPH DENTAL CARE	Morris	Randolph Twp
NJG0170569	463124	FLANDERS PROFESSIONAL BLDG	Morris	Mount Olive Twp
NJG0170577	463135	DENTAL ASSOCIATES OF BASKING RIDGE	Morris	Harding Twp
NJG0170631	463518	SCHULLER & SCHULLER DDS PC	Morris	Pequannock Twp
NJG0170771	464206	ARLINGTON DENTAL ASSOC	Morris	Mount Arlington Boro
NJG0170933	464972	CHESTER MENDHAM DENTAL	Morris	Chester Boro
NJG0170984	464774	SUNGATE @ MT OLIVE PROFESSIONAL PK	Morris	Mount Olive Twp
NJG0171077	466179	D J CHERTOFF DDS	Morris	Pequannock Twp
NJG0171182	467959	KINNELON PROFESSIONAL COMPLEX	Morris	Kinnelon Boro
NJG0171204	467991	FRINO GERALD B. DMD	Morris	Pequannock Twp
NJG0171310	469755	RIVERDALE LLC	Morris	Riverdale Boro
NJG0171379	470640	MT FREEDOM OFFICE COMMONS	Morris	Randolph Twp
NJG0171387	470641	ROCONDO CONDOMINIUM OWNERS ASSOC	Morris	Chester Boro
NJG0171476	471017	PEQUANNOCK BLDG LLC	Morris	Pequannock Twp
NJG0171751	475536	RANDOLPH FAMILY & COSMETIC DENTISTRY LLC	Morris	Randolph Twp
NJG0172014	477136	RANDOLPH DENTAL ASSOC	Morris	Randolph Twp


NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0172189	478932	KEVIN J MCKEEVER DMD	Morris	Rockaway Boro
NJG0172359	479439	ROBERT PRAISNER DMD	Morris	Chester Boro
NJG0172391	479495	ERICA BRUNTON DMD	Morris	Jefferson Twp
NJG0172448	479737	DAN P DITARANTO DENTAL OFFICE	Morris	Pequannock Twp
NJG0172588	480310	BARTLEY SQUARE OFFICE CONDO ASSOC INC	Morris	Mount Olive Twp
NJG0172618	480377	TWO WEST HANOVER LLC	Morris	Randolph Twp
NJG0172731	480517	DONALD CALLAHAN	Morris	Mendham Boro
NJG0172758	480528	STEPHEN LASHEN DDS	Morris	Denville Twp
NJG0172782	480566	JEFFERSON FAMILY DENTISTRY	Morris	Jefferson Twp
NJG0172812	480586	ROLAND MERRITT BROWN DMD	Morris	Morristown Town
NJG0173011	480918	BRIAN M MARINO DMD	Morris	Pequannock Twp
NJG0173487	483746	CAZES FAMILY DENTISTRY LLC	Morris	Washington Twp
NJG0174629	502589	512 TURNPIKE ASSOC LLC	Morris	Pequannock Twp
NJG0174751	504330	EH CHESNUT	Morris	Kinnelon Boro
NJG0189570	2076	SKYLANDS MEDICAL GROUP PA	Morris	Jefferson Twp
NJG0222259	623878	NEW DENTAL/MEDICAL OFFICE OF DR AJ IUVONE DMD	Morris	Washington Twp
NJG0228061	642475	DEREK WIDMAYER DMD	Morris	Denville Twp
NJG0169650	453584	1 MAIN ST DENTAL OFFICE	Ocean	Plumsted Twp
NJG0170259	461297	DEMARCO FAMILY DENTAL	Ocean	Little Egg Harbor Twp
NJG0172383	479477	ADVANCED DENTISTRY OF JACKSON LLC	Ocean	Jackson Twp

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0172821	480590	RICHARD P RICHTER DDS PA	Ocean	Lakewood Twp
NJG0173070	481007	100 RT 70 ASSOC	Ocean	Lakewood Twp
NJG0173193	481798	FISHBEIN JOEL S	Ocean	Jackson Twp
NJG0277568	772002	HEALTHY SMILES OF NEW EGYPT	Ocean	Plumsted Twp
NJG0170437	462117	AGNIESZKA JAMROZEK DMD LLC	Passaic	West Milford Twp
NJG0170453	462271	RINGWOOD COMMONS	Passaic	Ringwood Boro
NJG0171760	475559	LINCOLN DENTISTRY	Passaic	West Milford Twp
NJG0171921	476602	DENTAL OFFICE # 4.13	Passaic	West Milford Twp
NJG0171981	476946	DENTISTS @10 GREENWOOD LAKE TPKE LLC	Passaic	Ringwood Boro
NJG0172405	479504	JOSEPH A. BALLA DDS	Passaic	Wayne Twp
NJG0172537	480175	ALAN FRENKEL DMD	Passaic	West Milford Twp
NJG0172987	480904	ROBERT E SULZBACH DENTIST	Passaic	West Milford Twp
NJG0173207	481837	BASIL N PALLIS DDS	Passaic	West Milford Twp
NJG0181552	734	OAK RIDGE FAMILY DENTAL	Passaic	West Milford Twp
NJG0200077	2452	JOANNE SZEMBORSKI DDS	Passaic	West Milford Twp
NJG0339903	1005924	CASCADE REAL ESTATE	Passaic	West Milford Twp
NJG0170712	463712	LEINEN & LAPACOMENTO LLC	Salem	Pennsville Twp
NJG0171107	466207	DENTAL ARTS GROUP ELMER	Salem	Elmer Boro
NJG0173053	480993	BAGLEY FAMILY DENTISTRY	Salem	Elmer Boro
NJG0173380	483575	BRIAN FOX & DONNA KEECH	Salem	Elmer Boro

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0172553	480272	MAHASSEN KHALIL DMD	Somerset	Franklin Twp
NJG0172871	47362	MONTGOMERY KNOLL	Somerset	Montgomery Twp
NJG0172952	480851	BELLE MEAD DENTAL GROUP	Somerset	Montgomery Twp
NJG0173061	481005	JOSHUA C PAYNE DMD	Somerset	Franklin Twp
NJG0170194	460497	VIKING VILLAGE	Sussex	Vernon Twp
NJG0170640	463523	MAX L ACHTAU- DMD MAGD	Sussex	Wantage Twp
NJG0170747	463961	GENTLE DENTISTRY GROUP PC	Sussex	Sparta Twp
NJG0171069	466169	SACKS & SCHWARZWALD	Sussex	Andover Twp
NJG0171115	466314	ANDOVER PROFESSIONAL CENTRE	Sussex	Andover Boro
NJG0171174	467434	KIRKOWSKI JOHN A DMD	Sussex	Sparta Twp
NJG0171221	468513	SUSSEX DENTAL CENTER	Sussex	Wantage Twp
NJG0171395	470735	SKJEVELAND RICHARD DDS	Sussex	Sparta Twp
NJG0171450	470953	LAFAYETTE DENTISTRY	Sussex	Lafayette Twp
NJG0171484	471079	ALPHA & OMEGA DENTAL OF NJ.UP	Sussex	Vernon Twp
NJG0171808	475760	SPARTA DENTAL ASSOCIATES	Sussex	Sparta Twp
NJG0171867	476404	VERNON DENTAL BUILDING	Sussex	Vernon Twp
NJG0171913	476584	DENTAL OFFICE	Sussex	Sparta Twp
NJG0172138	478057	MICHAEL T WARD DMD	Sussex	Andover Twp
NJG0172227	479139	VERNON VALLEY DENTISTRY PC	Sussex	Vernon Twp
NJG0172456	479746	PANICUCCI & OUIMETTE LLC	Sussex	Sparta Twp

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0172472	479782	GEORGE KATA DDS	Sussex	Byram Twp
NJG0172511	480040	STEPHEN J CANDIO DDS	Sussex	Sparta Twp
NJG0172626	480383	290 RT 94 MCAFEE VERNON RD	Sussex	Vernon Twp
NJG0172791	480569	SPARTA DENTAL DESIGNS INC	Sussex	Sparta Twp
NJG0172804	480573	OKESON FAMILY DENTAL	Sussex	Branchville Boro
NJG0172855	480606	VICTORIA K. KAISER DMD	Sussex	Hardyston Twp
NJG0172898	480707	TERRENCE A DUDDY DDS	Sussex	Montague Twp
NJG0172995	480911	HOWARD F OGORMAN DENTIST	Sussex	Sparta Twp
NJG0173126	481226	UPPER LAKE PLAZA	Sussex	Sparta Twp
NJG0173134	481285	MELVYN A MOSKOWITZ DDS	Sussex	Andover Boro
NJG0173479	483735	DONNA MARIA VIX DMD	Sussex	Stillwater Twp
NJG0266302	750819	NEWTON-SPARTA PEDIATRIC DENTISTRY & ORTHO	Sussex	Newton Town
NJG0350125	1034875	DAVID ZUCKERMAN DMD	Warren	Allamuchy Twp
NJG0171433	470811	SCHWARTZ ROBERT DMD	Warren	Blairstown Twp
NJG0171646	474179	JM FEGAN DENTAL OFFICE	Warren	Phillipsburg Town
NJG0172600	480326	MAGALIO ALBERT	Warren	Blairstown Twp
NJG0172766	480550	BELVIDERE DENTAL ASSOCIATES PC	Warren	Belvidere Town
NJG0172774	480560	DAVID KRAWSKI DMD	Warren	Blairstown Twp
NJG0173037	480986	THE BLAIRSTOWN SMILE STUDIO	Warren	Frelinghuysen Twp
NJG0174009	491310	TODAY'S FAMILY DENTAL	Warren	Washington Boro

NJPDES Permit Number	PI Number	Facility Name	County	Municipality
NJG0213250	599582	MARK NELKE DMD	Warren	Blairstown Twp



NEW JERSEY POLLUTANT DISCHARGE ELIMINATION SYSTEM

The New Jersey Department of Environmental Protection hereby grants you a NJPDES permit for the facility/activity named in this document. This permit is the regulatory mechanism used by the Department to help ensure your discharge will not harm the environment. By complying with the terms and conditions specified, you are assuming an important role in protecting New Jersey's valuable water resources. Your acceptance of this permit is an agreement to conform with all of its provisions when constructing, installing, modifying, or operating any facility for the collection, treatment, or discharge of pollutants to waters of the state. If you have any questions about this document, please feel free to contact the Department representative listed in the permit cover letter. Your cooperation in helping us protect and safeguard our state's environment is appreciated.

Permit Number: NJ0168416

Program Interest Number: 50577

DRAFT: Ground Water Master General Permit Renewal

Permittee:

NJPDES Master General Permit
Category K2
Per Individual Notice of Authorization
Division of Water Quality
401-02B; P.O. Box 420
401 East State Street
Trenton, NJ 08625

Co-Permittee:

Property Owner:

NJPDES Master General Permit
Category K2
Per Individual Notice of Authorization
Division of Water Quality
401-02B; P.O. Box 420
401 East State Street
Trenton, NJ 08625

Location Of Activity:

NJPDES Master General Permit
Category K2
Per Individual Notice of Authorization
Division of Water Quality
401-02B; P.O. Box 420
401 East State Street
Trenton, NJ 08625

Authorization(s) Covered Under This Approval	Issuance Date	Effective Date	Expiration Date
K2 - Dental Facilities Onsite Wastewater Treatment Systems (GP)	Pending	Pending	Pending

By Authority of:
Commissioner's Office

DEP AUTHORIZATION
Stephen Boyer, Section Chief
Bureau of Ground Water, Residuals, and Permit Administration
Division of Water Quality

(Terms, conditions and provisions attached hereto)

PART I

NARRATIVE REQUIREMENTS

Dental Facilities Onsite WW Treatment Systems (GP)

A. General Conditions

1. Scope

- a. This permit applies to all areas of the state of New Jersey.
- b. Permit conditions remain in effect and enforceable until and unless the permit is modified, renewed, or revoked by the Department.

2. Definitions

- a. "Administrative authority" means the local board of health or its authorized agent acting on its behalf.
- b. "Amalgam separator" is a device to remove amalgam and its metal constituents from dental facility wastewater.
- c. "Amalgam waste" means and includes:
 - i. Non-contact amalgam (amalgam scrap that has not been in contact with patient);
 - ii. Contact amalgam (including, but not limited to, extracted teeth containing amalgam);
 - iii. Amalgam sludge captured by chairside traps, vacuum pump filters, screens, and other amalgam trapping devices;
 - iv. Used capsules containing amalgam; and
 - v. Leaking or unusable amalgam capsules.
- d. "Dental facility" means any dental clinic, dental office, or dental practice, including hospitals, dental schools, and community health centers.
- e. "ISO 11143" is the International Organization for Standardization's standard for amalgam separators and specifically means ISO 11143:1999 or later. The standard is available from the ISO at <http://www.iso.org>.
- f. "Permittee" means, for the purpose of this permit, the owner of the individual subsurface sewage disposal system or Class V injection well. The permittee may be a dental facility, if the dental facility owns the individual subsurface sewage disposal system or Class V injection well receiving the dental facility discharge.

3. Requirements for Treatment Works Approval

Dental Facilities Onsite WW Treatment Systems (GP)

- a. For new construction, expansion, alterations, or major repairs of regulated discharge units subject to N.J.A.C. 7:14A-22 and 23, the permittee shall obtain a Treatment Works Approval. For new construction, the permittee shall, prior to discharge, obtain the necessary Treatment Works Approval(s) to design, construct and operate a discharge unit capable of meeting any limits set forth in this permit.

4. Access to Information

- a. The permittee shall allow an authorized representative of the Department, upon the presentation of credentials, to enter upon a person's premises, for purposes of inspection, and to access/copy any records that must be kept under the conditions of this permit.

5. Notification of System Closure

- a. The permittee shall contact applicable Bureau of Water Compliance and Enforcement office and the Bureau of Ground Water, Residuals, and Permit Administration (BGRPA) for guidance when closing or abandoning any individual subsurface sewage disposal system or Class V injection well.
 - i. Contact information, regarding the Bureau of Water Compliance and Enforcement offices, is as follows:

Bureau of Water Compliance & Enforcement-Northern (Jurisdiction: Counties of Bergen, Essex, Hudson, Hunterdon, Morris, Passaic, Somerset, Sussex, Union, and Warren)
Mailing Address: 7 Ridgedale Avenue Cedar Knolls, NJ 07927
Email: water_north@dep.nj.gov
Phone: 973-656-4099

Bureau of Water Compliance & Enforcement-Southern (Jurisdiction: Counties of Atlantic, Burlington, Camden, Cape May, Cumberland, Gloucester, Mercer, Middlesex, Monmouth, Ocean, and Salem)
Mailing Address: 2 Riverside Drive Suite 201 Camden, NJ 08103
Email: water_south@dep.nj.gov
Phone: 856-614-3655

- ii. Contact information for BGRPA is as follows:

Bureau of Ground Water, Residuals, and Permit Administration
Mailing Address: Mail Code 401-02B, P.O. Box 420 401 E State St Trenton, NJ 08625-0420
Email: dwq_groundwater@dep.nj.gov
Phone: 609-984-4428

6. Licensed Operator Requirements

- a. The owner of a system(s) covered under this General Permit is not required to employ a licensed operator in accordance with N.J.A.C. 7:10A-1.10(c)5.

7. Revocation

- a. The permittee shall request a permit revocation when site operations no longer require a NJPDES permit such as closure of the facility.
- b. The Revocation Request Form is available on the Department's website at https://www.nj.gov/dep/dwq/pdf/njpdes4_revocation_form.pdf.

8. Notification of Facility Contact Changes

- a. The permittee shall notify the Department within two weeks of a change in contact information for any of the following persons associated with the facility/permit:
 - i. Permittee/Operating Entity Contact;
 - ii. Property Owner Contact;
 - iii. Facility Contact; or
 - iv. Fees/Billing Contact.
- b. Notification to the Department shall be in the form of a completed Contact Information Update form (i.e. NJPDES-2 form), which is available on the Department's website or by contacting the appropriate permitting program.

9. Notification of Change in Ownership and/or Permittee/Operating Entity

- a. As set forth at N.J.A.C. 7:14A-16.2, prior to any change in ownership and/or the permittee/operating entity, the current permittee shall provide written notice to the Department at least thirty (30) days prior to the proposed transfer date.
 - i. Written notice to the Department shall be in the form of a completed Application for Transfer of a NJPDES Permit form, which is available on the Department's website or by contacting the appropriate permitting program.

B. Eligibility**1. Eligibility Criteria**

- a. All owners of individual subsurface sewage disposal systems that are designed, constructed, installed and operated in compliance with the Standards for Individual Subsurface Sewage Disposal Systems (N.J.A.C. 7:9A) or Class V injection wells that receive or will receive discharges from dental facilities that generate amalgam waste through the removal or placement of amalgams.
 - i. The following specialty facilities where no other routine dental services are practiced, are exempt from the requirement to obtain this permit: orthodontics, periodontics, endodontics, oral and maxillofacial surgery, oral and maxillofacial radiology and oral and maxillofacial pathology.

2. Owner's Agreement

- a. In cases where a dental facility that is discharging or will be discharging to an individual subsurface sewage disposal system or Class V injection well is not or will not be the owner of the individual subsurface sewage disposal system or Class V injection well, the owner of the individual subsurface sewage disposal system or Class V injection well shall have a written agreement with each dental facility stating that the dental facility agrees to comply with the applicable requirements of this permit.

3. Request for Authorization

- a. A Request for Authorization (RFA) under this general permit shall be submitted at least thirty (30) days prior to discharge to the individual subsurface sewage disposal system or Class V injection well and shall include the following documents:

- i. NJPDES-1 form;
 - ii. K2 Supplemental Application Form;
 - iii. Plot Plan; and
 - iv. Location map.
- b. Additional information may be required by the Department to be included as part of the RFA if the Department determines that such additional information is reasonably necessary to determine whether to authorize the discharge under this permit.
- c. A completed RFA shall be electronically submitted to the Permit Administration Section via email at dwq_pas@dep.nj.gov.

4. Plot Plan

- a. The Plot Plan shall consist of the following:
- i. A copy of a plan approved by the local administrative authority or the State for the construction of the individual subsurface sewage disposal system or Class V injection well, which can be obtained through the local health department or the State agency;
 - ii. If i. above is not available, a property survey, which includes property boundaries, realty improvements and the individual subsurface sewage disposal system or Class V injection well; or
 - iii. If i. and ii. above are not available, a copy of the municipal tax map at a scale where the property fits on an 8.5" x 11" sheet.

5. Location Map

- a. The Location Map, depicting the location of the facility, can include, but is not limited to:
- i. A 8.5" x 11" USGS 7.5 minute quadrangle topographic map with the property clearly identified; or
 - ii. A copy of 8.5" x 11" local street map with the property clearly identified.

6. Automatic Renewal of Authorization

- a. Authorization under this permit will be automatically renewed when this permit is reissued as provided by N.J.A.C. 7:14A-6.13(d)9 and 25.4(a)3 provided the discharge authorized under this permit continues to be eligible. The Department shall issue a notice of renewed authorization to the permittee.
- b. If the permittee is aware of any information in the most recently submitted RFA that is no longer true, accurate, and/or complete, the permittee shall provide the correct information to the Department within ninety (90) days of the effective renewal authorization notice.

C. Operating Requirements

1. Plot Plan

- a. An updated Plot Plan shall be submitted to the BGRPA whenever site conditions change.

2. Best Management Practices (BMPs)

- a. The permittee shall implement and maintain the BMPs in b. below prior to any discharge from the operation to any individual subsurface sewage disposal system or Class V injection well.
- b. The permittee shall comply with the following BMPs:
 - i. Use mercury-free material when appropriate;
 - ii. Eliminate all use of bulk elemental mercury;
 - iii. Use precapsulated alloys only;
 - iv. Recycle used disposable capsules containing amalgam;
 - v. Store amalgam waste in airtight containers;
 - vi. Install chair-side traps in each cuspidor and filters in the vacuum system of every operatory where restoration work is done;
 - vii. Change and clean chair-side traps and vacuum filters frequently;
 - viii. Do not rinse traps or vacuum pump filters over drains or in the sinks. Amalgam waste shall be stored in accordance with v. above until recycled;
 - ix. Do not throw or place the disposable trap, sludge from reusable trap, or vacuum pump filter or contents with regular garbage. Amalgam waste shall be stored in accordance with v. above until recycled;
 - x. Do not throw or place the disposable trap, sludge from reusable trap, or vacuum pump filter or contents into sharps containers or biohazard bag. Amalgam waste shall be stored in accordance with v. above until recycled;
 - xi. Do not flush amalgam waste down the drain. Amalgam waste shall be stored in accordance with v. above until recycled;
 - xii. Use only non-bleach, non-chlorine cleaners, which are in a pH neutral range, in accordance with manufacturers' specifications, when cleaning any plumbing fixtures that come in contact with amalgam and/or amalgam waste;
 - xiii. Appropriately disinfect and store amalgam pieces from removal and restoration with amalgam waste. Amalgam waste shall be stored in accordance with v. above until recycled;
 - xiv. Have all amalgam waste containing mercury recycled by a licensed recycling contractor, mail-in service or hazardous waste hauler;
 - xv. Train staff in the proper handling, management, and recycling of mercury containing material;
 - xvi. Display and/or distribute any educational information, such as posters and brochures made available by the Department for this purpose; and
 - xvii. Maintain records to document that the BMP requirements are being met.

3. Amalgam Separator Requirements

- a. The permittee shall install and maintain an amalgam separator in accordance with b. below prior to discharge to the individual subsurface sewage disposal system or Class V injection well.
- b. The permittee shall comply with the following amalgam separator requirements:

- i. The amalgam separator shall be installed in accordance with the manufacturer's specifications and recommendations to serve every dental chair in the facility;
- ii. The amalgam separator shall be certified to perform at 98% or greater efficiency according to the International Standard Organization (ISO) standard 11143 protocol;
- iii. The amalgam separator shall be adequately sized for the maximum expected flow rate based on the manufacturer's written specifications or documented criteria for the specific facility;
- iv. The amalgam separator shall be installed, maintained and operated in accordance with its manufacturer's requirements and recommendations;
- v. The dental facility shall maintain documentation with the amalgam separator identifying the manufacturer name, product name and model number, if the amalgam separator is not clearly labeled with the above information;
- vi. The dental facility shall use only non-bleach, non-chlorine cleaners, which are in a pH neutral range, in accordance with the requirements of amalgam separator's manufacturer, when cleaning any plumbing fixtures, such as vacuum system lines that come in contact with amalgam and/or amalgam waste; and
- vii. On an annual basis, or more frequently if necessary, the dental facility shall properly recycle the amalgam waste from the amalgam separator according to the manufacturer's specifications.

4. Maintenance and Inspection Requirements

- a. The permittee shall have the individual subsurface sewage disposal system or Class V injection well inspected in accordance with the Department's, "Technical Guidance for Inspection of Onsite Wastewater Treatment and Disposal Systems", which is available on the Department's website at www.state.nj.us/dep/dwq/ within thirty (30) days after the installation of the amalgam separator. If the inspection identifies that the individual subsurface sewage disposal system or Class V injection well is "unsatisfactory", the permittee shall follow the requirements outlined in C.5.
- b. The permittee shall have all septic tanks, including pump tanks pumped, at a minimum, every five (5) years. The initial pumping of the tanks to satisfy this requirement may be coordinated with the requirements to have all tanks pumped as part of the inspection required in a. above.
- c. The permittee shall visually inspect the individual subsurface sewage disposal system or Class V injection well on an annual basis. The visual inspection of the individual subsurface sewage disposal system or Class V injection well shall include all areas where septic tanks, pump tanks, distribution boxes, and disposal fields are located. At a minimum, these areas shall be inspected for evidence of breakout, ponding, wet areas, odors and an overabundance or loss of vegetative cover. If the aforementioned evidence is discovered, the permittee shall follow the requirements outlined in C.5.

5. Contingency Requirements

- a. If the inspection of the individual subsurface sewage disposal system or Class V injection well in accordance with C.4. indicates the evidence of breakout, ponding, wet areas, odors and an overabundance or loss of vegetative cover in the areas of the septic tanks, pump tanks, distribution boxes, and disposal fields, the permittee shall:

- i. Immediately cease discharge to the affected disposal fields and, as appropriate, use the septic tank as a temporary holding tank and have wastes transported to a wastewater disposal facility for disposal until the affected disposal fields can be repaired;
 - ii. Contact the Department's BGRPA and the appropriate Bureau of Water Compliance and Enforcement to report the failure as soon as possible after it is observed; and
 - iii. Determine the probable cause and propose remedial measures.
- b. If the inspection of the individual subsurface sewage disposal system or Class V injection well in accordance with C.4. finds the individual subsurface sewage disposal system or Class V injection well to be "unsatisfactory", the permittee shall notify the Department's BGRPA within twenty-four (24) hours of the observation.

D. Submission Requirements

1. Inspection Results

- a. The permittee shall submit the results of the inspection of the individual subsurface sewage disposal system or Class V injection well performed within thirty (30) days after the installation of the amalgam separator in accordance with C.4.a. to the Department on the form provided in the Department's, "Technical Guidance for Inspection of Onsite Wastewater Treatment and Disposal Systems", which is available on the Department's website at https://dep.nj.gov/wp-content/uploads/dwq/inspection_guidance.pdf within ten (10) days following the inspection.

2. Annual Certification Requirements

- a. The permittee shall annually complete and submit the K2 Certification Form, which summarizes the status of compliance with the permit for the subject year between January 1 and December 30, to the Department's BGRPA. The K2 Certification Form is available on the Department's website at https://dep.nj.gov/dwq/permitting_information/permits_application_forms_and_checklists/#k2
 - i. The permittee shall attach a copy of the record of shipment of amalgam waste from the amalgam separator to the K2 Certification Form. A record of shipment may take the form of a log, invoice, manifest, bill of lading or other shipping document. The record for each shipment shall include, at a minimum, the name and address of the dental facility, the name and address of the receiving facility, the quantity of waste received and the date of receipt of the shipment.
 - ii. The permittee shall attach copies of pump out receipts to the K2 Certification Form following any pump out of septic tanks and/or pump tanks.
 - iii. The permittee shall certify that the visual inspection of the individual subsurface sewage disposal system or Class V injection well in accordance with C.4. has been performed by properly executing the K2 Certification Form, including but not limited to, the date of inspection.

E. Recordkeeping

1. Specific Requirements

- a. The permittee shall retain all records of recycling of amalgam waste from the amalgam separator.
- b. The permittee shall retain all records of pump outs of all septic tanks, including pump tanks.

- i. A copy of each pump out record must be submitted to the administrative authority or their authorized agent.
- c. The permittee shall retain all records of inspections of the individual subsurface sewage disposal system or Class V injection well required by this permit and shall update these records annually.
 - i. A copy of the inspection record generated from the inspection requirement at C.4. shall be submitted to the administrative authority or their authorized agent.
- d. All records identified above shall be and kept on-site and made available for inspection by the Department upon request.

F. General Conditions

1. Compliance with Rules

- a. The permittee shall comply with any other applicable Federal, State and local rules, regulations and ordinances. The issuance of this permit shall not be considered a waiver from any of these other requirements.
- b. The following conditions are incorporated by reference. The permittee is required to comply with the rules which were in effect as of the effective date of the final permit.
 - i. General Permits - N.J.A.C. 7:14A-6.13
 - ii. Penalties for Violations - N.J.A.C. 7:14-8.1 et seq.
 - iii. Incorporation by Reference - N.J.A.C. 7:14A-2.3
 - iv. Toxic Pollutants - N.J.A.C. 7:14A-6.2(a)4
 - v. Duty to Mitigate - N.J.A.C. 7:14A-6.2(a)11
 - vi. Inspection and Entry - N.J.A.C. 7:14A-2.11(e)
 - vii. Enforcement Action - N.J.A.C. 7:14A-2.9
 - viii. Duty to Reapply - N.J.A.C. 7:14A-4.2(e)
 - ix. Administrative Continuation of Permits - N.J.A.C. 7:14A-2.8
 - x. Permit Actions - N.J.A.C. 7:14A-2.7(c)
 - xi. Permit Duration and Renewal - N.J.A.C. 7:14A-2.7(a), (b)
 - xii. Consolidation of Permit Processing - N.J.A.C. 7:14A-15.5
 - xiii. Fee Schedule - N.J.A.C. 7:14A-3.1
 - xiv. Effect of Permit - N.J.A.C. 7:14A-6.2(a)6 & 7
 - xv. Severability - N.J.A.C. 7:14A-2.2(b)
 - xvi. Standard Reopener Clause - N.J.A.C. 7:14A-6.2(a)10
 - xvii. General Conditions Applicable to All Permittees - N.J.A.C. 7:14A-6.2

- xviii. Duty to Comply - N.J.A.C. 7:14A-6.2(a)
- xix. Signatory Requirements for Applications and Reports - N.J.A.C. 7:14A-4.9
- xx. UIC Corrective Action - N.J.A.C. 7:14A-8.4
- xxi. Additional Conditions Applicable to UIC Permits - N.J.A.C. 7:14A-8.9
- xxii. UIC Operating Criteria - N.J.A.C. 7:14A-8.16
- xxiii. Licensed Operator Exemption - N.J.A.C. 7:10A-1.10(c)5
- c. Operation and Maintenance
 - i. Proper Operation and Maintenance - N.J.A.C. 7:14A-6.12(a)
 - ii. Need to Halt or Reduce not a Defense - N.J.A.C. 7:14A-2.9(b)
- d. Records and Reporting Requirements
 - i. Planned Changes - N.J.A.C. 7:14A-6.7
 - ii. Duty to Provide Information - N.J.A.C. 7:14A-2.11, 6.2(a)14
 - iii. Transfer - N.J.A.C. 7:14A-6.2(a)8, 6.13(n), 16.1, 16.2
- e. NJPDES Rules
 - i. Unofficial copies of the NJPDES Rules are available on the Division of Water Quality's website at <https://dep.nj.gov/dwq/all-division-rules-and-regulations/njpdes/>

NJPDES MASTER GENERAL PERMIT PROGRAM INTEREST, Trenton

Permit No.NJ0168416
DGW230002 Ground Water Master General Permit Renewal