

CASE INVENTORY DOCUMENTS

Erick Kinsel, Bureau of Inspection and Review 609-292-8723 Erick.Kinsel@dep.nj.gov



 About half the recent submittals include the new Case Inventory Document (CID)

It is being used for complex and simple sites





CIDs and OPRA

If a hardcopy or CD is present in the archive, it will be available for the Requester

 If the CID is in NJEMS, it will be provided electronically via a CD





Do...

- > Read the "Column Instructions" tab
- **▶** Provide the most up-to date CID
- ➤ Adhere to required file type and column instructions about pasting
- >Include receptor issues





III								
	File Ho	me Insert Page Layout Formulas Data Re	view View Developer Add-Ins Ac	obat	۵ 🕝 ه	- a X		
	aste oboard 5	Arial v 10 v A A A 章 章 章 国 v B Z 型 v 日 v A v 章 章 l l l l l l l l l l l l l l l l l	\$ - % ,	B Delete →	Sort & Fir Filter - Sel			
B65 ▼ f _x								
A	Α	В	D	E	F	F_		
1 2	Site Name: PI #:							
3	3 IMPORTANT: Do not copy and paste into more than 1 cell at a time because it can disrupt hidden equations							
4	Case Invent	ory Document Version 1.2 02/20/14						
5	AOC ID	AOC Type	AOC Details	Contaminated	AOC Status	Status		
6 7 8 9 10 11 12 13 14		Storage tank and appurtenance - Above ground storage tank Storage tank and appurtenance - Federal Regulated Under ground s Storage tank and appurtenance - State Regulated Under ground stor Storage tank and appurtenance - Unregulated Under ground storage Storage tank and appurtenance - Silo Storage tank and appurtenance - Rail car Storage tank and appurtenance - Piping, above/below ground pump Storage tank and appurtenance - Loading and unloading area						
15 16 17 18 19 20 21 14	4 b bl A(OC Tracking / Column Instructions / Blank /						
Re	Ready 🛅 🖽 80% 🗇 🗇 🛨 🐰							





- "AOC Details" Column
 - O Do...
 - ➤ Provide AOC details to distinguish between multiple occurrences of same "AOC Type"
 - For Federal UST AOC, provide # USTs, contents (Not "Other"), size
 - Don't...
 - >Put overflow from "Activity" column here
 - ► Tell all about investigation of AOC here





	RA Type	Was an Order of Magnitude Evaluation Conducted?	Activity	
			July 2011 - During piping upgrade, stained soils were	
			observed.	
			Dec. 2013 RIR - Soil contamination delineated. RAW	
L			being prepared.	
			Oct. 1994 SIR - Former USTs excavated and removed	
			from site. Soil contamination identified and over-	
			excavated. Post-ex sampling identified soil contamination	
			up to 40,000 ppm EPH.	
			Dec. 2013 RIR - Soil contamination delineated. RAW	
			being prepared.	
			March 2014 PA - identified AST as potential AOC. No	
			signs of discharge, no staining around the AST. No	
			further investigation planned.	





- "Activity" Column
 - O Do...
 - >Provide the high points
 - >State basis for a "no sampling" decision
 - >Tell what's next
 - Ensure all text is within the cell
 - Don't...
 - >Cut & paste items that do not apply
 - >Leave blank

